

N NOT TO SCALE

ATHENA BORING LOG



BORING NO. B-49

PROJECT NAME:

LOCATION:

PROJECT NO.: Sheet 1 of 1

		11100201							`	511000	1 01	
Depth, feet	Graphic Log	Approx. Surface El. (feet, MSL): Location: See Boring Location Plan MATERIAL DESCRIPTION	SalumeS	Recovery (%)	RQD (%)	SPT Values	N-Value	Pocket Pen (tsf)	Water Content (%)	Liquid Limit	Plastic Limit	Plasticity Index
	71 1/2	Topsoil (13 Inches)							_>			
 		LEAN CLAY, sandy, with gravel, orange and brown, moist (FILL)	1.1_	94		4-2-3	5		20.0			
- 4 - 				100		3-2-2	4		17.2			
 		LEAN CLAY, sandy, with gravel, orange with dark-brown mottling, moist (FILL)	6.0	100		WoH-2-1	3		17.7			
- 8 - 		LEAN CLAY, reddish-brown with gray mottling, moist	0.0	83		WoH- WoH- WoH	0		21.8			
- 12-	-	Doining Tommitted at 10 1 Dec				Worr						
- 16-												
 	-											
 -20-												
-	-											
-24-	_											
-												
-												
-28-												
F -												
	-											
-32- 												
-												
Com	nlation	Denth (ft.): 10.0 Remarks: Geonrol	ho 711	חחד	track	mountod	L drill	ria v				

Date Started:

Logged By:

Completion Depth (ft.): 10.0 10/19/22 10/19/22 Date Completed: AC (ATHENA) JB (KSWA) Drilled By:

Remarks: Geoprobe 7120DT track-mounted drill rig w/ auto-hammer. 3-1/4" I.D. HSA. AWJ Split-Spoon sampling. Groundwater not encountered during drilling operations. Boring backfilled with auger cuttings upon completion.

ATHENA BORING LOG



BORING NO. B-50

PROJECT NAME:

PROJECT NO.:

LOCATION:

Sheet 1 of 1

Depth, feet	Graphic Log	Approx. Surface El. (feet, MSL): Location: See Boring Location Plan MATERIAL DESCRIPTION	Samples	Recovery (%)	RQD (%)	SPT Values	N-Value	Pocket Pen (tsf)	Water Content (%)	Liquid Limit	Plastic Limit	Plasticity Index
	711/7	Topsoil (12 Inches)							>			
		LEAN CLAY, sandy, with gravel, brown, moist (FILL)	.0	78		3-4-3	7		15.6			
- 4 - 		3 LEAN CLAY, trace gravel, orange, moist (FILL)	3.5	89		2-2-2	4		17.1			
 		6 LEAN CLAY, with gravel, brown and dark-gray, moist (FILL)	5.0	100		6-5-4	9		13.2			
- 8 - 		10	0.0	83		7-2-1	3		19.5			
L _		Boring Terminated at 10 FBGS										
_12−												
_ '												
	1											
-16-												
	1											
	1											
-	1											
-20-	1											
	1											
<u> </u>												
<u> </u>												
-24-												
<u> </u>												
-28	.											
L -												
L _												
L _]											
32												
]											
	1											
C		Denth (ft.): 10.0 Demarks: Geografi	20 7120	DT 4	rook i	mauntad	الناما	-ia v				

Completion Depth (ft.): 10.0
Date Started: 10/19
Date Completed: 10/19

Drilled By:

Logged By:

10/19/22 10/19/22 AC (ATHENA) JB (KSWA) Remarks: Geoprobe 7120DT track-mounted drill rig w/ auto-hammer. 3-1/4" I.D. HSA. AWJ Split-Spoon sampling. Groundwater not encountered during drilling operations. Boring backfilled with auger cuttings upon completion.