

BID ENVELOPE
MSCAA PROJECT NO. 18-1421-01

NAME OF PROJECT: CHARLES BAKER AIRPORT - RW 18 APPROACH CLEARING-
CONSTRUCTION

BIDS DUE: Tuesday, February 11th, 2025
Time

TIME: 2:00 PM Local

MEMPHIS SHELBY COUNTY AIRPORT AUTHORITY (MSCAA)
 PROCUREMENT DEPARTMENT
 MEMPHIS INTERNATIONAL AIRPORT
 4150 Louis Carruthers Drive
 Memphis, TN 38118 (901) 922-8000

BIDDER IDENTIFICATION:

Bidder _____

Address _____

TENNESSEE CONTRACTOR LICENSE INFORMATION:

License Number _____

License Classification Applicable to Project _____

License Expiration Date _____

Dollar Limit _____

**SUBCONTRACTORS (OR PRIME CONTRACTORS) TO BE USED ON THIS PROJECT IN THE
BELOW LISTED CAPACITIES:**

Note: Where applicable, one contractor/subcontractor performing electrical, plumbing, heating, ventilation, air conditioning, and masonry work must have its license number, applicable classification, expiration date and dollar limit on the BID ENVELOPE containing the BID PROPOSAL. **Prime contractors** who are to perform the electrical, plumbing, heating, ventilation, air conditioning or masonry work **MUST** list themselves as "Self-Perform" in the Sub-contractor list below.

	Sub-contractor List	License No.	Applicable Classification	Expiration Date	Dollar Limit
Electrical					
Plumbing					
Heating					
Ventilation					
Air Conditioning					
Masonry					

BID ENVELOPE

COMPLETE THIS FORM AND ATTACH IT TO THE OUTSIDE OF THE BID ENVELOPE. PLEASE REVIEW INSTRUCTIONS TO BIDDERS FOR BID PACKAGE DELIVERY AND FOR OTHER INFORMATION AND CONDITIONS. MSCAA RESERVES THE RIGHT, IN ITS SOLE DISCRETION, TO REJECT AND DISQUALIFY YOUR BID IF YOU, YOUR PARENT, SUBSIDIARY, AFFILIATE, OR PREDECESSOR IN INTEREST OR ANY OF YOUR SUBCONTRACTORS, SUPPLIERS, AND/OR THEIR PARENTS, SUBSIDIARIES, AFFILIATES OR PREDECESSORS IN INTEREST HAVE PENDING LITIGATION OR CLAIMS WITH THE MSCAA.

SPECIFICATIONS
FOR
**CHARLES BAKER AIRPORT - RW 18 APPROACH CLEARING-
CONSTRUCTION**

MEMPHIS INTERNATIONAL AIRPORT
MEMPHIS, TENNESSEE



MSCAA PROJECT NO. 18-1421-01

DATED: 1/14/2025

ISSUED FOR BID

THIS PAGE LEFT BLANK INTENTIONALLY.

SPECIFICATIONS
FOR
CHARLES BAKER AIRPORT - RW 18 APPROACH CLEARING-
CONSTRUCTION

MEMPHIS INTERNATIONAL AIRPORT
MEMPHIS, TENNESSEE

MSCAA NO. 18-1421-01


1/14/2025

TECHNICAL DESIGN PLANS – ISSUED FOR BID/CONSTRUCTION

I hereby certify that the Design Plans were prepared by me or under my direct supervision and that I am a duly Registered Engineer under the laws of the State of Tennessee.

James Triplett

Name



Date: 1/14/2025

Reg. No. 108005

SECTION 00010 - TABLE OF CONTENTS**Division/Section Code****Section Title****NON-TECHNICAL SPECIFICATIONS****DIVISION 0**

00001	Project Title Page
00007	Professional Seals
00010	Table of Contents
00015	List of Drawings
00100	Legal Notice to Bidders
00200	Instructions to Bidders/Proposers
00405	Proposal
00410	Proposal Guarantee
00445	Disadvantaged Business Enterprise (DBE) Requirements
00490	Addenda and Modifications
00500	Construction Contract
00605	Certificate of Secretary
00610	Performance Bond & Labor and Material Payment Bond
00630	Application for Payment
00640	Business Diversity Monthly Compliance Report
00765	Supplemental Provisions
00801	Airport Construction Safety Requirements
00802	Airport Security Requirements

Division/Section Code**Section Title****General Provisions**

Section 10	Definition of Terms
Section 20	Proposal Requirements and Conditions
Section 30	Award and Execution of Contract
Section 40	Scope of Work
Section 50	Control of Work
Section 60	Control of Materials
Section 70	Legal Regulations and Responsibility to Public
Section 80	Execution and Progress
Section 90	Measurement and Payment
Section 150	FAA General Provisions Addendum

General Construction Items

C-102	Temporary Air and Water Pollution, Soil Erosion, and Siltation Control
C-105	Mobilization

DIVISION 1

01100	Summary of Work, Sequence of Construction & Liquidated Damages
01210	Allowances
01230	Alternates
01250	Amendment Procedure
01310	Preconstruction Conference & Progress Meetings
01320	Schedules and Reports
01321	Construction Surveying

01322	Aerial Photographs
<u>Division/Section Code</u>	
01325	Delays and Extension of Time
01330	Submittals
01351	Storage and Protection
01353	Radio Communications
01500	Construction Facilities and Temporary Controls
01600	Product Requirements
01630	Product Substitution Procedures
01700	Field Engineering
01720	Project Record Documents
01741	Cleaning
01770	Close-Out Procedures
01771	Affidavit of Contractor
01772	Final Waiver and Release of Lien: PRIME
01774	Contractor Warranty Form
01775	Consent of Surety Company to Final Payment

TECHNICAL SPECIFICATIONS

P-151	Clearing and Grubbing
T-901	Seeding

Appendices

None

END OF SECTION 00010

DIVISION 0 – SECTION 00015**LIST OF DRAWINGS**

DRAWINGS, Entitled Charles Baker Airport - RW 18 Approach Clearing-Construction, Issued for Bid/Construction, dated 1/14/2025, with revisions, as noted on the drawing sheets:

<u>SHEET NO.</u>	<u>INDEX OF SHEETS</u>
C-0.0 / 1 OF 27	COVER SHEET
C-2.0 / 2 OF 27	NOTES
C-2.1 / 3 OF 27	ESTIMATE OF QUANTITIES
C-3.0 / 4 OF 27	OVERALL SITE PLAN
C-3.1 / 5 OF 27	SITE PLAN A
C-3.2 / 6 OF 27	SITE PLAN B
C-3.3 / 7 OF 27	SITE PLAN C
C-4.0 / 8 OF 27	EROSION AND SEDIMENT CONTROL
C-4.1 / 9 OF 27	EROSION AND SEDIMENT CONTROL A
C-4.2 / 10 OF 27	EROSION AND SEDIMENT CONTROL B
C-4.3 / 11 OF 27	EROSION AND SEDIMENT CONTROL C
C-4.4 / 12 OF 27	DRAINAGE BASINS
C-5.0 / 13 OF 27	TREE HEIGHT PLAN
C-5.1 / 14 OF 27	TREE HEIGHT PLAN A
C-5.2 / 15 OF 27	TREE HEIGHT PLAN B
C-5.3 / 16 OF 27	TREE HEIGHT PLAN C
C-6.0 / 17 OF 27	DETAILS
C-6.1 / 18 OF 27	DETAILS
C-6.2 / 19 OF 27	DETAILS
C-6.3 / 20 OF 27	DETAILS
C-7.0 / 21 OF 27	SWPPP - NOTES
C-7.1 / 22 OF 27	SWPPP - NOTES
C-7.2 / 23 OF 27	SWPPP - NOTES
C-7.3 / 24 OF 27	SWPPP - NOTES
C-7.4 / 25 OF 27	SWPPP - NOTES
C-7.5 / 26 OF 27	SWPPP - NOTES
C-7.6 / 27 OF 27	SWPPP – NOTES

END OF SECTION 00015

THIS PAGE LEFT BLANK INTENTIONALLY.

LEGAL NOTICE
Request for Bids
MSCAA Project Number 18-1421-01
Charles Baker Airport - RW 18 Approach Clearing-Construction

Sealed bids for Charles Baker Airport - RW 18 Approach Clearing-Construction will be received by the Memphis-Shelby County Airport Authority (Authority), Procurement Department, 4150 Louis Carruthers Drive, Memphis, TN 38118, until **2:00 PM Local Time on Tuesday, February 11th, 2025**. Bids will not be received at any other location. Within 30 minutes thereafter, the bids will be opened and publicly read via phone/video conference. The Bid Documents, including a description of the scope of work, the required response format, and additional instructions may be obtained on or after **January 15, 2025**, online at www.flymemphis.com.

A virtual Pre-Bid Meeting will be held Tuesday, January 21, 2025, at 11:00 AM local time via phone/video conference. Instructions on Pre-Bid Meeting and Site Visit requests can be found at <https://www.flymemphis.com/rfps-rfq>. Attendance at the Pre-Bid Meeting is strongly recommended.

All Bidders are responsible for checking the Authority's website up to the submission deadline for any updates, addenda or additional information. The successful Bidder must sign a contract with the Authority that includes Federal Aviation Administration provisions, if applicable, regarding the Buy American Preference, Foreign Trade Restriction, Davis-Bacon, Affirmative Action, Debarment and Suspension, and Drug-Free Workplace, all of which are incorporated herein by reference.

Each bid must be made by a contractor licensed in Tennessee and be accompanied by a 5% Bid Guarantee. The successful bidder must execute a Performance Bond and a Payment Bond in the amount of 100% each of the Contract Price and meet the Disadvantaged Business Enterprise (DBE) participation goal for this project, which is 20%.

The Authority reserves the right to reject any or all responses to this Request for Bids in whole or in part; to waive any informalities, technicalities, or omissions related to this Request for Bids; and to reject responses on any other basis authorized by the Authority's purchasing policies. This project is funded under a grant contract with the State of Tennessee.

The Authority is an equal opportunity employer and prohibits discrimination based on the grounds of age, race, sex, color, national origin, disability, marital status, military service, or sexual orientation in its hiring and employment practices and in the admission to, access to, or operation of its programs, services, and activities.

By order of:
Terry Blue, A.A.E.
President and CEO
Memphis-Shelby County Airport Authority

DIVISION 0 – SECTION 00200**INSTRUCTIONS TO BIDDERS / PROPOSERS**

Instruction for the preparation of proposals and the delivery thereof to the Memphis-Shelby County Airport Authority (MSCAA) are contained in General Provision Section 20 and additionally as follows. Prepare and submit proposals accordingly.

1. RESERVATION OF RIGHTS:

MSCAA reserves the right, in its sole discretion, to reject and disqualify the bid of any bidder that has pending litigation or claims with the MSCAA and to reject the bid when a parent, subsidiary, affiliate, or predecessor in interest of the Bidder has pending litigation or claims with the MSCAA.

MSCAA also reserves the right, in its sole discretion, to reject and disqualify the bid of any bidder if the bid includes any subcontractor(s) or supplier(s) of any tier that have pending litigation or claims with MSCAA, and to reject the bid when a parent, subsidiary, affiliate, or predecessor in interest of the subcontractor or supplier has pending litigation or claims with the MSCAA.

Bidders shall request from MSCAA a list of entities that have pending claims or litigation with MSCAA to avoid including such entities or their parents, subsidiaries, affiliates, or predecessors in interest in their proposal or bid. A list of affected entities may be obtained by a written or telephone request to Development Division at MSCAA, 2491 Winchester Road, Suite 113, Memphis, TN 38116-3856, telephone number (901) 922-8033.

2. PRE-BID CONFERENCE:

A virtual Pre-Bid Meeting will be held Tuesday, January 21, 2025, at 11:00am local time via phone/video conferencing. Instructions on Pre-Bid Meeting and Site Visit requests can be found at <https://www.flymemphis.com/rfps-rfqs>. Attendance at the Pre-Bid Meeting is strongly recommended.

3. DRAWINGS AND SPECIFICATIONS FURNISHED TO CONTRACTOR:

Electronic set of contract and proposal documents are available at <https://www.flymemphis.com/rfps-rfqs> at no cost. Printed copies are not available.

4. REFUSAL OF ISSUANCE OF PROPOSAL FORM TO BIDDERS IN DEFAULT AND DISQUALIFICATION OF BIDDERS:

See General Provision Section 20 for disqualification of bidders and bidders in default.

5. SUBMIT THE FOLLOWING WITH THE BID IN THE MANNER DESCRIBED BELOW:

- A.
- (1) Proposal
 - (2) Proposal Guarantee (Required Bid Security)
 - (3) DBE Assurance Statement/Letter of Intent on Bidder's / Proposer's Letterhead for each DBE subcontractor, subcontractors' signatures not required.
 - (4) Written quote or proposal or other communication from each DBE upon which the scope of work and dollar value contained in your Assurance Statements is based with items included in the Proposal either circled and/or highlighted.
 - (5) DBE Goals Accomplishment Statement
 - (6) Information on All Firms that Provide Bids or Quotes
- B. The following must be submitted within 24 hours of the proposal submittal deadline:

- (1) DBE Assurance Statement/Letter of Intent on Bidder's / Proposer's Letterhead for each DBE subcontractor, subcontractors' signatures required.

See General Provision Section 20, PROPOSAL REQUIREMENTS AND CONDITIONS.

- C. By executing the proposal submittal, the Contractor is confirming that (1) neither the Contractor nor any of Contractor's potential subcontractors or suppliers have pending claims or litigation, arbitration, or other dispute resolution proceedings where the Owner and the Contractor or potential subcontractors or suppliers are parties; or (2) the Contractor has disclosed in writing any such pending claims or proceedings to Owner through its own writing and/or the writing of Contractor's potential subcontractors or suppliers and submitted same to Owner with the proposal submittal.
- D. Bids should be delivered to the following address:

Memphis-Shelby County Airport Authority
 Procurement Department
 Memphis International Airport
 4150 Louis Carruthers Drive
 Memphis, TN 38118
 Project No. 18-1421-01

The bid must be sealed and the project number must be included in the address.

Within 30 minutes thereafter, the Owner will transfer the bids to the Authority's Project Center located at 4225 Airways Boulevard, Memphis, TN, where the bids will be opened and publicly read. Please note that bids will not be accepted at the Project Center; they must be delivered prior to the deadline to the 4150 Louis Carruthers Drive address or they will be rejected.

6. CONSIDERATION OF BID:

The Owner reserves the right to reject any or all bids in whole or in part and to waive any informalities, technicalities, or omissions therein.

It is intention of the Owner to award a contract based upon the lowest responsive bid on the lump sum base bid. Bidder understands and agrees that, after a review of all the bids, the Owner will select the lump sum base bid that best suits the Owner's needs within the sole discretion of the Owner.

7. NO FINANCIAL INTEREST:

Respondent understands and agrees that no Airport Authority employee or member of the Board of Commissioners shall receive any financial benefit arising out of this proposal or its contract, if awarded, either directly or indirectly. Further, any fees paid to any person or entity by contractor for assistance in obtaining this contract, if awarded, with the Authority must be fully disclosed to the Authority.

8. PROTEST:

- A. Any protest must be filed in writing and received by the Authority within seven (7) calendar days of the date of the occurrence of the event that is the subject of the protest, e.g., the opening of responses, the award, or a determination that a respondent is not responsible or that a response is not responsive. Any protest must be actually delivered to the Authority during the business hours of 7:00 AM – 3:30 PM Local Time in order to be deemed to be received by the Authority as required under this Section. A protest must be submitted in hard copy and addressed as follows:

Memphis-Shelby County Airport Authority

Attention: Director of Procurement
4150 Louis Carruthers Drive
Memphis, Tennessee 38118-6613

Any protest sent by telegraphic or facsimile transmission or by email or other electronic means will not meet the filing requirements set forth herein and will not be deemed to be received by the Authority.

No objections with regard to the application, meaning, or interpretation of the specifications contained herein will be considered after the opening of the subject bid.

END OF SECTION 00200

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 0 – SECTION 00405

PROPOSAL

Project Identification: **Charles Baker Airport - RW 18 Approach Clearing-Construction**

Contract Number: MSCAA Project No. **18-1421-01**

**For Overnight Courier
or Hand Delivery Submit to:**

Memphis-Shelby County Airport Authority
Memphis International Airport
Procurement Department
4150 Louis Carruthers Drive
Memphis, Tennessee 38118

1. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an agreement with Owner in the form included in the Contract Documents to perform and furnish all Work as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid and in accordance with other terms and conditions of the Contract Documents.
2. Bidder accepts all of the terms and conditions of the Legal Notice to Bidders and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for seventy-five (75) days after the day of Bid opening. Bidder will sign and submit the Construction Contract with the Bonds and other documents required by the Bidding Requirements, within ten (10) days after the date of Owner's Notice of Award.
3. In submitting this Bid, Bidder represents, as more fully set forth in the Contract that:

- (a) Bidder has examined copies of all the Bidding Documents and of the following Addenda (receipt of all which is hereby acknowledged):

Date	Number
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

- (b) Bidder has familiarized itself with the nature and extent of the Contract Documents, Work, site, locality, and all local conditions and Laws and Regulations that in any manner may affect cost, progress, performance or furnishing of the Work.

- (c) Bidder has studied carefully all reports and drawings of subsurface conditions and drawings of physical conditions which are identified in Division 0 and Division 1 Specifications, and accepts the determination set forth in General Provision Section 20 paragraph 20-06 of the extent of the technical data contained in such reports and drawings upon which Bidder is entitled to rely.
- (d) Bidder has obtained and carefully studied (or assumes responsibility for obtaining and carefully studying) all such examinations, investigations, explorations, tests and studies (in addition to or to supplement those referred to in (c) above) which pertain to the subsurface or physical conditions at the site or otherwise may affect the cost, progress, performance or furnishing of the Work at the Contract Price, within the Contract Time and in accordance with other terms and conditions of the Contract Documents, including specifically the provisions of General Provision Section 20 paragraph 20-06; and no additional examination, investigations, explorations, tests, reports or similar information or data are or will be required by Bidder for such purposes.
- (e) Bidder has reviewed and checked all information and data shown or indicated on the Contract Documents with respect to existing Underground Facilities at or contiguous to the site and assumes responsibility for the accurate location of said Underground Facilities. No additional examinations, investigations, explorations, tests, reports or similar information or data in respect of said Underground Facilities are or will be required by Bidder in order to perform and furnish the Work at the Contract Price, within the Contract Time and in accordance with the other terms and conditions of the Contract Documents.
- (f) Bidder has correlated the results of all such observations, examinations, investigations, explorations, tests, reports and studies with the terms and conditions of the Contract Documents.
- (g) Bidder has given Owner or Engineer written notice of all conflicts, errors or discrepancies that it has discovered in the Contract Documents and the written resolution thereof by Owner or Engineer is acceptable to Bidder.
- (h) This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; Bidder has not solicited or induced any person, firm or corporation to refrain from bidding; and Bidder has not sought by collusion to obtain for itself any advantage over any other Bidder or over Owner.

4. Bidder will complete Base Bid Work for the following price(s).

UNIT PRICE SCHEDULE – BASE BID

ITEM NO.	PAY ITEM	DESCRIPTION	UNIT	EST. QUANT.	UNIT PRICE	TOTAL EST. PRICE
1	1000-01	MOBILIZATION (FIXED AMOUNT)	LS	1	\$ _____	\$ _____
2	1000-03	PERMITS	LS	1	\$ _____	\$ _____
3	1000-04	BONDS	LS	1	\$ _____	\$ _____
4	2000-01	SILT FENCE	LF	7,000	\$ _____	\$ _____
5	2000-02	MULCH SOCKS	LF	6,500	\$ _____	\$ _____
6	2000-03	HIGH VISIBILTY FENCE	LF	6,500	\$ _____	\$ _____
7	2000-04	CONSTRUCTION EXIT	EACH	1	\$ _____	\$ _____
8	2000-05	INLET PROTECTION	EACH	4	\$ _____	\$ _____
9	2000-07	SEDIMENT TRAPS	EACH	1	\$ _____	\$ _____
10	2000-08	STREAM CROSSING*	EACH	2	\$ _____	\$ _____
11	2000-09	PHASE 1 (CUT AND STUMP REMOVAL)	AC	18	\$ _____	\$ _____
12	2000-10	PHASE 2 (WETLANDS AND STREAMS)	AC	42	\$ _____	\$ _____
13	2000-11	TREE REMOVAL FROM SITE	CY	150	\$ _____	\$ _____
14	2000-12	GRADING-LEVELING	AC	18	\$ _____	\$ _____
15	2000-13	SEEDING, FERTILIZING, AND MULCHING WITH MULCH MATERIAL	AC	18	\$ _____	\$ _____
16	2000-14	WATERING	LS	1	\$ _____	\$ _____

*20' of HDPE Pipe (Two 48" pipe) and Gravel Crossing that is 16' wide, 18' deep and 65' across

CONTRACT BASE BID TOTAL (TOTAL OF LINE ITEMS 1-16) \$ _____

CONTRACT BASE BID TOTAL (TOTAL OF LINE ITEMS 1-16):

_____ (use words) _____
 (\$ _____)

- 5. The Owner reserves the right to reject any or all bids in whole or in part and to waive any informalities, technicalities, or omissions therein.

It is intention of the Owner to award a contract based upon the lowest responsive bid on the lump sum base bid. Bidder understands and agrees that, after a review of all the bids, the Owner will select the lump sum base bid that best suits the Owner's needs within the sole discretion of the Owner.

- 6. Bidder agrees that the Work: will be completed and ready for final payment within the calendar days (as described in Section 01100) after the date when the Contract Time commences to run. Bidder accepts the provisions of the Contract as to liquidated damages in the event of failure to complete the Work on time.
- 7. See Section 00200, INSTRUCTIONS TO BIDDERS, for a complete list of documents that are made a condition of this Bid.

- 8. Communications concerning this Bid shall be addressed to: _____
(Printed Name)

The address of Bidder indicated above, or

the following address: _____

email address: _____

- 9. The terms used in this Bid which are defined in General Provision Section 10 of the Specifications included as part of the Contract Documents have the meanings assigned to them in the Division 0 and Division 1 Specifications.

Submitted on _____, 20____.

- 10. The undersigned Bidder confirms that (1) neither Bidder nor any of Bidder’s potential subcontractors or suppliers have pending claims or litigation, arbitration, or other dispute resolution proceedings where the Owner and Bidder or Bidder’s potential subcontractors or suppliers are parties; or (2) such claims or proceedings are pending and Bidder is disclosing same through its own writing and/or the writing of Bidder’s potential subcontractors or suppliers and submitting same to Owner with this proposal submittal.

If Bidder is:

An Individual

(Individual's Printed Name)

(Individual's Signature)

doing business as: _____

Business address: _____

Phone No.: _____ FAX No. _____ E-Mail _____

A Partnership

(Firm Name)

By: _____
(Signature of General Partner and Printed Name)

Business address: _____

Phone No.: _____ FAX No. _____ E-Mail _____

A Corporation

(Corporation Name)

By: _____ Title: _____
(Signature of person authorized to sign)

(Printed Name)

(Corporate Seal)

Attest: _____
(Signature of Secretary) (Printed Name)

(State of Incorporation)

Business address: _____

Phone No.: _____ FAX No. _____ E-Mail _____

A Joint Venture

(Joint Venture)

By: _____
(Signature of Joint Venturer) (Printed Name)

(Address)

Phone No.: _____ FAX No. _____ E-Mail _____

By: _____
(Signature of Joint Venturer) (Printed Name)

(Address)

Phone No.: _____ FAX No. _____ E-Mail _____

(Each joint venturer must sign. The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated above).

END OF SECTION 00405

DIVISION 0 – SECTION 00410

PROPOSAL GUARANTEE

KNOW ALL MEN BY THESE PRESENT, that we, the undersigned, _____
_____ as Principal, and
_____ as Surety, are

hereby held and firmly bound unto Memphis-Shelby County Airport Authority as Owner, in the sum of _____ for the payment of which, well and truly to be made, the said Principal and Surety hereby jointly and severally bind ourselves, our heirs, executors, administrators, successors, and assigns.

Whereas the Principal has submitted to Memphis-Shelby County Airport Authority a certain bid, attached hereto and hereby made a part hereof, to enter into a contract in writing for the Charles Baker Airport - RW 18 Approach Clearing-Construction, MSCAA Project No. 18-1421-01.

NOW, THEREFORE, if said bid shall be rejected, or in the alternate, if said bid shall be accepted and the Principal shall execute and deliver a contract in accordance with the terms of the Contract Documents and shall furnish a bond for its faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith, and shall in all other respects perform the agreement created by the acceptance of said bid, then this obligation shall be void, otherwise the same shall remain in full force and effect; it being expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event, exceed the amount of this obligation as herein stated.

The Surety, for value received, hereby stipulates and agrees that the obligation of said Surety and its bond shall be in no way impaired or affected by any extension of the time within which the Owner may accept such bid; and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers,

this _____ day of _____, 20_____.

PRINCIPAL

By: _____

(Name and Title)

SURETY

SEAL

By: _____

(Attorney-in-Fact)

END OF SECTION 00410

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 0 – SECTION 00445**DISADVANTAGED BUSINESS ENTERPRISE
(DBE) REQUIREMENTS**

MSCAA operates a federal Disadvantaged Business Enterprise (DBE) Program¹ to ensure full and fair opportunities in MSCAA contracting for businesses owned by socially and economically disadvantaged individuals. Only firms that are certified consistent with 49 CFR Part 26 and the Tennessee Department of Transportation Unified Certification Program (TN UCP), as identified below, will be considered to be certified as a Disadvantaged Business Enterprise.

This section, entitled “Disadvantaged Business Enterprise Requirements” is provided in an effort to assist Respondents. The information contained in this section is not intended to, nor does it, supplement or amend any federal regulation. All Respondents are responsible for compliance with all applicable federal and MSCAA rules and requirements.

It is a requirement that all Respondents providing services for the MSCAA take all reasonable steps to ensure that DBE have a full and fair opportunity to compete for and perform contract work without discrimination on the basis of race, color, national origin or sex. In order to satisfy this requirement, Respondents will be expected to timely submit documentation as identified below and throughout the contract period if selected, and cooperate with MSCAA. Failure to timely submit requested documentation, cooperate with MSCAA or answer inquiries truthfully will be considered a material contract breach and may result in termination.

The following documents must be submitted with your response to this solicitation:

DBE Assurance Statement/Letter of Intent. (49 CFR Part 26.53(b)) The Respondent must submit an Assurance Statement for each DBE whose participation the Respondent is counting toward the goal. This may include first, second, third and so on tier subcontractors and the Respondent and all subcontractors between the Respondent and the DBE should sign the Assurance Statement. The Respondent must submit this Assurance Statement on Company Letterhead.

For each Assurance Statement, the Respondent must also provide the written quote or proposal from the DBE or other communication from the DBE upon which the scope of work and dollar value contained in your Assurance Statement is based (“quote/proposal”).

For all RFOs using federal monies, the Assurance Statement(s) must still be submitted and list the DBE s to be used and their scope of work, but no dollar amount(s) is entered. Dollar amounts(s) will be submitted by the prevailing Respondent upon completion of the selection process.

All portions of the Assurance Statement must be completed (including the description of work, the estimated contract amount, and the estimated dollar value of DBE participation for counting and goal purposes) before the Assurance Statement is signed by either the DBE or the Respondent. If the DBE’s, and if applicable the 2nd/3rd Tier Subcontractor’s, signature(s) can be obtained on the completed Assurance Statement before the bid submission deadline, the Respondent should submit the fully-completed and fully-signed Assurance Statement. If the Respondent submits an Assurance Statement that is completed except for the DBE’s, and if applicable, the 2nd/3rd Tier Subcontractor’s signature(s) and a

¹ The Authority also operates a non-federal Business Diversity Development Program (BDDP). The Authority administers the BDDP Program according to federal regulations, primarily 49 CFR Part 26.

quote/proposal from the DBE as described above. the Respondent will be given 24 hours from the bid submission deadline to submit the completed Assurance Statement signed by the DBE and if applicable the 2nd/3rd Tier Subcontractor. Each Assurance Statement submitted during this 24 hour window must conform to the previously submitted Assurance Statement except for DBE signature. These signed Assurance Statements must be submitted pursuant to the same location and time restrictions that applied to the solicitation response and late signed Assurance Statements will only be accepted for good cause as determined solely by MSCAA.

MSCAA reserves the right to ask questions of the Respondent, investigate and require additional information as it determines necessary in its sole discretion to ensure that the regulations and MSCAA's rules are followed as it relates to DBE participation.

Respondent DBE Goals Accomplishment Statement

Submit on Company Letterhead

Information on All Firms that Provide Bids or Quotes

We ask, but do not require, that **the Respondent** submit the following information with the response to this solicitation:

Voluntary Disclosure of Respondent Data

DEFINITION OF SOCIALLY AND ECONOMICALLY DISADVANTAGED

The rules that govern eligibility and certification of DBE are found generally at 49 CFR Part 26.5 and 26.61 through 26.73. These rules define a DBE as a for-profit, small business concern which is at least fifty-one percent (51%) owned and controlled by one or more socially and economically disadvantaged individuals. In the case of any publicly owned business, at least fifty-one percent (51%) of the stock must be owned by one or more socially and economically disadvantaged individuals. In addition, the personal net worth of the socially and economically disadvantaged owners of the small business concern must not exceed two million forty-seven thousand dollars (\$2,047,000).

As defined by 49 CFR, Part 26.5, a socially and economically disadvantaged individual is any individual who is a citizen (or lawfully admitted permanent resident) of the United States and who is –

- a. Any individual who a recipient finds to be a socially and economically disadvantaged individual on a case-by-case basis.
- b. Any individual in the following groups, members of which are rebuttably presumed to be socially and economically disadvantaged:
 - (1) “Black Americans” which includes persons having origins in any of the Black racial groups of Africa;
 - (2) “Hispanic Americans” which includes persons of Mexican, Puerto Rican, Cuban, Dominican, Central or South American, or other Spanish or Portuguese culture or origin, regardless of race;
 - (3) “Native Americans” which includes persons who are American Indians, Eskimos, Aleuts, or Native Hawaiians;
 - (4) “Asian-Pacific Americans” which includes persons whose origins are from Japan,

China, Taiwan, Korea, Burma (Myanmar), Vietnam, Laos, Cambodia (Kampuchea), Thailand, Malaysia, Indonesia, the Philippines, Brunei, Samoa, Guam, the U. S. Trust Territories of the Pacific islands (Republic of Palau), the Commonwealth of the Northern Marianas Islands, Macao, Fiji, Tonga, Kiribati, Tuvalu, Nauru, Federated States of Micronesia, or Hong Kong;

- (5) “Subcontinent Asian Americans” which includes persons whose origins are from India, Pakistan, Bangladesh, Bhutan, the Maldives islands, Nepal or Sri Lanka;
- (6) Women;
- (7) Any additional groups whose members are designated as socially and economically disadvantaged by the SBA, at such time as the SBA designation becomes effective.

DBE LIAISON OFFICER

For questions or information related to the DBE program, contact Regina Armstrong, the Senior Manager of Business Diversity Development at (901) 922-0255.

DBE CERTIFICATION

The Authority is a certifying member of the Tennessee Department of Transportation Unified Certification Program (TNUCP). TNUCP is a cooperative of entities that are recipients of federal funds that have developed a “one-stop shop” for certification throughout the State of Tennessee. The Authority compiles a directory of firms who have met the TNUCP’s selection criteria for eligibility as a DBE, including 49 CFR Part 26. You can view the directory of certified firms at www.flymemphis.com or at www.tdot.tn.gov. In order to be considered as meeting the DBE goal for this Contract, each business wishing to participate as a DBE or a joint venture DBE, must be certified by a TNUCP certifying member in accordance with 49 CFR Part 26. Out of state firms may be granted reciprocity by a TNUCP certifying member with an existing certification from their home state. Unless a firm is certified by a TNUCP certifying member by the time the responses to this solicitation are due, its participation will not be considered as meeting the DBE goal in the solicitation. Each business wishing to participate as a DBE or a joint venture DBE must be certified by the time the responses are due.

Identification of Contract Goal and Requirements

For this Contract, the DBE goal is established as **20%**. In order to be responsive, a Respondent must either meet the goal or make good faith efforts to do so. Good faith efforts are defined in Appendix A to 49 CFR Part 26 and discussed in the following section.

If a Respondent’s DBE Assurance Statement proposes a DBE percentage less than the established goal, the Respondent must, at the time of making the response, submit appropriate documentation showing good faith efforts to meet the established goal.. MSCAA reserves the right to request additional documentation or information from Respondent regarding its DBE Assurance Statement and, if applicable, any good faith efforts documentation. If MSCAA enters into a contract based on the Respondent’s DBE Goals Accomplishment Statement and documentation, the DBE percentage accepted by MSCAA will become a contractual requirement. If the Respondent’s DBE Assurance Statement proposes to attain a DBE percentage higher than the established goal, the established goal will remain the contractual requirement.

Respondents shall not contract with, demand, require or coerce a DBE into any agreement or into the signing of any Assurance Statement or any other document which prohibits the DBE from providing subcontracting quotations or doing business with other Respondents. The DBE shall be free to provide their services to any number of Respondents. To ensure that all obligations under sub-contracts awarded to a

DBE are met, the MSCAA will review the agreement between the Respondent and DBE, and Respondent's DBE involvement efforts during the performance of the contract.

GOOD FAITH EFFORTS STATEMENT AND REQUIREMENTS

Respondents must either meet the DBE goal or make good faith efforts to meet the goal. Respondents who do not meet the goal must establish adequate good faith efforts by submitting documentation along with the Respondent DBE Goals Accomplishment Statement. This statement should show that they took all necessary and reasonable steps to achieve the DBE goal, which could reasonably be expected to obtain sufficient DBE participation, even if they were not fully successful. The Respondent's DBE Goals Accomplishment Statement and supporting documents should conform to the good faith requirements outlined in Appendix A of 49 CFR Part 26.

The following is a list of types of actions that may be part of a Respondent's efforts to obtain DBE participation and may be included in the Respondent DBE Goals Accomplishment Statement and documentation. This list is not intended to be a mandatory checklist, nor is it intended to be exclusive or exhaustive. Other factors or types of efforts may be relevant in appropriate cases:

- a. Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified as a DBE who have the capability to perform the work of the contract. The Respondent must solicit this interest within sufficient time to allow the DBE to respond to the solicitation and take appropriate steps to follow-up initial solicitations to determine interest.
- b. Selecting portions of the work to be performed by a DBE in order to increase the likelihood that the goals of the will be achieved.
- c. Providing any interested DBE with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation with their offer for the subcontractor.
- d. Negotiating in good faith with any interested DBE. It is the Respondent's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation.
- e. Not rejecting any DBE as being unqualified without sound reasons based on a thorough investigation of their capabilities.
- f. Making efforts to assist any interested DBE in obtaining bonding, lines of credit, or insurance as required by the recipient or contractor.
- g. Making efforts to assist any interested DBE in obtaining necessary equipment, supplies, materials, or related assistance or services.
- h. Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and Federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of any DBE.

If a Respondent has not met the DBE goal and submits Respondent DBE Goals Accomplishment Statement and documentation, the Respondent should summarize in detail all good faith efforts taken by the

Respondent, including, but not limited to, the activities listed above in A through I, and supporting documentation. While the Respondent should submit documentation to support its good faith efforts at the time of bid submission, MSCAA may ask questions of Respondent or request additional documentation after review of Respondent's DBE Goals Accomplishment Statement and any documentation. In submitting the information required under this section, Respondent understands and agrees that the determination of whether Respondent has met the DBE goal or established good faith efforts to meet the goal is a judgment call that MSCAA will make.

ADMINISTRATIVE RECONSIDERATION (49 CFR PART 26.53(d))

Within 5 business days of being informed by the Authority that it is not responsive because it has not documented sufficient good faith efforts, a Respondent may request administrative reconsideration. Respondent should make this request in writing to the following reconsideration official: Terry Blue, President and CEO, Memphis Shelby County Airport Authority, 2491 Winchester Road, Suite 113, Memphis, Tennessee 38116, (901) 922-8000, tblue@flymemphis.com. The reconsideration official will not have played any role in the original determination that the Respondent did not document sufficient good faith efforts.

As part of this reconsideration, the Respondent will have the opportunity to provide written documentation or argument concerning the issue of whether it met the goal or made adequate good faith efforts to do so. The bidder/offeror will have the opportunity to meet in person with our reconsideration official to discuss the issue of whether it met the goal or made adequate good faith efforts to do so. The Authority will send the Respondent a written decision on reconsideration, explaining the basis for finding that the Respondent did or did not meet the goal or make adequate good faith efforts to do so. The result of the reconsideration process is not administratively appealable to the Department of Transportation.

COUNTING THE DBE PARTICIPATION

DBE participation shall be counted toward meeting the DBE goal as outlined in 49 CFR Part 26, specifically 26.55. When **the Respondent** completes an Assurance Statement, **the Respondent** must include not only the total value of the work to be performed and/or the materials to be supplied by the DBE but also the total amount of DBE participation that should be counted toward meeting the goal. If you have any questions about counting, we strongly urge you to consult 49 CFR Part 26. The following may be helpful to you in counting DBE participation and in determining which sections of Part 26.55 you need to review in more detail.

a. When a DBE participates in a contract, you count only the value of the work actually performed by the DBE toward DBE goals.

(1) Count the entire amount of that portion of a construction contract (or other contract not covered by [paragraph \(a\)\(2\)](#) of this section) that is performed by the DBE's own forces. Include the cost of supplies and materials obtained by the DBE for the work of the contract, including supplies purchased or equipment leased by the DBE (except supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate).

(2) Count the entire amount of fees or commissions charged by a DBE firm for providing a bona fide service, such as professional, technical, consultant, or managerial services, or for providing bonds or insurance specifically required for the performance of a DOT-assisted contract, toward DBE goals, provided you determine the fee to be reasonable and not excessive as compared with fees customarily allowed for similar services.

- (3) When a DBE subcontracts part of the work of its contract to another firm, the value of the subcontracted work may be counted toward DBE goals only if the DBE's subcontractor is itself a DBE. Work that a DBE subcontracts to a non-DBE firm does not count toward DBE goals. a. When a DBE participates in a contract, you count only the value of the work actually performed by the DBE toward DBE goals.
- (4) Count the entire amount of that portion of a construction contract (or other contract not covered by paragraph (a)(2) of this section) that is performed by the DBE's own forces. Include the cost of supplies and materials obtained by the DBE for the work of the contract, including supplies purchased or equipment leased by the DBE (except supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate).
- (5) Count the entire amount of fees or commissions charged by a DBE firm for providing a bona fide service, such as professional, technical, consultant, or managerial services, or for providing bonds or insurance specifically required for the performance of a DOT-assisted contract, toward DBE goals, provided you determine the fee to be reasonable and not excessive as compared with fees customarily allowed for similar services.
- (6) When a DBE subcontracts part of the work of its contract to another firm, the value of the subcontracted work may be counted toward DBE goals only if the DBE's subcontractor is itself a DBE. Work that a DBE subcontracts to a non-DBE firm does not count toward DBE goals.
- b. When a DBE performs as a participant in a joint venture, count a portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work of the contract that the DBE performs with its own forces toward DBE goals.
- c. Count expenditures to a DBE contractor toward DBE goals only if the DBE is performing a commercially useful function on that contract. For the definition and explanation of a commercially useful function see 49 CFR Part 26.55(c).
- d. To determine whether a DBE trucking company is performing a commercially useful function see 49 CFR Part 26.55(d).
- e. Count expenditures with DBEs for materials or supplies toward DBE goals as provided in 49 CFR Part 26.55(e). Please note that materials or supplies obtained from a DBE manufacturer are counted differently toward DBE goals than a DBE regular dealer. It is imperative that the bidder consult federal regulations for counting differences.
- f. If a firm is not currently certified as a DBE in accordance with the standards of 49 CFR Part 26 Subpart D at the time of the execution of the contract, do not count the firm's participation toward any DBE goals, except as provided for in § 26.87(i).
- g. Do not count the dollar value of work performed under a contract with a firm after it has ceased to be certified toward your overall goal.
- h. Do not count the participation of a DBE subcontractor toward a contractor's final compliance with its DBE obligations on a contract until the amount being counted has actually been paid to the DBE.

SANCTIONS FOR NON-COMPLIANCE²

In case of the Respondent's non-compliance with DBE requirements as applicable, including, but not limited to, documentation, cooperation, and truthfulness, MSCAA shall impose such contract sanctions as it may determine to be appropriate. This may include but is not limited to:

- a) Withholding of payments to the Respondent under the Contract until the Respondent complies; and/or
- b) Cancellation, termination, or suspension of the Contract, in whole or in part; and/or
- c) Assessing sanctions; and/or
- d) Payment by the Respondent to MSCAA of an amount equal to the difference in the DBE dollar value contracted for and the dollar value achieved in documented DBE participation, which dollar value shall be considered liquidated damages if the Authority determines that Respondent failed to make good faith efforts in meeting the Contract's DBE goal.

CONTRACT ASSURANCE (49 CFR PART 26.13)

The Contractor and any sub-recipient or subcontractor shall adhere to and ensure the following clause is included in every contract and subcontract.

The successful Respondent, any successful subrecipient or successful subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this prime contract. The successful Respondent shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the successful Respondent to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to:

- (a) Withholding monthly progress payments;
- (b) Assessing sanctions;
- (c) Liquidated damages; and/or
- (d) Disqualifying the Contractor from future bidding as non-responsible.

PROMPT PAYMENT/RETAINAGE

The successful Respondent agrees to pay each subcontractor under this prime contract for satisfactory performance of its contract no later than fifteen (15) days from the receipt of each payment the successful Respondent receives from MSCAA. A subcontractor's work is satisfactorily completed when all the tasks called for in the subcontract have been accomplished and documented as required by the MSCAA. When MSCAA has made an incremental acceptance of a portion of a prime contract, the work of a subcontractor covered by that acceptance is deemed to be satisfactorily completed. Any delay or postponement of payment from the above referenced timeframe may occur only for good cause following written approval of the MSCAA. This clause applies to both DBE and non-DBE subcontractors.

² The Authority applies Sanctions for Non-Compliance to its BDDP.

Retainage will not be withheld on this project. No retainage will be withheld by MSCAA from progress payments due the successful Respondent. Retainage by the successful Respondent or subcontractors is prohibited, and no retainage will be held by the successful Respondent from progress payments due to subcontractors.

TERMINATION OF DBE SUBCONTRACTS

The successful Respondent must not terminate a DBE subcontractor listed in response to this solicitation (or an approved substitute DBE firm) without prior written consent of Authority. This includes, but is not limited to, instances in which the successful Respondent seeks to perform work originally designated for a DBE subcontractor with its own forces or those of an affiliate, a non-DBE firm, or with another DBE firm.

The successful Respondent shall utilize the specific DBEs listed to perform the work and supply the materials for which each is listed unless the contractor obtains prior written consent as provided in 49 CFR §26.53(f). Unless prior written consent is provided pursuant to 49 CFR §26.53(f), the successful Respondent shall not be entitled to any payment for work or material unless it is performed or supplied by the listed DBE.

The Authority may provide such written consent only if the Authority agrees, for reasons stated in the concurrence document, that the successful Respondent has good cause to terminate the DBE firm. For purposes of this paragraph, good cause includes the circumstances listed in 49 CFR §26.53.

Before transmitting to the Authority its request to terminate and/or substitute a DBE subcontractor, the prime contractor must give notice in writing to the DBE subcontractor, with a copy to the Authority, of its intent to request to terminate and/or substitute, and the reason for the request.

The successful Respondent must give the DBE five days to respond to the successful Respondent's notice. In the response, the DBE must advise the Authority and the successful Respondent of the reasons, if any, why it objects to the proposed termination of its subcontract and why Owner should not approve the prime contractor's action. If required in a particular case as a matter of public necessity (e.g., safety), Owner may provide a response period shorter than five days.

In addition to post-award terminations, the provisions of this section apply to pre-award deletions of or substitutions for DBE firms put forward by offerors in negotiated procurements.

49 CFR PART 26

The Respondent shall carry out the applicable requirements of 49 CFR Part 26 in the award and administration of MSCAA contracts. Respondent agrees to provide all its subcontractors and suppliers and to require all its subcontractors and suppliers on this project to provide a complete copy of the **Disadvantaged Business Enterprise (DBE) Requirements** of this contract to all those who provide supplies or work related to this contract and to require all those providing supplies or work to be bound by these requirements as it relates to their work related to this contract.

DBE ASSURANCE STATEMENT/LETTER OF INTENT

RESPONDENT:

Name of Firm: _____

Address: _____

City: _____ State: _____ Zip: _____

Telephone: _____

DBE:

Name of Firm: _____

Address: _____

City: _____ State: _____ Zip: _____

Telephone: _____

Description of work to be performed by DBE:

The Respondent is committed to utilizing the above-named DBE for the work described above. The estimated dollar value of this work is \$ _____, which is _____ % the total base bid proposal.

AFFIRMATION

The above-named DBE affirms that it will perform the portion of the contract for the estimated dollar value as stated above.

By: _____

Signature of DBE and Title

Date

Name

By: _____

Signature of 2nd/3rd Tier Subcontractor
and Title

Date

Name

If the Respondent does not receive award of the prime contract, any and all representations in this letter of Intent and Affirmation shall be null and void. If the Respondent does receive award of the prime contract, Respondent commits to using the DBE subcontractor listed and described above to meet the DBE contract goal, pursuant to 49 CFR Part 26.

By: _____
Signature of Respondent and Title Date Name

(SUBMIT ON RESPONDENT'S LETTERHEAD FOR EACH DBE SUBCONTRACTOR.)

Project No. _____

RESPONDENT DBE GOALS ACCOMPLISHMENT STATEMENT

The undersigned Respondent has satisfied the requirements of the bid/proposal specification in the following manner (please complete the appropriate spaces):

_____ The Respondent is committed to a minimum of 20% DBE utilization on this contract.

_____ The Respondent is unable to meet the DBE goal of ___% but is committed to a minimum of ___% DBE utilization on this contract and submits the attached narrative and documentation demonstrating good faith efforts consistent with Appendix A of 49 CFR 26. **The Respondent should attach as many pages as necessary to provide a full and complete narrative and supporting documentation of good faith efforts made. This narrative must be written on company letterhead and signed.**

Please provide an explanation for the percentage quoted above:

Provide an explanation of the dollar value of DBE's participation and compensation and how this has been determined to meet the specific goal requirements of this solicitation in whole or part.

If DBE and company will enter into a Joint Venture, please describe the terms of the relationship and attach a copy of the contract between the parties.

It is the present intent of the Respondent to utilize the specific DBE firms identified in this proposal in the execution of this contract. If for any reason, one or more of the DBE identified here are unable or unwilling to participate, the Respondent will make good faith efforts to replace the DBE with a similar DBE. The Authority DBE Good Faith Procedures are provided in this package and apply to this proposal.

Respondent's Name: _____

State Registration No.: _____

Federal Tax ID No.: _____

By: _____
Signature and Title Date

(SUBMIT THIS PAGE ON RESPONDENT'S LETTERHEAD)

Project No. _____

VOLUNTARY DISCLOSURE OF RESPONDENT DATA

For Title VI Compliance, we ask for **voluntary disclosure** of the following information:

Gender: Male

Female

Race: Caucasian

Black American

Hispanic American

Native American

Subcont. Asian American

Asian-Pacific American

Other (please specify) _____

(DO NOT SUBMIT THIS PAGE ON LETTERHEAD)

Received: _____ Sr. Manager of BDD	Date: _____	Project Name: _____ Project No.: _____
---------------------------------------	-------------	---

DISADVANTAGED BUSINESS ENTERPRISE (DBE) REQUIREMENTS FOR SUBCONTRACTS

Memphis-Shelby County Airport Authority (MSCAA) operates a federal Disadvantaged Business Enterprise (DBE) Program to ensure full and fair opportunities in MSCAA contracting for businesses owned by socially and economically disadvantaged individuals, which is governed by 49 CFR Part 26. This document sets forth DBE provisions that must be included in all contracts and subcontracts for the subject project as required by federal regulations. **A SIGNED COPY MUST BE (1) SUBMITTED TO THE MSCAA DBE LIAISON OFFICER AND (2) INCLUDED IN YOUR SUBCONTRACT AS AN EXHIBIT TO ANY UNDERLYING AGREEMENT FOR THE SUBJECT PROJECT.**

The undersigned parties agree and acknowledge that this document shall be deemed to form, be read and construed as, as if stated verbatim therein, part of any agreement between the parties related to the subject project. This document is an agreement wherein the parties accept, agree to, and incorporate federally mandated contractual provisions into any underlying agreement for the subject project as well as acknowledge applicable federal and local DBE rules and regulations. **THE TEXT CONTAINED IN THIS DOCUMENT CANNOT BE REVISED, ALTERED, OR OTHERWISE MODIFIED BY THE PARTIES. THIS IS A FINAL DOCUMENT.**

Any subcontract for the subject project shall be governed by regulations set forth in 49 CFR Part 26 and MSCAA DBE program rules and regulations, including but not limited to the following:

- Assurance (49 CFR 26.13(b)):** The contractor, sub-recipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to: 1) Withholding monthly progress payments; 2) Assessing sanctions; 3) Liquidated damages; and/or 4) Disqualifying the contractor from future bidding as non-responsible.
- Prompt Payment (49 CFR 26.29):** The prime contractor is required to pay its subcontractors performing work related to this contract for satisfactory performance of that work no later than 15 days after the prime contractor’s receipt of payment for that work from MSCAA. A subcontractor’s work is satisfactorily completed when all the tasks called for in the subcontract have been accomplished and documented as required by MSCAA. When MSCAA has made an incremental acceptance of a portion of a prime contract, the work of a subcontractor covered by that acceptance is deemed to be satisfactorily completed. Any delay or postponement of payment from the above referenced timeframe may occur only for good cause and written approval of the MSCAA. Retainage will not be withheld on this project. No retainage will be withheld by the MSCAA from progress payments due the prime contractor. Retainage by the prime or subcontractors is prohibited. No retainage will be held by the prime from progress due subcontractors.
- Termination/Substitution (49 CFR 26.53):** The prime contractor may not terminate or substitute any DBE subcontractor and perform that work through its own forces or those of an affiliate without prior written consent of MSCAA. The prime contractor must follow the procedures set forth in 49 CFR 26.53(f).
- Counting Participation:** DBE participation in a contract must be counted in accordance with 49 CFR 26.55 and applicable guidance.
- DBE Independence:** Only an independent business may be certified as a DBE. An independent business is one the viability of which does not depend on its relationship with another firm or firms. Determination of ownership and control of a DBE is governed by 49 CFR 26.71.
- DBE Liaison Officer (DBELO):** For DBE-related questions, issues, and disputes, please contact the MSCAA DBELO (contact information found at <https://flymemphis.com/business-diversity-development-program/>). The current DBELO is Regina Armstrong, who may be reached at 901-922-0167 or rarmstrong@flymemphis.com.

This document shall control and supersede any inconsistency, conflict or ambiguity contained in any underlying agreement between the parties for the subject project as to the procedures, processes, or subject matter set forth in this document or otherwise governed by 49 CFR Part 26 and/or other applicable MSCAA DBE program rules and regulations.

1/14/202

MSCAA 18-1421-01

PRIME CONTRACTOR: _____

SUBCONTRACTOR: _____

SIGNATURE: _____

SIGNATURE: _____

TITLE: _____ DATE: _____

TITLE: _____ DATE: _____

Information on All Firms that Provided Bids or Quotes to:

The Memphis Airport Authority (MEM) maintains bidding statistics, regarding ALL firms bidding on prime contracts and subcontracts on US Department of Transportation (DOT) assisted projects in accordance to the federal regulation 49 CFR Part 26.11. This information will only be used for statistical purposes per 49 CFR Part 26.11 This requirement applies to all firms, regardless of whether they are subs or primes, regardless of the gender or race of their owners, and regardless of whether they are ultimately chosen to participate in the contract. Please list below the name, address, phone number and contact person for every firm that provided you a bid or a quote on this project – even if you ultimately decided not to use the firm in preparing your final bid. The first line should be used for the **prime contractor** on this project. All sections must be completed to the best of your ability.

Firm Name	PRIME /SUB	POC	DBE Y/N	RACE*	GENDER	ADDRESS 1	CITY	STATE	ZIP	TELEPHONE	SCOPE OF WORK	EMAIL ADDRESS	NAICS CODE	FIRM AGE YRS	AGR*

*Enter the letter for the category that best identifies your Annual Gross Revenue (AGR): A = Less than \$500,000 B = \$500,000 - \$1 Million C = \$1 - \$2 Million D = \$2 - \$5 Million E = Over \$5 Million

*Enter the letter for the category that best identifies race/ethnicity: F =Caucasian G =African American H = Hispanic/Latino I = Other

DIVISION 0 – SECTION 00490

ADDENDA AND MODIFICATIONS

1. INTERPRETATIONS - ADDENDA AND MODIFICATIONS

- A. If, during the bidding period Bidder finds discrepancies, ambiguities, omissions, or is in doubt as to meaning or intent of Contract Documents, notify the Owner or Engineer not less than seven (7) days prior to Bid Date. All such necessary clarifications, information, interpretations or amendments shall be answered in the form of written addenda to Drawings and Specifications, and shall be issued simultaneously to all holders of complete sets of Documents.
- B. No Addenda will be issued less than two days prior to the Bid opening date. Neither the Owner nor Engineer shall be responsible for oral interpretations or instructions during the bidding period.
- C. All Addenda are incorporated by reference into the Contract. Failure of any Bidder or sub-bidder to receive any addenda shall not relieve the Bidder of any obligation with respect to the Bid.
- D. All Addenda and Modifications to the Contract Documents shall be inserted and indexed in this location behind this page.

END OF SECTION 00490

THIS PAGE LEFT BLANK INTENTIONALLY.

**CONSTRUCTION CONTRACT
FOR
CHARLES BAKER AIRPORT – RW 18 APPROACHING CLEARING - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

MSCAA PROJECT NO. 18-1421-01

THIS CONSTRUCTION CONTRACT (hereinafter referred to as “Contract”) is made and entered into as of _____, between MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY, a body politic and corporate under the laws of Tennessee (hereinafter referred to as “**Owner**” or “**Sponsor**”) doing business at 2491 Winchester Road, Suite 113, Memphis, Tennessee 38116-3856, and {insert **CONTRACTOR NAME**}, a {insert **LEGAL ENTITY TYPE and STATE**} doing business at {insert Contractor address}, (hereinafter referred to as “**Contractor**,” “**Bidder**,” or “**Offeror**”). Owner and Contractor may sometimes be referred to herein individually as “Party” or collectively as “Parties.”

RECITALS

1. **WHEREAS**, the Owner desires to have constructed certain work in Memphis, Tennessee, more particularly described as _____, MSCAA Project No. _____ (herein referred to as “the Project”); and

2. **WHEREAS**, the Contractor desires to enter into this Contract as an independent contractor and is ready, willing and able to construct the Project in accordance with the terms and subject to the conditions of this Contract; and

3. **WHEREAS**, the “Program Manager” is to act as the Owner’s representative, and the Owner will advise the Contractor in writing of the name of the Program Manager; and

4. **WHEREAS**, the “Engineer” is the Owner’s representative with responsibility for design of the technical specifications, and the Owner will advise the Contractor in writing of the name of the Engineer; and

NOW, THEREFORE, in consideration of good and valuable consideration, received or to be received, the sufficiency of which the Parties acknowledge, the Parties agree as follows:

ARTICLE 1

SCOPE OF THE WORK AND TERM OF AGREEMENT

Section 1.01. Scope of the Work. The general scope of the work is more particularly described in Exhibit A, which is attached hereto and incorporated herein by reference. Contractor agrees that the Project shall be constructed in accordance with the terms of this Contract and the “Contract Documents” as defined in Article 2 of this Contract. The term “Work” includes, but is not limited to, all labor, materials, supplies, tools, equipment and services necessary to construct the Project as described in the Contract Documents, whether or not all materials and equipment are incorporated or will be incorporated in the Project; and all Work deemed necessary to fully close the Project including demobilization.

Section 1.02. Term of Contract and Completion. The term of this Contract shall commence upon Owner’s issuance of the Notice to Proceed pursuant to Section 3.01 and shall continue until the Work is completed in accordance with the Contract Documents, unless earlier terminated by the provisions set forth in Section 23 of this Contract.

ARTICLE 2

CONTRACT DOCUMENTS

Section 2.01. Definition. The "Contract Documents" include this Contract, the Legal Notice, Instructions to Bidders, the Proposal, the Proposal Guaranty, the drawings and the specifications, the Federal Aviation Authority ("FAA") General Provisions ("GP"), all addenda, and exhibits or modifications to any of them, issued prior to or after execution of this Contract. The Contract Documents are more particularly described in Exhibit B, which is attached hereto and incorporated herein by reference. As used in this Contract, a "modification" is either:

- (a) a written and signed Contract Amendment to this Contract; or
- (b) an accepted Request for Proposal ("RFP"); or
- (c) an Engineer's Supplemental Instruction ("ESI"); or
- (d) a Construction Change Directive (as defined in Section 9.02(c) of this Contract).

Section 2.02. Intent of Contract Documents. The intent of the Contract Documents is to include all design, architecture and engineering, except as otherwise expressly provided in the Contract Documents, materials, appliances, labor and services of every kind necessary for the proper execution of the Work and the terms and conditions of payment for the Work. The Contract Documents are to be considered as one document, and whatever is called for by any one of the Contract Documents shall be as binding as if called for by all.

Section 2.03. Coordination of the Contract, Plans and Specifications. This Contract, the plans, specifications, and all referenced standards cited in the Contract Documents are essential parts of the Contract requirements. A requirement occurring in one of the Contract Documents is as binding as though occurring in all. They are intended to be complementary and used to describe and provide for a complete project. In case of dimensional discrepancies, calculated dimensions will govern over scaled dimensions. In the event of conflicts or discrepancies among the Contract Documents, interpretations will be based on the following priorities:

- (a) This Contract.
- (b) The Addenda, with those of later date having precedence over those of earlier date.
- (c) The Technical Specifications.
- (d) The Plans.
- (e) Cited standards for materials or testing and cited FAA General Provisions and advisory circulars.

Section 2.04. Errors in Contract Documents. Prior to commencing the Work, the Contractor shall review all of the Contract Documents for the purpose of identifying any error, inconsistency, omission, discrepancy or variance that may be contained therein. If the Contractor finds any error, inconsistency, omission, discrepancy or variance in the Contract Documents, it shall notify the Owner at least ten (10) days before beginning the affected portion of the Work. The Owner shall make any correction, interpretation or clarification promptly, basing its decision on the intent of the Contract Documents. Failure of the Contractor to timely notify the Owner of any such error, inconsistency, discrepancy or variance within the time provided by this paragraph shall bar the Contractor from making any claim for additional time or compensation caused by any such error, inconsistency, discrepancy or variance even if the error, inconsistency, discrepancy or variance caused the Contractor to incur additional expense or time of performance.

ARTICLE 3

PROGRESS OF THE WORK

Section 3.01. Commencement and Completion. The Contractor shall commence the Work upon receipt of the written Notice to Proceed, as defined in Section 01100 of the Technical Specifications, from the Owner and shall

achieve substantial completion of the Work, as defined in Section 01100 of the Technical Specifications. The Contractor warrants that it will deliver the Project to the Owner free from any and all mechanics' liens or other encumbrances. Contractor further agrees to promptly (which is defined for purposes of this paragraph as no more than three (3) days from receipt of any lien or other notice) notify the Owner of the existence of any and all mechanics' liens filed by any subcontractors, materialmen, suppliers or sub-subcontractors. If any mechanics' liens are filed, Contractor shall, at its expense, bond off any such mechanics' liens within three (3) days from receipt of a written request of Owner to do so. Time is of the essence, and the substantial completion date may be altered only as provided in this Contract. Substantial completion shall occur when the Work is sufficiently complete in accordance with the Contract Documents, so the Owner can occupy or utilize the Work for its intended use, and when only minor punch list work remains to be done and a certificate of occupancy has been issued. The Owner will, upon written request of the Contractor, issue a certificate establishing the substantial completion date at any time after substantial completion has occurred.

Section 3.02. The Progress Schedule. Contractor shall fully comply with the requirements for scheduling the Work as set forth in Section 01100 and Section 01320 of the Technical Specifications. The Owner reserves the right to reschedule the Work, or the sequence of the activities of the Contractor, for no additional compensation should Owner deem such rescheduling to be in its best interest. At least fifteen (15) days prior to the due date of the first payment to be made hereunder by the Owner and thereafter on a monthly basis, the Contractor shall submit to the Owner a cash flow projection depicting the projected monthly cash flow for the entire Project.

Section 3.03. Extension of Substantial or Final Completion Date.

(a) Except as otherwise expressly provided herein, the "Substantial Completion Date" or "Final Completion Date" shall be extended only for such number of calendar days that the Work is actually delayed by a casualty, a fire, or a Contract Amendment (hereinafter referred to as "Excusable Delays"). No extensions to the Substantial Completion Date shall be granted due to the negligence or fault of the Contractor or its subcontractors, non-availability of materials or non-availability of labor. No extension to the Substantial Completion Date shall be granted for the period of time during a delay in the performance of the Work which is caused in part by the Owner or the Engineer, and in part by the Contractor or one for whom the Contractor is responsible ("Concurrent Delay"). A request for a time extension based upon inclement weather shall be governed by the provisions of Section 01320 (3.05) of the Technical Specifications.

(b) In order to obtain an extension of the Final Completion Date or the Substantial Completion Date due to an Excusable Delay, the Contractor in each instance shall give written notice to the Owner within seven (7) days after the occurrence of each Excusable Delay. If the Contractor fails to issue written notice to the Owner, its right to an extension, if any, will be deemed waived. The Owner shall render a written decision, which shall be made in good faith, granting or refusing the request of the Contractor for an extension within a reasonable time after receipt of the request for a time extension. If a Contract Amendment is agreed to by the Contractor and Owner, any extension of the Substantial Completion Date caused by the Contract Amendment work must be stated in the Contract Amendment. If no extension to the Substantial Completion Date is stated in the Contract Amendment, then the Contractor shall be barred from later seeking an extension to the Substantial Completion Date or Final Completion Date because of the Contract Amendment work. No extension to the Substantial Completion Date or the Final Completion Date shall be granted due to the aggregate number of Contract Amendments.

Section 3.04. No Damage for Delay. Contractor agrees to perform the Work and to require the subcontractors to perform the Work in a timely and proper method so as to meet the dates reflected on the progress schedule. In the event that the Contractor is delayed in the performance of the Work through no fault of the Contractor or its subcontractors, and for causes set forth in Section 3.03(a), and defined therein as Excusable Delay, then the Contractor may seek a time extension in accordance with the provisions of Section 3.03(b). Contractor agrees that such time extension is its sole and exclusive remedy for any damages regardless of the cause of such delays. Contractor also agrees that the Owner shall not be liable for any other monetary damages sustained by Contractor or its subcontractors for acceleration, disruption, inefficiencies, suspension or resequencing of the Work or any other damages related to the progress schedule regardless of the cause of such damages. The Owner shall not be liable for consequential damages of any nature for any reason at any time.

Section 3.05. Liquidated Damages. As set forth in Section 01100 of the Technical Specifications, liquidated damages will be assessed for the Project. The Contractor shall proceed with the Work at such rate of progress to ensure full completion by the Final Completion Date.

ARTICLE 4

PAYMENT

Section 4.01. Contract Price. The Owner and Contractor agree that the Contractor shall be paid the amount of **Thousand and 00/100 Dollars (\$000.00)** ("Contract Price"), as set forth in the Contractor's Proposal, for completion of the Work in accordance with the Contract Documents. The Contract Price shall include all profit and overhead, including without limitation field overhead, general conditions and home office overhead of the Contractor. The Contract Price also includes all allowances specified in the Contract Documents.

Section 4.02. Payment Procedures. As Work proceeds under the Contract, payments ("Progress Payments") shall be made by the Owner to the Contractor in accordance with the following procedure:

(a) By the 1st day of each calendar month during the performance of the Work, the Contractor shall submit to the Owner an Application and Certificate for Payment, based on the Work completed during the previous month ("previous month" being defined for this Section only as the second calendar day of the prior month through the first calendar day of the current month), using a form approved by the Owner. Contractor shall not be paid any amounts exceeding the Contract Price set forth in Section 4.01 of this Contract, unless modified by a properly executed written Contract Amendment in accordance with the provisions of Article 9 of this Contract.

(b) Each Application and Certificate for Payment shall be accompanied by: (1) lien waivers of the Contractor conditioned upon payment by the Owner of the amount sought in the Application; (2) other documentation as may be requested by the Owner for the proper review of the Application and Certificate for Payment; (3) a list of current subcontractors, sub-subcontractors and material suppliers; (4) the Business Diversity Monthly Compliance Reports; and (5) all documents required by the Owner Controlled Insurance Program ("OCIP") Manual, as applicable.

(c) The Owner or Engineer shall promptly review each Application and Certificate for Payment and recommend for approval such amount as is properly due under the Contract Documents.

(d) Payments by the Owner shall be made within thirty (30) days from the date on which an Application and Certificate for Payment has been submitted and approved by the Owner or the next working day if the thirtieth day is a Saturday, Sunday or holiday.

(e) When at least 95% of the work has been completed, no further Progress Payments will be made until Final Payment. See Section 4.08 for Final Payment requirements.

Section 4.03. Mobilization. The work which is conducted in preparation for the construction activities, which includes but is not limited to, movement of personnel, equipment, stockpiles, supplies to the project site, (all as more particularly described in Article 3.01 of Section 01100 of the Technical Specifications) shall be designated as "Mobilization."

Section 4.04. Not Used.

Section 4.05. Payment for Material Stored On-Site.

(a) Payment for the actual unit cost of materials suitably stored on the site of the Work ("Work Site") and intended for incorporation in the Work will be made by the Owner to the Contractor subject to the provisions of Section 4.02 of this Contract, Section 90-07 of the FAA General Provisions, and the following conditions:

- (1) The Contractor shall furnish supporting evidence satisfactory to the Owner evidencing the cost of the materials and shipment to the work site.
- (2) The materials shall not be stored on the work site for more than ninety (90) calendar days before they are installed without the written consent of the Owner.
- (3) The materials shall be stored on the work site in accordance with applicable recommendations of the manufacturer and the instructions of the Owner.

(4) A representative of the Owner or Engineer may inspect and inventory any stored materials.

(b) Payment will not be made for materials stored away from the work site without the written consent of Owner. In the event that the Owner consents to payment for materials stored off-site, such payment shall be conditioned upon submission by the Contractor of bills of sale or such other documentation satisfactory to the Owner to establish the title of the Owner to such materials or equipment, and the submission of satisfactory insurance certificates for the stored materials.

(c) Notwithstanding any provision herein to the contrary, if payments are to be made on account of materials or equipment not incorporated in the Work but delivered and suitably stored at the work site, such payments shall be conditioned upon submission by the Contractor of bills of sale or such other documentation satisfactory to the Owner to establish the title of the Owner to such materials or equipment, and the submission of satisfactory insurance certificates for the stored materials to protect the interest of the Owner.

(d) Regardless of ownership or insurance, the Contractor shall remain the guardian and protector of all materials and equipment stored or incorporated into the Work.

Section 4.06. Use of Payments. The Contractor shall use all sums paid to it pursuant to this Contract for the performance of the Work in accordance with the Contract Documents. Upon the request of the Owner or Engineer, the Contractor shall furnish satisfactory proof of payment, including, but not limited to, partial release of liens and the Business Diversity Monthly Compliance Report, as to the disposition of any monies paid to the Contractor by the Owner.

Section 4.07. Payment Not a Waiver. Neither the approval or making of any payment to the Contractor, nor the partial or entire use or occupancy of the Work by the Owner, shall be deemed an acceptance of any portion of the Work.

Section 4.08. Final Payment.

(a) "Final Payment," by the Owner shall constitute a waiver of all claims by the Owner for performance of the Work except for claims of the Owner arising from unsettled liens, incomplete or defective workmanship, defective materials, failure to perform in accordance with the progress schedule, or for the breach of any guarantees of warranties provided or to be provided by the Contractor under this Contract. Acceptance of the Final Payment by the Contractor shall constitute a waiver and release of any and all claims which the Contractor may then have or in the future have against the Owner or the Engineer arising from the Work or this Contract.

(b) Final Acceptance of the Work shall occur only after all Work (including punch list items) provided for in the Contract Documents has been finally completed and accepted in writing by the Owner, and only after the Contractor has provided the Owner with instructions and operating manuals, parts lists, "record" drawings and all other items required by the Contract Documents.

(c) Within thirty (30) days after "Final Acceptance" of the Work, the Final Payment of amounts found properly due under the Contract Documents shall be paid to the Contractor.

(d) Final Payment shall not become due until the Contractor submits to the Owner the following:

- (1) An affidavit that all payrolls, bills for materials and equipment, and other indebtedness connected with the Work for which the Owner or its property might in any way be responsible, have been paid or otherwise satisfied; and
- (2) A consent of surety to Final Payment; and
- (3) Other data establishing payment or satisfaction of all such obligations, such as receipts, releases and waivers of liens arising out of the Work, to the extent and in such form as may be designated by the Owner or Engineer; and
- (4) Any documents required by Article 6 of this Contract.

(e) The Owner shall issue a "Certificate of Final Completion" when, in its sole discretion, the Project has been completed and all conditions required by this Section 4.08 have been complied with by Contractor.

Section 4.09. The Right of Owner to Withhold Payment. The Owner may withhold or, on account of subsequent evidence, nullify, the whole or part of any Progress Payment, including the Final Payment, to such extent as may be necessary to reasonably protect itself from any of the following:

- (a) unacceptable work as further described in Section 50-10 of the FAA General Provisions; or
- (b) third-party claims filed or reasonable evidence indicating probable filing of such claims; or
- (c) reasonable doubt that the Work will be substantially completed by the Substantial Completion Date; or
- (d) failure of the Contractor to make payments properly to subcontractors or for equipment, materials, services or labor; or
- (e) reasonable evidence of fraud, over-billing or overpayment; or
- (f) failure of the Contractor to perform the Work in accordance with the Contract Documents; or
- (g) a reasonable doubt that the Work can be completed for the unpaid balance of the Contract Price; or
- (h) damage to the Owner, or to another contractor, subcontractor or sub-subcontractor caused by the Contractor; or
- (i) failure to provide certified payroll records; or
- (j) failure to provide any documents required by the Owner Controlled Insurance Program (OCIP); or
- (k) failure to keep the record drawings current each month in accordance with Article 6 of this Contract.

ARTICLE 5

EQUIPMENT AND MATERIALS

Section 5.01. Materials Provided by Contractor.

(a) Unless otherwise provided in the Contract Documents, the Contractor shall provide all equipment, materials, labor, services, water, and power to the Work Site, as well as all tools, equipment, lights, transportation, and other facilities necessary for the performance of the Work.

(b) All equipment, machinery, material, and articles incorporated in the Work shall be new and unused unless otherwise specified in the Contract Documents. When not specified in detail in the Contract Documents, the equipment, machinery, material, and articles incorporated in the Work shall be of the most suitable grade and quality for the purpose intended.

Section 5.02. Type of Equipment Used.

(a) When any equipment, machinery, material, or article is referred to by trade name, make, or catalog number followed by the words "or equal," the reference shall be regarded as establishing the minimum standard of quality and performance required and shall not be construed as limiting competition. The Contractor may, with the prior written approval of the Owner, use other equipment, machinery, materials, or articles which are at least equal in quality and performance to that named in the Contract Documents; provided, however, that in no event shall such approval be construed as a waiver of the right of the Owner to require equipment, machinery, materials, or articles which conform to the standard of quality and performance established by reference to the trade name, make, or catalog number of the equipment, machinery, materials, or articles for which the substitution has been approved. Any cost of redesign and additional expense resulting from the substitution shall be at the sole expense of the Contractor.

(b) The name of the manufacturer, model number, and other identifying information respecting the performance, capacity, nature, and rating of equipment, machinery, materials, and articles proposed in substitution of those specified in the Contract Documents shall be submitted to the Owner in sufficient time to avoid delays in the Work.

Section 5.03. Non-Conforming Materials.

(a) Equipment, machinery, materials or articles installed or used in the Work which do not comply with the requirements of the Contract Documents, and which have not been previously approved in writing by the Owner shall be installed or used at the risk of the Contractor of subsequent rejection by the Owner.

(b) The Contractor shall be fully and solely responsible for quality control for all equipment, machinery, materials or articles used in the performance of the Work.

Section 5.04. Owner Furnishing Equipment or Fixtures. The Owner may directly furnish any and all of the equipment or fixtures required for the Project. In the event the Owner elects to do so, the Contract Price shall be reduced by the amount which was to be charged by Contractor for such equipment or fixtures as set forth and included in the Contract Documents. A Contract Amendment reducing the Contract Price for that item of Work shall be executed by Owner and Contractor to reflect a reduction in the Contract Price for that item of Work and that the Owner is to furnish the equipment or fixtures. The Contractor shall assume responsibility for and be fully responsible for the care, custody, and control of all Owner furnished equipment or fixtures after said equipment or fixtures arrives on the Work Site or in any approved offsite storage facility, as set forth in Section 60-08 of the FAA's General Provisions.

ARTICLE 6

RECORD DRAWINGS AND DATA

Section 6.01. Record Drawings. A complete set of drawings shall be maintained by the Contractor at the Work Site for the purpose of accurately indicating all record conditions. The drawings shall be kept up-to-date and marked each day to show all changes and variations and each entry shall be dated and verified as made. At the completion of the Work and prior to Final Payment, a complete set of marked record drawings shall be furnished by the Contractor to the Owner. If the record drawings are not kept current each month, the Owner shall have no obligation to pay the Contractor until the record drawings are made current.

Section 6.02. Operation and Maintenance Data.

(a) The Contractor shall furnish complete and necessary data for the operation, repair, and maintenance of each operating component of the Work (hereinafter referred to as "the Data"). The Data shall include prints of shop drawings, "as-installed" conditions, sources of equipment and principal materials, specified tests and performance data, repair and maintenance data, lubrication instructions and recommendations, parts lists, and other catalog data or information required to operate and maintain any part of the Work. Care shall be taken to include all pertinent data and to exclude inapplicable or duplicative information.

(b) Prior to Final Payment, a set of Data shall be furnished to the Owner in an electronic PDF format. In addition, three (3) complete sets of the Data in a form directed by the Owner shall be provided to the Owner, indexed alphabetically by components, grouped together and securely bound in a durable folder or binder that is labeled and indexed to show its contents.

(c) Installation information for all machinery and equipment also shall be kept on the site of the Work during construction, but used or marked prints or data sheets are not to be used in assembling the final maintenance and operating manuals described in paragraph (b) of this Section 6.02.

(d) Operations and maintenance demonstrations by the manufacturer of all machinery and equipment shall be complete in all respects and shall specify the appropriate and inappropriate uses of the machinery and equipment.

Section 6.03. Information from Suppliers. The Contractor shall make it a requirement or condition of purchase from its suppliers of equipment and/or materials: (1) to furnish complete and adequate operating and maintenance data pertaining to their equipment and/or materials; (2) to assign to the Owner any warranty, express or implied, furnished by the manufacturer of the equipment and/or materials; and, (3) to assign to the Owner any customary

maintenance or repair service, spare parts supply service, or personnel support service furnished by the manufacturer of the equipment and/or materials. If the terms and conditions of any warranty, maintenance or repair service, spare parts supply service, or personnel support service furnished by manufacturer of the equipment and/or materials are negotiable, they shall be negotiated by the Owner and the manufacturer.

ARTICLE 7

SUBCONTRACTS

Section 7.01. Definition.

(a) As used in the Contract Documents, a “subcontractor” is a person or organization that has a contract with the Contractor to perform any portion of the Work or to furnish any equipment, labor or materials to the Project.

(b) As used in the Contract Documents, a “sub-subcontractor” is a person or organization that has a contract with a subcontractor to perform any portion of the Work or to furnish any equipment, labor or materials to the Project.

Section 7.02. No Contractual Relationship with Owner. Nothing contained in the Contract Documents or otherwise shall create any contractual relationship between the Owner and any subcontractor or sub-subcontractor, and no subcontract or sub-subcontract shall relieve the Contractor of its responsibilities and obligations should any subcontractor or sub-subcontractor fail to perform its work in a satisfactory manner. The Contractor agrees to be as fully responsible to the Owner for the acts and omissions of its subcontractors and their sub-subcontractors and of persons either directly or indirectly employed by them as it is for the acts and omissions of persons directly employed by Contractor.

Section 7.03. Award of Subcontracts.

(a) Unless the Owner gives its written approval to Contractor, the Contractor shall not enter into a subcontract or purchase order with any entity that is a party in any litigation, arbitration, or other dispute resolution proceeding with the Owner. The Contractor shall request written confirmation from any potential subcontractor or supplier prior to the execution of any subcontract or purchase order that there is no pending litigation, arbitration, or other dispute resolution proceeding where the Owner and the potential subcontractor or supplier are adverse parties. Such written confirmation shall be sent to the Owner within seven (7) days from the receipt of bids.

(b) If the Owner refuses to accept any subcontractor or material supplier (or sub-subcontractor) or person or organization because of such pending litigation, arbitration, or other dispute resolution proceeding, the Contractor shall submit an acceptable substitute at no additional cost to Owner.

Section 7.04. Change of Subcontractors. The Owner may require a change of any subcontractor. The Contract Price shall be adjusted accordingly due to the Owner's requiring a change of any subcontractor, sub-subcontractor, or material supplier previously approved in writing by the Owner, unless the change was required because the subcontractor, sub-subcontractor or material supplier was unable to timely or properly perform its work in accordance with the Contract Documents.

Section 7.05. No Substitution of Subcontractors. The Contractor shall not make any substitution for any subcontractor nor allow the substitution of any sub-subcontractor who has been accepted by the Owner, unless the substitution is required and previously approved by the Owner. Acceptable reasons for substitution (other than where required by the Owner) shall be limited to the following:

- (a) Inability of the subcontractor or sub-subcontractor to provide bonds, if required; or
- (b) Failure of the subcontractor or sub-subcontractor to perform according to approved schedules or other provisions of the Contract Documents; or
- (c) Other reasons which would reasonably render the subcontractor or sub-subcontractor unable to perform its work according to the Contract Documents as evidenced in writing by the Contractor.

Section 7.06. Subcontract Terms. All portions of the Work performed by a subcontractor or sub-subcontractor shall be pursuant to an appropriate agreement between the Contractor and the subcontractor (and where appropriate between subcontractors and sub-subcontractors) which shall contain provisions that:

- (a) Preserve and protect the rights of the Owner under the Contract Documents, including, but not limited to, the obligation to indemnify the Owner as set forth in Article 21 of this Contract with respect to the portion of the Work to be performed under the subcontract (or sub-subcontract) so that the subcontracting will not prejudice such rights; and
- (b) Require that such Work be performed in accordance with the requirements of the Contract Documents; and
- (c) Require submission to the Contractor of applications for payment under each subcontract to which the Contractor is a party; and
- (d) Require that all requests for additional compensation, extensions of time or otherwise with respect to subcontracted portions of the Work be submitted to the Contractor (via any subcontractor or sub-subcontractor where appropriate) in sufficient time so that the Contractor may comply in the manner provided in the Contract Documents for like requests by the Contractor upon the Owner; and
- (e) Name the Owner as an additional insured under all applicable insurance policies; and
- (f) Require compliance with the federal Disadvantaged Business Enterprise (“DBE”) requirements, including, but not limited to, the non-discrimination and prompt pay provisions.

Section 7.07. Subcontractor Relations Requirements. By appropriate written agreement, the Contractor shall require each subcontractor, to the extent of the Work to be performed by the subcontractor, to be bound by the obligations, terms and conditions of this Contract and the Contract Documents, and to assume toward the Contractor all the obligations, terms, conditions and responsibilities which the Contractor, by this Contract and the Contract Documents, assumes toward the Owner and the Engineer. Each subcontract agreement shall preserve and protect the rights of the Owner and the Engineer under this Contract and the Contract Documents with respect to the Work to be performed by the subcontractor so that subcontracting thereof will not prejudice the rights of the Owner or the Engineer. The Contractor shall require each subcontractor to enter into similar agreement with sub-subcontractors. The Contractor shall make available to each proposed subcontractor, prior to the execution of the subcontract agreement, copies of this Contract and the Contract Documents to which the subcontractor will be bound. Subcontracts shall similarly make copies of this Contract and the Contract Documents available to their respective proposed sub-subcontractors.

ARTICLE 8

PAYMENT TO SUBCONTRACTORS

Section 8.01. Payments to Subcontractors from the Contractor. The Contractor shall pay each subcontractor an amount equal to the percentage of completion allowed to the Contractor on account of the work of each subcontractor. The Contractor shall also require each subcontractor to make similar payments to its sub-subcontractors.

Section 8.02. Withholding of Payment by the Owner. If the Owner withholds monies for any cause which is the fault of the Contractor and/or the fault of a particular subcontractor, the Contractor shall pay all other subcontractors, in accordance with the terms of their applicable subcontract, if not in conflict with this Contract and applicable law, any time after the progress payment by the Owner should otherwise have been issued, for its Work to the extent completed. Notwithstanding this Section 8.02, Contractor may withhold funds from any subcontractor that is not performing its work in accordance with the Contract Documents.

Section 8.03. Independent Obligation to Pay. The obligation of the Contractor to pay its subcontractors (and their obligation to pay sub-subcontractors) is an independent obligation from the obligation of the Owner to make payment to the Contractor. The Owner shall have no obligation to pay or to see to the payment of any monies to any subcontractor or sub-subcontractor. The provisions of this Contract are solely intended for the benefit of the Owner and Contractor and not for any other person. Nothing in this Contract is intended to create any third party rights against the Owner.

Section 8.04. Payments to Sub-Subcontractors. This Contract is governed by federal prompt pay provisions where applicable and as set forth in Exhibit "E" to this Contract. To the extent that Tennessee statutes are not superseded by applicable federal statutes, Tennessee statutes also will apply. Contractor agrees to require each of its subcontractors (1) to pay their subcontractors for invoices submitted or normal progress payments for work completed satisfactorily pursuant to its contract with each subcontractor and (2) to make such payments to their respective subcontractors no later than ten (10) days after any such subcontractors receive payment from the prime contractor or their respective subcontractor, as applicable.

ARTICLE 9

CHANGES

Section 9.01. Changes in the Work.

(a) The Owner, without invalidating this Contract, may order extra work or make changes by altering, adding to or deducting from the Work by executing a Contract Amendment or a Construction Change Directive in a form provided by the Owner or Engineer. All Work performed pursuant to a valid Contract Amendment or a Construction Change Directive shall be performed under the conditions of this Contract and the Contract Documents.

(b) The Owner shall have authority to make changes in the Work not involving extra cost, not involving an extension to the Substantial Completion Date, and not inconsistent with the purposes of the Work, but otherwise, no extra Work or change in the Work shall be made unless pursuant to a Contract Amendment or a Construction Change Directive and no claim by Contractor for additional cost or fee or any extension of the Substantial Completion Date shall be valid unless so ordered in a written Contract Amendment or a Construction Change Directive.

(c) Engineer's Supplemental Instructions (ESI) are written instruments prepared by the Owner or Engineer to issue additional instructions or interpretations or to order changes in the Work not involving extra costs or fees, or any extension of the scheduled Substantial Completion Date. Contractor shall give prompt written notice to Owner if it believes that the contents of an ESI require the Contractor to incur extra costs or fees or affect the Substantial Completion Date.

Section 9.02. Construction Change Directive.

(a) A Construction Change Directive is a written order prepared by the Owner, Program Manager, or Engineer and signed by the Owner, Engineer or Program Manager directing a change in the Work and stating a proposed basis for adjustment, if any, in the Contract Price or the Substantial Completion Date, or both. The Owner may, by Construction Change Directive, without invalidating this Contract, order changes in the Work consisting of additions, deletions or other revisions.

(b) A Construction Change Directive shall be used in the absence of an agreement on the terms of a Contract Amendment.

(c) If the Construction Change Directive provides for an adjustment to the Lump Sum Price, the adjustment shall be based on one of the following methods:

- (1) Mutual acceptance of a lump sum properly itemized and supported by sufficient documentation to permit evaluation; or
- (2) Unit prices stated in the Contract Documents or subsequently agreed upon; or
- (3) Cost to be determined in a manner agreed upon by the Parties and a mutually acceptable fixed or percentage fee; or
- (4) As provided in paragraph (f) of this Section 9.02.

(d) Upon receipt of a Construction Change Directive, the Contractor shall promptly proceed with the change in the Work involved and advise the Owner of the Contractor's agreement or disagreement with the method, if any, provided

in the Construction Change Directive for determining the proposed adjustment in the Contract Price or the Substantial Completion Date.

(e) A Construction Change Directive signed by the Contractor indicates the agreement of the Contractor therewith, including adjustment in the Contract Price, the Substantial Completion Date or the method of determining the adjustment. Such agreement shall be effective immediately and shall be recorded as a Contract Amendment.

(f) If the Contractor does not respond promptly or disagrees with the method for adjustment in the Contract Price, the method and the adjustment shall be determined by the Owner on the basis of reasonable expenditures and savings of those performing the Work attributable to the change, including, in case of an increase in the Contract Price, a reasonable allowance for overhead and profit. In such case, the Contractor shall keep and present, in such form as the Owner may prescribe, an itemized accounting together with appropriate supporting data. Unless otherwise provided in the Contract Documents, costs for the purpose of this paragraph shall be limited to the following:

- (1) The actual cost for labor, including social security and unemployment insurance, fringe benefits required by agreement, and workers' or workmen's compensation insurance; and/or
- (2) The actual cost of materials, supplies, machinery, and equipment, including cost of transportation, whether incorporated or consumed; and/or
- (3) The actual cost of subcontractors and sub-subcontractors; and/or
- (4) The actual cost of premiums for all bonds and insurance, permit fees and sales, use or similar taxes related to the Work; and/or
- (5) The actual additional costs of supervision and field office personnel, if any, directly attributable to the change.

(g) Pending final determination of cost to the Owner, amounts not in dispute may be included in Certificates and Applications for Payment. The amount of credit to be allowed by the Contractor to the Owner for a deletion or change which results in a net decrease in the Contract Price shall be actual net cost, as confirmed by the Owner. When both additions and credits covering related Work or substitutions are involved in a change, the allowance for overhead and profit shall be calculated on the basis of net increase, if any, with respect to that change.

Section 9.03. Contract Amendment Procedure. If the Owner desires extra Work or changes in the Work, the Owner shall submit a Request for Proposal ("RFP") to the Contractor. The Contractor shall furnish to the Owner a statement setting forth in detail the proposal of the Contractor for performing the extra Work or changes and the effect of the extra Work or changes, if any, in the Contract Price and the Substantial Completion Date attributable to the extra Work or changes set forth in the request of the Owner. If the Owner approves in writing the proposal of the Contractor, a Contract Amendment in the form provided by the Owner shall be executed by the Parties and the Contract Price and the Substantial Completion Date shall be adjusted accordingly. In preparing Lump Sum quotes in response to an RFP, the Contractor shall provide a cost breakdown to the Owner that provides sufficient detail for the Owner or Engineer to determine that the quoted costs are reasonable and allowable and to verify that markups are properly calculated according to the terms of this Contract.

Section 9.04. Changes in the Contract Price. Any increase or decrease in the Contract Price attributable to a Contract Amendment performed by the Contractor or any of its subcontractors shall be governed by the provisions of Section 90-05 of the FAA's General Provisions.

Section 9.05. Time and Materials. In the event that the Owner and the Contractor cannot agree on the amount or time extension, if any due, to the Contractor for a Contract Amendment, the Owner may, in writing, direct the Contractor to proceed with the performance of such Work. The Contractor agrees to comply with any such directive issued by the Owner. If any additional compensation is due to the Contractor as a result of a directive, it will be calculated pursuant to the provisions of Section 150-90 of the FAA General Provisions Addendum.

Section 9.06. Unconditional Obligation to Proceed. Notwithstanding anything herein to the contrary, the Contractor will proceed with the Work so as to complete the Work on or before the Substantial Completion Date even if it has a dispute with the Owner concerning a Construction Contract Amendment, a Construction Change Directive or

any extension of time which is or could be due to the Contractor pursuant to a Contract Amendment, a Construction Change Directive or otherwise.

Section 9.07. Request for Additional Compensation. If for any reason the Contractor believes that additional compensation is due for work not clearly provided for in the Contract Documents, the Contractor shall provide written notice to the Owner at least three (3) days before beginning the work which is not clearly provided for in the Contract Documents. If such notification is not given, then the Contractor hereby agrees to waive any claim for such additional compensation. Such notice by the Contractor shall not in any way be construed as proving or substantiating the validity of the request for additional compensation. When the work, which is the basis for the Contractor's request for additional compensation, has been completed, the Contractor shall, within ten (10) calendar days, submit evidence of costs incurred by the Contractor and a narrative which provides the basis for the request for additional compensation.

ARTICLE 10

THE UNDERSTANDING OF THE CONTRACTOR

Section 10.01. Examination of Work Site. The Contractor acknowledges that it has, by careful examination, satisfied itself as to the nature and location of the Work, the conformation of the ground conditions, the character, quality and quantity of the materials, equipment, supplies, machinery, and facilities needed preliminary to and during the performance of the Work, the general and local conditions, and all other matters which can in any way affect the Work.

Section 10.02. Sufficiency of Contract Documents and Representations of Contractor.

(a) The Contractor acknowledges that the Contract Documents are sufficient to enable it to determine the cost of all of the Work and that the Work can be completed in accordance with the Contract Documents for the Contract Price.

(b) The Contractor acknowledges that any observed errors, discrepancies, omissions, ambiguities, or conflicts in the Contract Documents will be brought to the attention of the Owner, as set forth in Section 2.04 of this Contract, and in a timely manner in order to ensure substantial completion of the Work by the Substantial Completion Date. The Contractor shall be responsible for using its best efforts to discover and observe errors, discrepancies, omissions, ambiguities, or conflicts in the Contract Documents. In addition, the Contractor acknowledges that the Owner has not made nor shall it be deemed to have made any warranties, guarantees, or representations of any kind whatsoever regarding the sufficiency of the Contract Documents or any conditions relating to the Work.

(c) Contractor represents that it has reviewed and checked all information and data shown or indicated on the Contract Documents with respect to existing underground use facilities at or contiguous to the Work Site and, subject to the provisions of Section 10.03 of this Contract, assumes responsibility for the accurate location of said underground use facilities. No additional examinations, investigations, explorations, tests, reports, studies or similar information or data in respect of said underground use facilities are or will be required by Contractor in order to perform and furnish the Work for the Contract Price and substantially complete the Work by the Substantial Completion Date. However, notwithstanding anything herein to the contrary, the Contractor may, at its sole expense after receiving written permission from the Owner, and subject to any limitations specified by the Owner or Engineer, conduct any additional testing it deems necessary.

Section 10.03. Differing Work Site Conditions. If conditions are encountered at the Work Site that are: (1) subsurface physical conditions, which differ materially from those indicated in the Contract Documents; or (2) unknown physical conditions of an unusual nature, which differ materially from those ordinarily found to exist and generally recognized as inherent in construction activities of the character provided for in the Contract Documents, then notice by the observing Party shall be given to the other Party promptly before conditions are disturbed and in no event later than seven (7) days after the first observance of the conditions. The Owner or Engineer will promptly investigate such conditions and, if they differ materially and cause an increase or decrease in the Contractor's cost, or time required, for performance of any part of the Work; will recommend an equitable adjustment in the Contract Price or the Substantial Completion Date, or both. However, any equitable adjustment in the Contract Price shall not include additional general conditions costs. If the Owner determines that the conditions at the Work Site are not materially different from those indicated in the Contract Documents and that no change in the terms of this Contract is justified, the Owner shall so notify the Contractor in writing, stating the reasons. Claims by the Contractor in opposition to such determination must be made within fourteen (14) days after the Owner has given notice of the decision.

Section 10.04. No Oral Modification. No oral agreement or conversation with any officer, agent or employee of the Owner or its representatives, including the Engineer, either before or after the execution of this Contract, shall affect or modify any of the terms or obligations contained in this Contract or the Contract Documents.

ARTICLE 11

SUPERVISION OF THE WORK; SAFETY AND SECURITY

Section 11.01. The Superintendent of the Contractor. The Contractor shall designate in writing to the Owner and keep on the Project during its progress a competent employee who has responsibility to oversee the Work ("Superintendent"). The Superintendent shall be satisfactory to the Owner. The Superintendent shall be changed upon written request of the Owner but shall not be changed by the Contractor except with the consent of the Owner, unless the Superintendent ceases to be in its employ. The Superintendent shall represent the Contractor, and all directions given to him by the Owner shall be as binding as if given to the Contractor directly. The Superintendent shall devote his full time to the Work and shall maintain an office on the Work Site. The Superintendent shall direct, coordinate and supervise all Work, inspect all materials delivered to the Work Site to ascertain whether or not they comply with the requirements of the Contract Documents, and reject all non-conforming materials or workmanship.

Section 11.02. Order and Discipline. The Contractor shall at all times be responsible for enforcing strict discipline and good order among its employees, and all employees of its subcontractors and sub-subcontractors. If any person on the Work Site shall appear to be incompetent, disorderly or intemperate, in any way disrupts or interferes with the Work, or is in any other manner not qualified for or unfaithful to the job entrusted to him, such person shall be discharged from the Project immediately and shall not again be employed on the Work Site without the prior written consent of the Owner.

Section 11.03. Cleaning Up.

(a) During the performance of the Work, the Contractor shall keep the Work Site clean and free of all rubbish, waste materials, debris and other materials in accordance with the instructions set forth in the Contract Documents. At the end of each working day, the Contractor shall remove all waste materials, rubbish, debris, and other materials from and about the Work Site as well as all surplus materials, and shall leave the Work Site clean in accordance with the Contract Documents.

(b) The Contractor shall establish an active ongoing program to eliminate any foreign objects from the Work Site that may cause damage to aircraft or cause personal injury to other persons.

(c) The Contractor shall pay particular attention to haul routes used to and from the Work Site to prevent any construction debris from being dropped or tracked that may present a hazard.

(d) The Contractor, upon written notice from the Owner, shall promptly cut the grass and clean debris around the Work Site. If the Contractor fails to clean up any debris which is deposited as a result of construction operations, the Owner will, after notice, immediately do so. The cost thereof will be charged to the Contractor at actual cost per hour, but not less than the minimum rate of Two Hundred Fifty Dollars (\$250.00) per hour. The Contractor shall assume full responsibility for failure to perform cleanup operations required by this Section 11.03.

(e) All materials delivered to the Work Site shall be stored and handled so as to preclude inclusion of any foreign substances, and to prevent any discoloration or damage which might reduce its effectiveness as part of the Work.

Section 11.04. Safety and Security.

(a) The Contractor shall be solely responsible for and oversee all safety orders, precautions and programs necessary for the safety of the Work. The Contractor shall take the precautions set forth in the Contract Documents in order to ensure the safety of all persons involved in the Work, all other persons whom the Work might affect, all equipment and materials incorporated in the Work, all property on the Work Site and adjacent to it, and the Owner's business operations which are functioning on the Work Site or in the vicinity of it.

(b) The Contractor shall keep an accurate record of all persons who are on the Work Site and shall provide a copy of such list to the Owner with each monthly Application and Certificate for Payment. The Contractor, its

subcontractors, their sub-subcontractors and all employees of same, shall comply with all security rules made by the Owner and the Federal Aviation Administration. In addition, Contractor shall comply with the construction safety and health guidelines which are set forth in Exhibit D.

(c) The Contractor shall conform to Owner's rules and regulations for airport operations.

(d) Prior to the commencement of the Work, the Contractor shall provide to the Owner a list of all of its employees who will perform any portion of the Work.

Section 11.05. Observation of the Work.

(a) The Engineer, the Owner and persons designated by the Owner, shall at all times have access to the Work Site whenever it is in preparation or progress and the Contractor shall provide proper facilities for such access and for observation. If the Owner or the Engineer discovers any defective Work in connection with any observation, it shall be reported to the Contractor in writing and the Contractor shall correct it.

(b) If the Contract Documents, the written instructions of the Owner, laws, ordinances, rules or regulations, or any public authority require any of the Work to be specifically tested or inspected, the Contractor shall give the Owner timely notice of its readiness for inspection and testing, and of the date set for such test or inspection. Inspections by the Owner or Engineer shall be promptly made. If any of the Work should be covered up without the approval or consent of the Owner, the Engineer or any public authority, it shall be uncovered for examination, if required by the Owner, the Engineer, or such other public authority, at the sole expense of the Contractor.

(c) Re-examination of questioned Work that has been previously tested or inspected by the Engineer or the Owner may be ordered by the Engineer or the Owner and, if so ordered, the questioned Work shall be uncovered by the Contractor. If such Work is found to be in compliance with the Contract Documents, the Owner shall pay the actual cost of the re-examination. If such Work is found not to be in compliance with the Contract Documents, the Contractor shall bear the costs of the re-examination.

(d) The Contractor shall not be required to provide professional services which constitute the practice of architecture or engineering unless such services are specifically required by the Contract Documents for a portion of the Work or unless the Contractor needs to provide such services in order to fulfill the Contractor's responsibilities for construction means, methods, techniques, sequences and procedures. The Contractor shall not be required to provide professional services in violation of applicable law. If professional design services or certifications by a design professional related to systems, materials or equipment are specifically required of the Contractor by the Contract Documents, then the Contractor shall promptly and at its expense secure such services. The Contractor shall cause such services or certifications to be provided by a properly licensed design professional, whose signature and seal shall appear on all drawings, calculations, specifications, certifications, shop drawings and other submittals prepared by such professional. Shop drawings and other submittals related to the Work designed or certified by such professional, if prepared by others, shall bear such professional's written approval when submitted to the Owner or Engineer. The Owner and the Engineer shall be entitled to rely upon the adequacy, accuracy and completeness of the services, certifications or approvals performed by such design professionals.

ARTICLE 12

PERMITS, LICENSES, LAWS AND REGULATIONS

Section 12.01. Contractor to Secure All Permits. The Contractor shall secure and pay for all construction related permits, including the building permit. The Contractor shall be responsible for all inspections required by governmental authorities in conjunction with the issuance of said permits. Contractor shall secure and pay for all governmental fees, licenses and other permits necessary for the lawful and proper execution and completion of the Work.

Section 12.02. Compliance with Laws. The Contractor shall give all notices and shall comply with all laws, ordinances, rules, regulations and orders of any public authority having jurisdiction over the Work, which have any bearing on the execution of the Work. If the Contractor observes that any of the Contract Documents are at variance in any respect with any such laws, ordinances, rules, regulations and orders, it shall promptly notify the Owner and the Engineer in writing and any necessary changes shall be made by the Contractor. If the Contractor fails to give such

notice or executes any of the Work in a manner contrary to any such laws, ordinances, rules, regulations or orders, the Contractor shall bear all resulting costs to correct said Work to comply with such laws and regulations and be liable for any resulting fines, penalties, judgments or damages imposed on or incurred by the Owner.

ARTICLE 13

TAXES AND OTHER FEES AND COSTS

Section 13.01. Payment of Taxes by Contractor.

(a) Any and all taxes, excises, duties and assessments in any manner levied, assessed or imposed by any government or subdivision or agency having jurisdiction over the Work shall be the sole responsibility and liability of the Contractor.

(b) The Contractor shall promptly pay and discharge when due, unless the validity or application is being contested by the Contractor in good faith, any and all taxes, excises, duties and assessments, together with any interest and penalties, if any, the responsibility and liability for which the Contractor has assumed pursuant to the provisions of paragraph (a) of this Section 13.01, unless any such tax, excise, duty or assessment is levied, assessed or imposed upon the Owner, in which case the Owner shall promptly give the Contractor notice of such levy, assessment or imposition, whereupon the Contractor shall promptly pay and discharge the same. Upon the written request and at the sole expense of the Contractor, the Owner shall assist the Contractor in contesting the validity or application of any such levy, assessment or imposition, and in the event a refund of all or any part of any tax, excise, duty or assessment (including interest and penalties, if any), said refund shall be refunded to the Contractor (less the amount of expenses associated with such contest not previously reimbursed by the Contractor to the Owner).

(c) The Contractor shall pay all applicable fees, and for all damage to sidewalks, streets, Owner's property, and other public property or to any public utilities caused by the performance of this Contract.

Section 13.02. Damage to Owner Property. Contractor agrees to promptly notify Owner of any damage caused to Airport property arising from Contractor's activities at the Airport. Contractor also agrees to comply with any request made by the Owner for reimbursement of costs associated with any damage to Airport property arising from work performed at the Airport by Contractor or any of Contractor's representatives, managers, employees, agents, contractors, subcontractors, licensees or invitees or from the conduct of same. This provision shall survive the termination of this Contract.

ARTICLE 14

SHOP DRAWINGS AND SAMPLES; MATERIAL TESTING

Section 14.01. Definitions.

(a) As used in this Contract, "shop drawings" are drawings, diagrams, illustrations, schedules, performance charts, brochures and other data which are prepared by the Contractor, any subcontractor, sub-subcontractor, manufacturer, supplier or distributor, and which illustrates some portion of the Work.

(b) As used in this Contract, "samples" are physical examples furnished by the Contractor to illustrate materials, equipment or workmanship.

Section 14.02. Submissions.

(a) Contractor shall submit to Owner all shop drawings in electronic format or as hard copies in accordance with the Technical Specifications. Contractor shall review, stamp with its approval and submit, in orderly sequence so as to cause no delay in the Work or the work of any other contractor, all shop drawings and samples required by the Contract Documents or subsequently by the Owner or Engineer. Shop drawings and samples shall be properly identified as specified in the Contract Documents or as the Engineer or Owner may require. At the time of submission, the Contractor shall inform the Engineer and the Owner by separate written correspondence of any deviation in the shop drawings or samples from the requirements of the Contract Documents.

(b) By approving and submitting shop drawings and samples, the Contractor represents that it has determined and verified all field measurements, field construction criteria, materials, catalogue numbers and other data, and that it has checked and coordinated each shop drawing and sample with the requirements of the Work and the Contract Documents.

Section 14.03. Review of the Engineer.

(a) The Engineer will review and act upon shop drawings and samples with reasonable promptness so as to cause no unreasonable delay in the Work, but only for conformance with the design concept of the Work and with the information given in the Contract Documents. The review of the Engineer or its agents of a given item shall not indicate approval of an assembly in which the item functions.

(b) The approval of the Engineer of shop drawings or samples shall not relieve the Contractor of its responsibility for any deviation from the requirements of the Contract Documents unless the Contractor has informed the Engineer and the Owner by separate written letter of such deviation at the time of submission and the Owner or Engineer has given written approval of the specific deviation, nor shall the approval of the Engineer relieve the Contractor from responsibility for errors or omissions in the shop drawings or samples.

Section 14.04. Corrections Made by Contractor. The Contractor shall make any corrections required by the Owner or Engineer and shall submit the required number of corrected copies of shop drawing or new samples until approved by Owner. The Contractor shall direct specific attention in writing or on resubmitted shop drawings or samples to revisions other than the corrections requested by the Engineer or the Owner on previous submissions.

Section 14.05. Prior Approval Required. No portion of the Work requiring a shop drawing or sample submission shall be commenced until the submission has been approved by the Owner or Engineer. All such portions of the Work shall be performed in accordance with approved shop drawings and samples and the Contract Documents.

Section 14.06. Submittal Schedule. Within seven (7) days after execution of this Contract, the Contractor shall provide the Owner and the Engineer with a preliminary submittal schedule of the dates that each shop drawing or sample will be submitted for approval. Within thirty (30) days after execution of this Contract, the Contractor shall provide the Engineer and the Owner with a final schedule of the dates that each shop drawing or sample will be submitted for approval. The sequence of the submittals of the Contractor shall be scheduled so as to permit an orderly review by the Engineer. The schedule shall allow reasonable added time according to the number or complexity of shop drawings or samples in each submittal for the checking, correction and rechecking of corrections, as well as for return of approved or rejected shop drawings and samples to the Contractor. The submittal schedules shall allow not less than fourteen (14) calendar days for the Engineer to review any shop drawing or sample.

Section 14.07. Material Testing.

(a) If the Contract Documents, laws, ordinances, rules, regulations or orders of any public authority having jurisdiction require any portion of the Work to be inspected, tested or approved, the Contractor shall give the Owner timely notice of its readiness so the Owner or Engineer may observe such inspection, testing or approval. The Contractor shall bear all costs of such inspections, tests or approvals required by public authorities. Unless otherwise provided, the Owner shall bear all costs of other inspection, tests or approvals.

(b) If the Owner or Engineer determines that any Work requires special inspection, testing or approval which paragraph (a) of this Section 14.07 does not include, the Owner or Engineer will instruct the Contractor to order such special inspection, testing or approval, and the Contractor shall give notice as provided in paragraph (a) of this Section 14.07. If such special inspection or testing reveals a failure of the Work to comply with the requirements of the Contract Documents, the Contractor shall bear all costs thereof, including compensation for the Owner's or Engineer's additional services made necessary by such failure; otherwise, the Owner shall bear such costs and an appropriate Contract Amendment shall be issued.

(c) Required certificates of inspection, testing or approval shall be secured by the Contractor and promptly delivered to the Owner.

(d) If the Owner or Engineer is to observe the inspections, tests or approvals required by the Contract Documents, they will do so promptly.

ARTICLE 15

THE RIGHT OF THE OWNER TO INSPECT AND AUDIT

Section 15.01. Right to Audit. The Contractor shall keep full and accurate records of all costs incurred and items billed in connection with any Work which records shall be open to audit by the Owner, or any authorized representative of the Owner, including but not limited to the Federal Aviation Administration and the Comptroller General of the United States during the course of the Project and until four (4) years after the final payment by the Owner to the Contractor. In addition, the Contractor shall make it a condition of all subcontracts and sub-subcontracts entered into in furtherance of the Work that any and all subcontractors and sub-subcontractors will keep accurate records of costs incurred and items billed in connection with the subcontract (or sub-subcontract) and that such records shall be open to audit by the Owner, or any authorized representative of the Owner, including but not limited to the Federal Aviation Administration and the Comptroller General of the United States during the course of the Work and until four (4) years after final payment by the Owner to the Contractor.

Section 15.02. Review of Subcontracts. Upon request of the Owner or Engineer, the Contractor shall provide the Owner with an executed copy of all subcontracts, sub-subcontracts and purchase orders entered into in furtherance of the Work.

ARTICLE 16

SEPARATE CONTRACTS

Section 16.01. The Right of the Owner to Award Separate Contracts. The Owner reserves the right to award other contracts in connection with work at or in the vicinity of the Work and the Contractor agrees to cooperate fully and not to unreasonably interfere with the work of such other contractors.

Section 16.02. Cooperation. The Contractor shall afford the other contractors of Owner the opportunity for the introduction and storage of their materials and equipment to their work sites and for the execution of their work. The Contractor shall properly connect and coordinate the Work with work of any other contractors of the Owner.

Section 16.03. Inspection of Work of Other Contractors. If any part of the Work depends, for proper execution or result upon, the work of another contractor of Owner, the Contractor shall inspect and promptly report to the Engineer and the Owner any discrepancies or defects in such work that render it unsuitable for such proper execution or results. Failure of the Contractor to so inspect and report shall constitute an acceptance of the Work of the other contractor as fit and proper to receive the Work.

Section 16.04. Responsibility for Damage. Should the Contractor cause damage to the work or property of any other contractor of the Owner, including, but not limited to, delay, disruption, suspension of work and/or acceleration damages, the Contractor shall settle all claims with such other contractor if the other contractor will so settle. If such other contractor sues the Owner on account of any damage alleged to have been so sustained, the Owner shall notify the Contractor who shall defend such proceedings at the expense of the Contractor, or provide counsel of Owner's choice for Owner at the expense of Contractor, and if any judgment or award against the Owner results, the Contractor shall pay or satisfy it and shall reimburse the Owner for all attorney's fees and other litigation costs which the Owner has incurred.

ARTICLE 17

WARRANTIES OF THE CONTRACTOR

Section 17.01. Warranty of Title. The Contractor warrants and guarantees that title to all Work, materials and equipment covered by an Application and Certificate for Payment, whether incorporated in the Work or not, will pass to the Owner, free and clear of all liens, claims, security interests or encumbrances (hereinafter "Liens") and that none of the Work, materials or equipment covered by an Application and Certificate for Payment will have been acquired by the Contractor, or by any other person performing any part of the Work or furnishing materials and equipment for the Work, subject to an agreement under which a lien is retained by the seller or supplier.

Section 17.02. Special Warranties. When special guarantees or warranties are required by the Contract Documents for specific parts of the Work, the Contractor shall procure certified copies of such guarantees or warranties, countersign them and submit them to the Owner in triplicate. Delivery of such guarantees or warranties will not relieve the Contractor from any obligations assumed under any provision of this Contract or the Contract Documents.

Section 17.03. Assignment of Warranties. The Contractor hereby assigns to the Owner any and all existing assignable warranties, service life policies and patent indemnities of manufacturers of materials, equipment or items incorporated in the Work. Upon the request of the Owner or the Engineer, the Contractor shall give the Owner assistance in enforcing the rights of the Owner arising under such warranties, service life policies and patent indemnities. At the request of the Owner or the Engineer, the Contractor shall give notice (with copies to the Owner) to any such manufacturers of the assignment of such warranties, service life policies and patent indemnities.

Section 17.04. General Warranty and Correction of Work.

(a) In addition to any special guarantees or warranties contained in the Contract Documents, the Contractor warrants to the Owner that all materials and equipment furnished in performance of the Work will be new unless otherwise specified, and that all Work will be of good quality, free from faults and defects and in conformance with the Contract Documents. All work not so conforming to these standards shall be considered defective.

(b) The Contractor shall promptly correct all defective Work to comply with the Contract Documents whether observed before or after the substantial completion date and whether or not fabricated, installed or completed. The Contractor shall bear all costs of correcting defective Work.

(c) If, within one (1) year after the substantial completion date, or within such longer period of time as may be prescribed by law or by the terms of any applicable special guarantee or warranty required by the Contract Documents, any of the Work is found to be defective and not in accordance with the Contract Documents, the Contractor shall correct it promptly after receipt of a written notice from the Owner, or the Engineer, to do so.

(d) All defective or non-conforming Work shall be removed from the site of the Work if necessary, and the Work shall be corrected to comply with the Contract Documents without cost to the Owner. The Contractor also shall bear the cost of making good all work of other contractors destroyed or damaged by removal or correction of the defective Work of Contractor.

(e) If the Contractor fails to timely and properly correct defective Work, the Owner may correct it and hold the Contractor liable for all costs, expenses and damages, including attorney's fees and litigation costs incurred by Owner in correcting it.

(f) In addition to the foregoing warranty, a warranty period of one (1) year shall apply under the same terms and conditions as the original warranty, to any work, supplied in correction of defective work under warranty pursuant to the provisions of this Section 17.04 and the Contractor shall assign to the Owner any warranties, including extended warranties, which are available in connection with the performance of such correction of defective Work. The warranty period shall commence on the date the Owner accepts the corrective Work of the Contractor.

ARTICLE 18

RIGHT OF THE OWNER TO DO WORK

Section 18.01. Right of the Owner to do Work. If the Contractor should neglect to perform the Work properly or fails to do anything required by the Contract Documents, and the Contractor does not correct the untimely or improper performance within seven (7) days after written demand is made, the Owner may, without prejudice to any other remedy it may have under this Contract or at law or in equity, make good any deficiencies in the Work, including, but not limited to, supplementing the workforces of the Contractor and deduct all costs of doing so from the payment then due or thereafter due the Contractor. The Owner shall not be required to give multiple notices to the Contractor in order to exercise its rights under this paragraph.

Section 18.02. Deduction for Uncorrected Work. If the Owner deems it inexpedient to correct deficiencies in the Work pursuant to Section 18.01 of this Contract, the Owner may deduct the reasonable cost of correcting the deficiencies, including any attorney's fees and additional fees and expenses of the Engineer, from the payment then due

or thereafter due to the Contractor, but the making of such a deduction shall in no way be deemed an election of remedies by the Owner.

Section 18.03. Correction of Work before Final Payment.

(a) The Contractor shall promptly remove from the Work Site all materials, equipment or other items rejected by the Engineer or the Owner as failing to conform to the Contract Documents, whether incorporated in the Work or not, and the Contractor shall promptly replace and re-execute its original work to comply with the Contract Documents without expense to the Owner. In addition, the Contractor shall bear the expense of making good all work of other contractors destroyed or damaged by such removal or replacement.

(b) If the Contractor does not remove rejected material, equipment or other items within a reasonable time (as fixed by written notice from the Owner, or the Engineer), the Engineer or the Owner may remove such items and store them at the expense of the Contractor, or dispose of such material, equipment or other items at the sole discretion of the Owner. If the Contractor does not pay the expense of such removal or storage within ten (10) days, the Owner may, upon ten (10) days written notice, sell such items at auction or at private sale and shall account for the net proceeds of such sale, after deducting all the costs and expenses of removal that should have been borne by the Contractor.

ARTICLE 19

INSURANCE

Section 19.01. Insurance Requirements. The Contractor shall fully comply with all requirements relating to insurance for the Project as set forth in this Article 19.

Section 19.02. Owner Controlled Insurance Program. Not Used

Section 19.03. Contractor Provided Insurance Coverage. During the Term of this Contract, Contractor shall comply with the insurance requirements set forth in Exhibit C (“Insurance Requirements”).

Section 19.04. Survival. The insurance provisions of this Article 19 shall survive any termination of this Contract.

ARTICLE 20

SURETY BONDS

Section 20.01. Surety Bonds Required. The Contractor shall furnish and keep in force throughout the performance of the Work a separate performance bond and separate labor and material payment bond, each in the amount of the total of the Contract Price (as the same may be modified from time to time) conditioned upon the faithful performance of the Work by the Contractor and payment of all obligations arising in connection with the Work by the Contractor. The bonds shall also guarantee to the Owner that the Work shall be free of all liens. The bonds shall name the Owner as obligee and shall be in such form and with such sureties as the Owner may approve prior to commencement of the Work.

ARTICLE 21

INDEMNIFICATION

Section 21.01. Indemnification of the Contractor.

(a) Without limiting any insurance required herein and to the fullest extent permitted by law, Contractor, on behalf of itself, its subcontractors, their agents, their employees or any entity or person for which the Contractor is or may be responsible (hereinafter collectively referred to as “Indemnitors”), shall fully defend, indemnify, save and hold the Owner, the Board of Commissioners of the Owner, the Program Manager, the Engineer, their agents, employees, officers, directors, partners and related entities (hereinafter collectively referred to as “Indemnitees”) harmless from and against all liability, damages, loss, claims, demands, actions and expenses of any nature whatsoever, including, but not limited

to reasonable attorney's fees which arise out or are connected with: (1) any negligent act, error or omission by any Indemnitor, or (2) the failure of the Indemnitor to comply with any applicable laws, statutes, ordinances, rules or regulations of any governmental or quasi-governmental authority, or (3) the material breach of any term or condition of this Contract by any of the Indemnitors.

(b) Without limiting the generality of the foregoing, the indemnity set forth in this Article 21 shall include all liability, damages, loss, claims, demands and actions on account of personal injury, death or property loss to any third party, any Indemnitees, any of the Indemnitees' employees, agents, licensees or invitees relating to the Project and which results from the negligent act, error or omission of Contractor.

(c) When the Contractor is obligated to provide the Owner a defense hereunder, it shall do so with qualified counsel that is selected by the Contractor and approved by the Owner. Such approval shall not be unreasonably withheld. In light of the Owner and Contractor's continuing relationship, however, the potential for conflicts of interests exists if the same counsel represents both the Owner and Contractor when the Contractor accepts the Owner's tender of defense under the indemnity provision of this Contract. Therefore, the Owner retains the right to select its own counsel from a list of qualified attorneys provided by Contractor or Contractor's insurer. The selected counsel's fees and expenses shall be paid for by Contractor or its insurer, and the counsel shall be different from that selected by Contractor to represent it in the same matter.

(d) The indemnity set forth in this Article 21 shall survive any termination of this Contract.

Section 21.02. Labor Indemnity. The Contractor shall indemnify, defend and hold harmless the Owner, the Board of Commissioners of the Owner, the Program Manager, and the Engineer, their agents, employees, officers, directors, partners and related entities, from any and all administrative and judicial actions (including reasonable attorney's fees related to any such action), incurred by the Owner, the Program Manager, or the Engineer in connection with any labor related activity arising from the wrongful acts or omissions of the Contractor or its subcontractors in the performance of the Work of the Contractor. As used in this Contract, "labor related activity" includes, but is not limited to, strikes, walk-outs, informational or organizational picketing, use of placards, or distribution of hand-outs or leaflets at or in the vicinity of any facility where the Owner conducts business. The Owner shall advise the Contractor if any labor related activity occurs and the Contractor shall arrange for the legal representation necessary to protect the Owner, the Program Manager, and the Engineer provided such representation is previously approved by Owner.

Section 21.03. Royalties and Patents. The Contractor shall pay all royalties and license fees in anyway relating to the Work, shall defend all suits or claims for infringement of any patent or copyrights, and shall indemnify and hold the Owner, the Board of Commissioners of the Owner, their agents, officers, directors, partners and related entities, harmless from loss on account of such suit or claim.

Section 21.04. Attorney's Fees. In the event it becomes necessary for Owner to employ an attorney to enforce any provision of this Contract or to defend against any claim or litigation initiated by the Contractor, then the Contractor shall be liable for all attorney's fees and litigation expenses of Owner.

ARTICLE 22

RIGHT TO OCCUPY BY OWNER

Section 22.01. Early Occupancy by Owner. The Owner has the right to occupy or use ahead of schedule, at no additional cost nor obligation to Owner, all or any substantially completed or partially completed portion of the Work when such occupancy and use are in its best interest, notwithstanding the time of completion for all of the Work. Maintenance of occupied portion will remain the Contractor's responsibility.

Section 22.02. Corrections after Occupancy. After the Owner has taken occupancy of all or any portion of the Work, the Contractor shall not disrupt the use and occupancy of the Owner to make corrections in the Work.

ARTICLE 23

DEFAULT: RIGHT TO TERMINATE BY OWNER

Section 23.01. Breach of Contract Terms. (Required by FAA) Any violation or breach of terms of this contract on the part of the contractor or its subcontractors may result in the suspension or termination of this contract or such other action that may be necessary to enforce the rights of the parties of this agreement.

Owner will provide Contractor written notice that describes the nature of the breach and corrective actions the Contractor must undertake in order to avoid termination of the contract. Owner reserves the right to withhold payments to Contractor until such time the Contractor corrects the breach or the Owner elects to terminate the contract. The Owner's notice will identify a specific date by which the Contractor must correct the breach. Owner may proceed with termination of the contract if the Contractor fails to correct the breach by deadline indicated in the Owner's notice.

The duties and obligations imposed by the Contract Documents and the rights and remedies available thereunder are in addition to, and not a limitation of, any duties, obligations, rights and remedies otherwise imposed or available by law.

Section 23.02. Default and Termination by Owner. (Required by FAA)

(a) The Contractor shall be considered in default of his or her Contract and such default will be considered as cause for the Owner to terminate the Contract for any of the following reasons if the Contractor:

- (1) Fails to begin the Work under the Contract within the time specified in the Notice to Proceed, or
- (2) Fails to perform the Work or fails to provide sufficient workers, equipment and/or materials to assure completion of Work in accordance with the terms of the Contract, or
- (3) Performs the Work unsuitably or neglects or refuses to remove materials or to perform anew such Work as may be rejected as unacceptable and unsuitable, or
- (4) Discontinues the execution of the Work, or
- (5) Fails to resume Work which has been discontinued within a reasonable time after notice to do so, or
- (6) Becomes insolvent or is declared bankrupt, or commits any act of bankruptcy or insolvency, or
- (7) Allows any final judgment to stand against the Contractor unsatisfied for a period of 10 days, or
- (8) Makes an assignment for the benefit of creditors, or
- (9) For any other cause whatsoever, fails to carry on the Work in an acceptable manner.

Should the Engineer consider the Contractor in default of the Contract for any reason above, the Engineer shall immediately give written notice to the Contractor and the Contractor's surety as to the reasons for considering the Contractor in default and the Owner's intentions to terminate the Contract..

(b) If the Contractor or surety, within a period of 10 days after such notice, does not proceed in accordance therewith, then the Owner will, upon written notification from the Engineer of the facts of such delay, neglect or default and the Contractor's failure to comply with such notice, have full power and authority without violating the Contract, to take the execution of the Work out of the hands of the Contractor. The Owner may appropriate or use any or all materials and equipment that have been mobilized for use in the Work and are acceptable and may enter into an agreement for the completion of said Contract according to the terms and provisions thereof, or use such other methods as in the opinion of the Engineer will be required for the completion of said Contract in an acceptable manner.

(c) All costs and charges incurred by the Owner, together with the cost of completing the Work under contract, will be deducted from any monies due or which may become due the Contractor. If such expense exceeds the sum which would have been payable under the Contract, then the Contractor and the surety shall be liable and shall pay to the Owner the amount of such excess.

Section 23.03. Termination for Convenience by Owner. (Required by FAA) The Owner may terminate this Contract without cause at any time by providing fifteen (15) days prior written notice to Contractor. Upon receipt of

a written notice of termination, except as explicitly directed by the Owner, the Contractor shall immediately proceed with the following obligations regardless of any delay in determining or adjusting amounts due under this clause:

- (a) Contractor must immediately discontinue work as specified in the written notice;
- (b) Terminate all subcontracts to the extent they relate to the work terminated under the notice;
- (c) Discontinue orders for materials and services except as directed by the written notice;
- (d) Deliver to the Owner all fabricated and partially fabricated parts, completed and partially completed Work, supplies, equipment and materials acquired prior to termination of the Work and as directed in the written notice;
- (e) Complete performance of the Work not terminated by the notice; and
- (f) Take action as directed by the Owner to protect and preserve property and work related to this Contract that Owner will take possession.

Owner agrees to pay Contractor for:

- (1) Completed and acceptable Work executed in accordance with the Contract Documents prior to the effective date of termination;
- (2) Documented expenses sustained prior to the effective date of termination in performing Work and furnishing labor, materials, or equipment as required by the Contract Documents in connection with uncompleted Work;
- (3) Reasonable and substantiated claims, costs and damages incurred in settlement of terminated contracts with Subcontractors and Suppliers; and
- (4) Reasonable and substantiated expenses to the Contractor directly attributable to Owner's termination action.

Owner will not pay Contractor for loss of anticipated profits or revenue or other economic loss arising out of or resulting from the Owner's termination action.

The rights and remedies this clause provides are in addition to any other rights and remedies provided by law or under this Contract.

Section 23.04. Suspension by the Owner.

(a) The Owner may order the Contractor in writing to suspend, delay, or interrupt the Work in whole or in part for such period of time as the Owner may determine (hereinafter referred to as "Suspension").

(b) Provided the Suspension lasts for more than ninety (90) days, an adjustment to the Contract Price ("Adjustment") shall be made as set forth in paragraph (c) of this Section 23.02. The Substantial Completion Date shall be extended by written Contract Amendment to the extent that substantial completion is actually delayed by this Suspension. No Adjustment shall be made to the extent:

- (1) That performance is, was or would have been so suspended, delayed or interrupted by another cause for which the Contractor is in full or in part responsible; or
- (2) That an equitable adjustment is made or denied under another provision of this Contract.

(c) The amount of the Contractor's compensation for a Suspension pursuant to this Section 23.02 shall be limited to any properly documented costs of maintaining personnel and equipment in the field provided such costs are pre-approved by the Owner in writing. The Owner shall not be liable at any time for home office overhead or consequential damages. At the Owner's option, the Contractor may be ordered to demobilize its forces because the Project is suspended. In such event, the Owner will reimburse the Contractor for the reasonable cost of demobilization and remobilization.

Section 23.05. Assignment of Subcontracts. In the event of termination by the Owner pursuant to this Article 23 or Exhibit E to this Contract, the Owner may require the Contractor to promptly assign to it all or some of the subcontracts, materials, tools, and equipment to be installed under this Contract, or rental agreements, and any other commitments which the Owner, in its sole discretion, chooses to take by assignment. In such event, the Contractor shall promptly execute and deliver to the Owner written assignments of such commitments.

ARTICLE 24

HAZARDOUS MATERIALS

Section 24.01. Hazardous Materials Covenants.

(a) Contractor hereby represents and warrants to and for the benefit of Owner that the Project or Work Site will not be used or operated in any manner that will result in the storage, use, treatment, manufacture or disposal of any Hazardous Materials (hereinafter defined) upon the Project or Work Site or any portion thereof or which will result in Hazardous Materials Contamination (hereinafter defined). For purposes of this Article 24, the term "Hazardous Materials" shall mean and refer to: (1) any "hazardous waste" as defined by the Resource Conservation and Recovery Act of 1976 (42 U.S.C. § 6901 *et seq.*), as amended from time to time, and regulations promulgated thereunder; (2) any "hazardous substance" as defined by the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (42 U.S.C. § 9601 *et seq.*) ("CERCLA"), as amended from time to time, and regulations promulgated thereunder; (3) asbestos; (4) polychlorinated biphenyls; (5) urea formaldehyde; (6) any substance the presence of which on the premises is prohibited by any applicable environmental laws or regulations ("Laws") or by any other legal requirements affecting the Project or the Work Site; (7) petroleum based materials (with the exception of tires affixed to vehicles); and, (8) any other substance which is defined as hazardous, toxic, infectious or radioactive by any Laws or by any other legal requirements affecting the Project or Project site. For purposes of this Article 24, the term "Hazardous Materials Contamination" shall mean and refer to the contamination of the Project or Project site, soil, surface water, ground water, air, or other elements on, or of, the buildings, facilities, soil, surface water, ground water, air, or other elements on or of any other property as a result of Hazardous Materials at any time emanating from the Project or Work Site.

(b) In addition to and without limiting the generality of any other provision of this Contract, Contractor shall and hereby does indemnify and hold Owner, the Board of Commissioners of the Owner, the Program Manager, the Engineer, their agents, employees, officers, directors, partners and related entities harmless from and against any and all losses, damages, expenses, fees, claims, demands, causes of action, judgments, costs and liabilities, including, but not limited to, attorney's fees and costs of litigation, and costs and expenses of response, remedial and corrective work and other cleanup activities, arising out of or in any manner connected with: (1) the "release" or "threatened release" (as those terms are defined in CERCLA and the rules and regulations promulgated thereunder, as from time to time amended) by Contractor or Contractor's employees, agents, delegees, invitees, licensees, concessionaires, subcontractors or representatives, of any Hazardous Materials; or (2) any occurrence of Hazardous Materials Contamination affecting the Project or Work Site caused by or resulting from, in whole or in part, the operations of the Contractor or Contractor's employees, agents, delegees, invitees, licensees, concessionaires, subcontractors or representatives. The provisions of this paragraph shall survive any payment or satisfaction of this Contract and such provisions shall remain in full force and effect.

(c) When use or storage of hazardous materials or equipment or unusual methods of construction are necessary, the Contractor shall obtain prior written approval from the Owner. The use of explosives is strictly prohibited provided, however, powder activated fasteners are permitted.

(d) If Contractor encounters on the Work Site any substance or material reasonably believed by Contractor to be hazardous, Contractor immediately shall (i) stop work in the area affected, (ii) take measures appropriate to the condition to keep people away from the suspected Hazardous Material and, (iii) report the condition to Owner in writing. If the Work is so stopped and Hazardous Material is found, the Work in the affected area shall not thereafter be resumed except by the issuance of a Construction Change Directive pursuant to Section 9.02 of this Contract. Any such Construction Change Directive shall be limited to, an adjustment to the Substantial Completion Date appropriate. If no Hazardous Material is found after the Work is stopped, no Construction Change Directive is required to resume the Work in the affected area.

ARTICLE 25

MISCELLANEOUS

Section 25.01. No Waiver. No consent or waiver, express or implied, by either party to this Contract or of any breach or default by the other in the performance of any of its obligations hereunder shall be deemed or construed to be a consent or waiver to or of any other breach or default by such party. Failure on the part of the Owner to complain of any act or failure to act of the Contractor or to declare the Contractor in default, irrespective of how long such failure continues, shall not constitute a waiver of the rights of Owner.

Section 25.02. Assignment. This Contract shall not be assigned, delegated or transferred in whole or in part by the Contractor nor shall the Contractor assign any monies due or to become due to it without the prior written consent of the Owner.

Section 25.03. Governing Law. This Contract is entered into in Tennessee and shall be governed by and construed according to the laws of Tennessee. Any and all disputes arising out of this Contract, and/or the Project shall be decided by a state or federal court of competent jurisdiction in Memphis, Shelby County, Tennessee.

Section 25.04. Execution of Contract. The parties hereby agree and express their intent to execute this Contract electronically if Owner has a designated information processing system. The parties also hereby agree that this Contract may be executed in counterparts, each of which shall be deemed to be an original, but all of which, taken together, shall constitute one and the same agreement.

Section 25.05. Article and Section Headings. Article and section headings contained in this Contract are for ease of reference only and shall not affect the interpretation or meaning of this Contract.

Section 25.06. Parties in Interest. This Contract shall inure to the benefit of and be binding upon the Parties and their respective successors, assigns and legal representatives. It is specifically agreed between the Owner and the Contractor that the Parties do not intend to create any third party beneficiary rights by the execution of this Contract.

Section 25.07. Severability. If any one or more of the provisions contained in this Contract shall for any reason be held invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect any other provision of this Contract, but it shall be construed as if such invalid, illegal or unenforceable provision had never been contained herein.

Section 25.08. Written Notices. Whenever by the terms of this Contract notice shall be given either to Owner or to Contractor, such notice shall be in writing and shall be sent by regular United States Postal Service, by hand-delivery, by registered or certified mail, by a nationally recognized overnight delivery service or by electronic mail with a delivery receipt . Notice intended for Owner shall be addressed to the Vice President of Operations as follows with a copy to Owner's General Counsel at the address for regular mail:

If to the Owner, address to:

Regular Mail or Hand Delivery
Vice President of Operations
Memphis-Shelby County Airport Authority
2491 Winchester Rd., Suite 113
Memphis, Tennessee 38116-3856

Certified Mail or Overnight Delivery
4150 Louis Carruthers Drive
Memphis, TN 38118
(901) 922-8000

If to the Contractor, address to:

Either Party, from time to time, may change its address by giving written notice to the other Party.

Section 25.09. Exhibits. All exhibits described in this Contract shall be deemed to be incorporated into and made a part of this Contract. If there is any inconsistency between this Contract and the provisions of any exhibits, the provisions of this Contract shall control to the extent of the inconsistency.

Section 25.10. Entire Contract. This Contract, together with the exhibits and the other Contract Documents, constitutes the entire agreement between the Owner and the Contractor and supersedes all prior written or oral agreements, understandings, representations, negotiations and correspondence between the Parties. This Contract shall not be supplemented, amended or modified by any course of dealing, course of performance or usage of trade and may only be amended or modified by a written instrument duly executed by officers of both Parties.

Section 25.11. Non-Federally Assisted Projects. Regardless of the funding source for the Project, Contractor hereby agrees to comply with all nondiscrimination provisions of this Contract.

Section 25.12. Disadvantaged Business Enterprise Participation.

(a) The Project is subject to the requirements of Owner's Business Diversity Development Program (BDDP) and Small Business Participation Program (SBPP). It is the responsibility of the Contractor to see that all requirements of the BDDP and SBPP are met. The Disadvantaged Business Enterprise (DBE) participation goal for the Project is **PERCENT (20%)**. This percentage is defined as the dollar value of subcontracts awarded to certified DBEs divided by the base bid or alternate amount. To qualify, a firm must be included on the Owner's list of certified DBE firms.

(b) Proposed changes to the designated participating DBEs during performance of the Work must be submitted to the Owner. Contractors must make every effort to replace a DBE subcontractor with another certified DBE, based on said DBEs' availability. All substitutes for DBE subcontractors or joint ventures require prior approval of the Owner, such approval not to be unreasonably withheld; and said approval may be granted for reasons including, but not limited to, the following: (1) subcontractor requests that its subcontract or joint venture agreement with the prime contractor be voided; (2) subcontractor is unable to perform the Work; and/or (3) subcontractor has consistently performed unacceptable work.

(c) A determination by the Owner that the Contractor has either failed to comply with this Section 25.12, to timely submit to Owner requested documentation related hereto, to cooperate with Owner, or to answer inquiries truthfully shall subject the Contractor to any or all of the following penalties:

- (1) Withholding from the Contractor all future payments under this Contract until the Contractor is in compliance; and/or
- (2) Cancellation, termination or suspension of this Contract, in whole or in part; and/or
- (3) Payment by the Contractor to the Owner of an amount equal to the difference in the DBE dollar value achieved in documented DBE participation or any lesser amount or penalty as deemed appropriate by the Owner, which dollar value shall be considered liquidated damages for failure to perform the requirements of this Contract and for which the Contractor and all of its subcontractors agree to be bound.

(d) A violation of this provision shall be considered a material breach of this Contract. If, in the opinion of the Owner, the Contractor has made significant deviations from the DBE program commitments, such deviations shall be considered a breach of this Contract.

Section 25.13. No Financial Benefit. Contractor understands and agrees that no Owner employee or member of the Board of Commissioners, Memphis City Council or Shelby County Commission shall receive any financial benefit arising out of this Contract, either directly or indirectly. Further, any fees paid to any person or entity by Contractor for assistance in obtaining this Contract with Owner must be fully disclosed to Owner. Notwithstanding any term, condition, obligation or provision in this Contract, any other writing, any other agreement, any oral understanding or agreement, or any conduct or failure to act by the Owner, Contractor stipulates and agrees conclusively that Contractor has against the Owner no right, entitlement or claim for any payment, compensation, cost or remuneration of any type other than pursuant to the terms of this Contract.

ARTICLE 26

**FEDERAL AVIATION ADMINISTRATION (FAA)
REQUIRED CONTRACT PROVISIONS**

Section 26.01. FAA Required Provisions. Federal laws and regulations require that specific contract provisions be included in certain contracts and subcontracts. All such provisions are set forth in Exhibit E, which is attached hereto and incorporated herein by reference. Contractor hereby agrees to insert these provisions in each contract and subcontract (to the extent applicable) related to the performance of this Contract and to require each of its subcontractors to do the same. Contractor also hereby agrees to incorporate these provisions by reference for work done under any purchase order, rental agreement or other agreement for supplies or services related to the performance of this Contract. Contractor further agrees to be responsible for compliance with these provisions by any subcontractor, lower-tier subcontractor or service provider. Contractor acknowledges that the FAA prevents any modification to these provisions that creates a conflict with federal laws and regulations or changes the intent of the required provision.

ARTICLE 27

STATE REQUIRED CONTRACT PROVISIONS

Section 27.01. State of Tennessee Laws and Regulations - Grant Contract Provisions. State laws and regulations require that specific contract provisions be included in certain contracts and subcontracts. All such provisions are set forth in Exhibit F, which is attached hereto and incorporated herein by reference.

*The remainder of this page intentionally left blank.
[Signature page to follow.]*

IN WITNESS WHEREOF, the Parties have made and executed this Contract as of the day and year first above written.

**MEMPHIS-SHELBY COUNTY
AIRPORT AUTHORITY**

CONTRACTOR

By: _____

By: _____

Title: President and CEO

Title: _____

Approved as to Content:

By: _____

Title: Vice President of Operations

Approved as to Form and Legality:

By: _____

Title: General Counsel

Reviewed and Approved:

By: _____

Title: Director of Development

**EXHIBIT A
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
CHARLES BAKER AIRPORT – RW 18 APPROACHING CLEARING - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

SCOPE OF WORK

(Insert Scope)

“The scope of work is more specifically described in the Contract Documents, as defined in Article 2 of this Contract.” (This should be included as the last sentence, per Christy Kinard – 4/20/18.)

**EXHIBIT B
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
CHARLES BAKER AIRPORT – RW 18 APPROACHING CLEARING - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

CONTRACT DOCUMENTS

**EXHIBIT C
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
CHARLES BAKER AIRPORT – RW 18 APPROACHING CLEARING - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

INSURANCE REQUIREMENTS

C.1 Contractor Provided Coverages

All insurance obtained by the Contractor pursuant to this Agreement shall be written by insurance companies licensed to do business in Tennessee and acceptable to Owner. In no event shall the companies have an A. M. Best rating of less than A-, financial size VIII.

Prior to the commencement of any operations by or on behalf of the Contractor relating to the Project, and with respect to any and all such operations, the Contractor shall procure, maintain and provide to Owner and the Program Manager:

- 1) Evidence of Contractor's **Commercial Automobile Liability Insurance**. A certificate of insurance and copy of endorsement shall be provided as evidence of:
 - a) Coverage for Owner, their officers, directors and employees as additional insureds.
 - b) Coverage to apply to all liability arising out of the ownership or use of all vehicles owned by, hired by, borrowed by, or used on behalf of the Contractor.
 - c) Waiver of Subrogation to be provided in favor of the Owner, the Design Professional, the Program Manager and their officers, directors, and employees.
 - d) If hazardous materials or waste are to be transported, the policy will be endorsed with the MCS-90 endorsement in accordance with the applicable legal requirements.

This insurance shall be for an amount not less than \$1,000,000 combined single limit each accident

- 2) Evidence of Contractor's **Workers' Compensation and Employer's Liability Insurance**. A certificate of insurance or, at Owner's request, a certified policy copy shall be provided as evidence of:
 - a) Coverage for claims for damages arising out of bodily injury, occupational sickness or disease or death of Contractor's employees under any applicable workers' compensation statute or any other applicable employers' liability law. Certificate of insurance or policy must clearly identify that coverage applies in the state of Tennessee.
 - b) A waiver of subrogation by the insurer against the Owner the Design Professional, the Program Manager and their officers, directors and employees.
 - c) This insurance shall include employers' liability limits of not less than \$1,000,000 bodily injury each accident, \$1,000,000 bodily injury by disease each employee and \$1,000,000 bodily injury by disease in the aggregate.
- 3) Evidence of Contractor's **Commercial General Liability Insurance**. Certificate of insurance and copies of endorsements to Contractor's primary commercial general liability policy and shall be provided as evidence of:
 - a) Coverage for Owner and the Design Professional, Program Manager, their officers, directors and employees as additional insureds as respects claims or liabilities arising from or connected with Contractor's work, operations and completed operations. The additional insured endorsements shall be at least as broad as the current

editions of CG 2010 (1001) during the course of construction and CG2037 (1001) until the expiration of the statute of repose, or its insurance carrier equivalent.

- b) Coverage shall be primary and non-contributing with any coverage Owner maintains in its own name and on its own behalf.
- c) Coverage shall be written on an occurrence coverage form, with coverage at least as broad as that provided under the current edition of the ISO Commercial General Liability coverage form, CG 0001. Other than standard exclusions applicable to pollution, asbestos, mold, employment practices, ERISA and professional liability, there shall be no limitations or exclusions beyond those contained in the standard policy forms. In addition to procuring and maintaining this insurance during the duration of the contract, contractor agrees to continue to procure and maintain products and completed operations liability insurance coverage for a minimum of six (6) year(s) after the date the contract is completed or terminated or in accordance with the applicable statute of limitations under state law, whichever is longer.
- d) Waivers of subrogation by insurers against Owner, Design Professional, Program Manager and their officers, directors and employees.
- e) Contractual Liability Insurance applicable to the indemnification agreement contained in Section 21.01 of this Agreement.
- f) The required amounts of primary Commercial General Liability Coverage in the amount of:
 - \$1,000,000 Bodily Injury and Property Damage Limit for each occurrence
 - \$1,000,000 Personal & Advertising Injury
 - \$2,000,000 General Aggregate (Annual)
 - \$2,000,000 Products/Completed Operations Aggregate (annual)The general aggregate limit shall apply separately to each project.

4) Evidence of Contractor's **Excess or Umbrella Liability Insurance**. Certificate of insurance and copies of endorsements to Contractor's Excess or Umbrella liability policy and shall be provided as evidence of this excess liability or umbrella insurance with an annual an aggregate amount of not less than **\$25,000,000** for the Contractor and \$1,000,000 limits required of subcontractors unless otherwise stated in the Contract Documents, and shall be excess and follow form over primary coverages included herein. Such coverage will be excess and follow form of the Commercial Auto Liability, Employers Liability and the Commercial General Liability policies and "drop down" for defense and indemnity in the event of exhaustion of the underlying insurance.

5) Evidence of **Professional Liability Insurance** (If Applicable):

Per Claim and in the Aggregate: **\$X,000,000**
All professional services firms must provide professional liability insurance appropriate for their profession. Architectural and engineering firms must provide coverage for liability arising out of design errors and omissions. The policies shall provide a three (3) year extended reporting period.

6) Evidence of **Contractors Pollution Liability Insurance**:

Each Occurrence Limit and in the Aggregate: **\$2,000,000**
Coverage applies to third-party bodily injury and property damage claims (including natural resource damage), and clean-up costs, caused by pollution conditions which result from covered operations performed by, or on behalf of, contractors and subcontractors of all tiers at the Project Site. Coverage shall apply to claims for mold and fungus damage that result from the work as well as gradual and sudden and accidental pollution incidents arising from activities of the contractors working at the project site.
Coverage must be evidenced for on-site and off-site transportation which may result in a pollution incident/event and non-owned disposal site coverage (if applicable to the project).
The policy shall be endorsed to provide a Waiver of Subrogation in favor of the Owner, Design Professional and Program Manager. In addition, the Owner, their officers, directors and employees shall be included as Additional Insureds.

7) Evidence of **Contractor's Equipment Insurance:**

The Contractor is responsible for their tools and equipment including, but not limited to, construction trailers and their contents and temporary scaffolding at the project site, whether owned, leased, rented or borrowed. Contractor acknowledges and agrees that the Owner will not be responsible for any loss or damage to their tools and equipment. If insured, the Contractor's insurance policies covering tools and equipment will include a waiver of subrogation and any other rights of recovery in favor of the Owner. If uninsured, the Contractor will hold harmless the Owner, Program Manager and Design Professional for loss or damage to their tools and equipment.

8) Evidence of **Aircraft/Aviation Liability Insurance** (If Applicable):

Should any of the Contractors' work include using any owned, leased, chartered, or hired aircraft of any type, whether manned or unmanned, for the project, minimum limits minimum limits in the amount of:

Each Occurrence Limit and in the Aggregate (including passenger liability): **\$X,000,000**

The operator must maintain liability insurance covering bodily injury and property damage on a Combined Single Limit basis. If non-employee passengers are carried, there cannot be a per-passenger sublimit.

Prior to commencing operations, the operator must provide the Owner with a certificate of insurance naming the Owner, their officers, directors and employees as additional insureds on a primary and non-contributory basis. Operator and their insurer(s) must hold the Owner harmless and waive subrogation with respect to damage to the aircraft

If aircraft is to be used to perform lifts at the Project Site, a "slung cargo" endorsement must be included to cover the full replacement value of any equipment being lifted.

C.1.2. Contractor's Insurance Primary.

Any coverage applicable to Owner under Contractor's insurance policies shall be primary and non-contributing with any insurance maintained by Owner in its own name and on its own behalf. Copies of endorsements to Contractor's policies shall be provided to Owner.

C.1.3. Cancellation.

All such insurance shall be in form and substance satisfactory to the Owner and shall provide that not less than thirty (30) days' notice of cancellation or non-renewal, other than non-payment of premium which shall be ten (10) days' notice, be provided to Owner and all Additional Insureds and certificate holders. If unavailable, Contractor must provide Owner with thirty (30) days' advance written notice of cancellation, other than non-payment of premium, which shall be ten (10) days' notice. Contractor must notify Owner of any material change or reduction in coverage to the Contractor's insurance policies.

C.1.4. Certificates of Insurance - Contractor Provided Insurance Coverage Requirements

As shown in Section C.1

Additional Insured Wording for Contractors shall read:

Memphis-Shelby County Airport Authority, Program Manager, Design Professional and their officers, commissioners, agents and employees as now or hereafter exist as respect to the services / work to be performed under this Agreement, for coverages as required by contract #18-1421-01.

Additional Insured Wording for Subcontractors shall read:

The Memphis-Shelby County Airport Authority, Program Manager, Design Professional and their officers, commissioners, representatives, agents and employees ATIMA and Awarding Contractor are additional insureds as respect to the services / work to be performed under this Agreement for coverages as required by contract.

Filing of Certificates

Certificates of insurance acceptable to the Owner shall be filed with the Owner prior to commencement of the Work. If any of the foregoing insurance coverages are required to remain in force after final payment and are reasonably available, an additional certificate evidencing continuation of such coverage shall be submitted with the final Application for Payment.

C.1.5. The Right of the Owner to Maintain Insurance.

In the event the Contractor fails to furnish and maintain the required insurance or to furnish certificates of insurance, the Owner shall have the right, at its option, to terminate this Agreement or to take out and maintain such insurance, and hold the Contractor liable for the cost. Compliance by the Contractor with the requirements of this Article shall in no way relieve the Contractor from liability under any provision of this Agreement or the Contract Documents.

C.1.6. Other Insurance

Any type of insurance or any increase of limits of liability not described in this section which the Contractor or any Subcontractor requires for their own protection or on account of any statute will be their own responsibility and their own expense. Any type of insurance or any increases of limits of liability not described herein that the Contractor or any Subcontractor requires for its own protection or on account of statute shall be its own responsibility and its own expense. If the Contractor or the Subcontractors maintain any insurance policies covering owned, leased or borrowed, equipment,

such policies shall contain a waiver of subrogation against the Owner. Each item must be shown as a line item and approved by the Owner.

C.1.7. Deductibles

The Contractor shall be responsible for the payment of the deductible amounts for any insurance in force pursuant to this Agreement whether such insurance is furnished by the Owner or the Contractor.

C.1.8. Insurance for Project Property While outside the United States and Canada.

If any project property is in transit or is located outside the continental United States or Canada for any reason, Contractor shall arrange to insure such property for its full replacement value separate from the other insurance described herein.

C.1.9. Subcontractors Flow-Down Clause.

All Subcontractors are subject to the same insurance requirements as Contractor with the exception that Subcontractor Excess or Umbrella limits may be lower per paragraph C.2 4) should Owner so choose. Contractor shall cause each Subcontractor employed by Contractor to purchase and maintain such insurance and upon request, must promptly furnish Owner with copies of certificates of insurance evidencing coverage for each Subcontractor.

C.1.10. No Representation of Coverage Adequacy.

In specifying minimum Contractor insurance requirements, Owner does not represent that such insurance is adequate to protect Contractor for loss, damage or liability arising from its work. Contractor is solely responsible to inform itself of the types or amounts of insurance it may need beyond these requirements to protect itself. The insurance requirements set forth in minimum amounts shall not be construed to relieve Contractor for liability in excess of such coverage, nor shall it preclude Owner from taking such other actions as is available to it under any other provision of the contract.

C.1.11. Contractor Responsibilities

The Contractor will cooperate with and will require all eligible Subcontractors to cooperate with The Owner. The Contractor and eligible Subcontractors responsibilities will include, but not be limited to:

- 1) Compliance with applicable Construction Safety Program;
- 2) Provision of necessary contract, operations and insurance information, including verification of current Worker's Compensation Experience Modifier;

C.1.12. Approval of Forms and Companies

All insurance described in this Section will be written by an insurance company or companies satisfactory to the Owner and licensed to do business in Tennessee and will be in a form and content satisfactory to the Owner. No party subject to the provisions of this contract will violate or knowingly permit to be violated any of the provisions of the policies of insurance described herein.

C.1.13. Coverage to be provided by Contractor during Warranty Period

During the period following the final acceptance date and prior to expiration of the warranty period hereunder, Contractor will maintain in full force and effect all insurance as specified in paragraph C.2 covering all Work performed during such period.

C.1.14. Waiver of Subrogation and Waiver of Rights of Recovery

Contractor waives all rights of subrogation and recovery against the Owner, Design Professional and Program Manager. The Contractor and each Subcontractor will require all Subcontractors to similarly waive their rights of subrogation and recovery in each of their respective construction contracts with respect to their work.

C. 2. Project Safety Administration

It is the responsibility of the Contractor to maintain total control of safety to ensure that its employees and the general public will be provided an environment free of recognized hazards during construction activities. In carrying out this policy it is clear the only accepted level of performance is to be "Incident Free" on this project each and every day.

C.2.1. Project Safety Manual

The safety requirements of any Designated Project Safety Manual are a supplementary document to all Government rules, codes and regulations. It is understood that the ultimate responsibility for providing a safe place to work rests with each individual Contractor. All Contractors are responsible for full compliance with the requirements and standards referenced in the manual.

C.2.2. New Employee Orientation

Each new Contractor or Subcontractor employee will be required to attend an orientation program. This orientation is designed to communicate all project specific safety policies, procedures, and expectations of "the Safety Team" in regard to the construction of any Designated Project.

C.2.3. Contractor Safety Program Review

To proactively monitor the safety, health and environmental performance of Contractors and Subcontractors the Owner and/or his Representative, will be conducting a periodic review of Contractor or Subcontractor safety programs. This will be a formal process, which will be done with or without advanced notice. Upon completion of the Safety Program Review, a list of recommendations will be provided to the Contractor or Subcontractor. There will be a timeline developed

and agreed upon for the purpose of abating any deficiencies in the Contractor or Subcontractor safety program.

C.3. No Release

The provision of any insurance by the Owner will in no way be interpreted as relieving the Contractor or any Subcontractor of any other responsibility or liability under this agreement or any applicable law, statute, regulation or order.

**EXHIBIT D
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
CHARLES BAKER AIRPORT – RW 18 APPROACHING CLEARING - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

NON OCIP CONSTRUCTION SAFETY AND HEALTH GUIDELINES

Memphis-Shelby County Airport Authority

Construction Safety and Health Guidelines



Non-OCIP Safety Program

Revision	Revision Summary	Date
1	Amendments for clothing to include “reflective safety vests”	02/06/2017

Confirmation of these Project Safety & Health Guidelines

It is the responsibility of the Contractor to maintain total control of safety to ensure that employees and the general public are provided with an environment free of hazards during construction and renovation activities. This program does not relieve the Contractor of their responsibilities regarding the safety of their employees, the employees of their Subcontractors and sub-subcontractors, protection of the general public and the preservation of property.

Contractors shall develop their own written site-specific safety and health plans for the Memphis-Shelby County Airport Authority. At minimum, the safety and health plan shall meet the requirements of 29CFR1926 – Federal OSHA Construction regulations and the requirements established in the **Memphis-Shelby County Airport Authority** Construction guidelines. In short, as required by law, each Contractor is responsible for protecting the health and safety of its employees and the employees of each subcontractor and sub-subcontractor while ensuring they have a safe and healthful place to work. The site-specific safety and health program shall be submitted for approval within fifteen (15) days after the Notice to Proceed for review.

The Safety Requirements of these safety guidelines are a supplementary document to all Government rules, codes, and regulations. It does not negate, abrogate, alter, or otherwise change any provisions of these rules, codes and/or regulations, and is intended to supplement and enforce the individual program of each contractor and the overall safety effort. It is understood that the ultimate responsibility for providing a safe place to work rests with each individual Contractor.

In the event of a conflict between the provisions of these guidelines and applicable local, State or Federal safety and health laws, regulations and/or standards, contract documents or the Contractor's Safety Plan the more stringent shall apply.

By Signature, each individual confirms their understanding of the contents of this manual and shall conform to the standards of safety outlined in this manual.

Contractor – Project Manager

Contractor – Field Supervisor

Date

Date

POLICY STATEMENT	38
Definitions	39
PREFACE	39
INTRODUCTION.....	41
Construction Safety and Health Guidelines, Purpose and Scope	41
RESPONSIBILITIES	41
General 41	
Contractors	42
Workplace Substance Abuse Policy	43
INSTRUCTION AND TRAINING	43
Safety Orientation Program	43
PROTECTION OF THE PUBLIC.....	44
Group Tours and Site Visitors	44
Harassment-Free Work Policy.....	45
Employee Harassment	45
Sexual Harassment	45
Reporting of Harassment	45
REPORTING, ACCIDENT INVESTIGATION, AND RECORDKEEPING	45
Reporting	45
Record-Keeping and Files	46
Accident Investigation	46
Return-To-Work	46
WORK PRACTICE CONTROL.....	47
Overview 47	
Hazard Communication Program	47
Record-Keeping and Files	47
Job Safety Analysis (JSA)	49
SPECIFIC PROJECT SAFETY REQUIREMENTS	49
Controls for possible conflicts between construction operations and aircraft	49
Scaffolds, Stair Towers and Work Platforms	50
<u>Tagging</u>	50
Walking and Working Surfaces	50
<u>Barrier Identification Tape</u>	50
Fall Protection	50
Confined Space Entry	51
Employee Ground Transportation	52
Housekeeping - MUST BE A CONTINUING PROCESS	53
Project Electrical Requirements	53
Cranes and Hoisting Equipment	54
Rigging 55	
Excavation (Any process which disturbs soil)	55
Earthmoving Equipment and Trucks	55
Welding & Cutting	56
Personal Protective Equipment	56
<u>Eye and Face Protection</u>	56
<u>Head Protection</u>	57
<u>Hearing Protection</u>	57
<u>Respiratory Protection</u>	57
<u>Foot Protection</u>	57
<u>Clothing</u>	57
Appendix A - Safety Orientation	58
Appendix B – Employee Disciplinary Guideline	60
Appendix C - Critical Lift Checklist.....	61
Appendix D – Substance Abuse	62
Appendix E - Supervisor’s Report of Bodily Injury.....	66
Appendix F - Report of Damage to Equipment or Property.....	67

POLICY STATEMENT

Memphis-Shelby County Airport Authority is committed to ensuring that all construction workers have the best possible working environment while working on this project. It shall be the responsibility of each Contractor/Subcontractor to abide by the Safety and Health Provisions listed in OSHA 29 CFR 1926.

In addition, each Contractor, Subcontractor and Sub-Subcontractor shall abide by the **Memphis-Shelby County Airport Authority** Construction Safety Guidelines, Federal Regulations, State laws and regulations, local and county laws and regulations which are applicable.

The primary goal established for the **Memphis-Shelby County Airport Authority** is to safely perform work with “**ZERO ACCIDENTS,**” totally free from lost time injuries for the mutual benefit of the worker, environment, and community.

The safety goals and objectives established for the Project can only be achieved when everyone commits to performing their tasks safely and efficiently. This commitment to achieve these goals will result in both increased productivity and the PREVENTION of job-related injuries and illnesses. This will be considered as safe construction.

Definitions

Construction Managers – Means the Management Group or General Contractor that has direct contract with the Owner **Memphis-Shelby County Airport Authority** to provide the overall control of the construction at the project.

General Contractor – Means the Contractor that has direct contract with the owner or Construction Managers as bid for the project. The General Contractor is also the controlling contractor on the construction site when a Construction Manager is not present.

Subcontractor – Means the contractor and or contractors that carry contracts with the General Contractor or Construction Managers. Subcontractors bid portions of the scope of work to be completed.

Sub-Subcontractors – Means any subcontractors of a subcontractor working or contracted to do work on the project.

Critical Lift – A lift that exceeds 75% of the rated capacity of the crane or requires the use of more than one crane. Also, relates to the installation of equipment and or materials that are critical to the completion of the project and damage to such equipment and/or material could result in delays to the project.

The General Public – Is defined as all persons not employed by or under contract, subcontract, or sub-subcontract to the **Memphis-Shelby County Airport Authority**.

PREFACE

From the inception of **Memphis-Shelby County Airport Authority** there has been a determination and commitment to provide a safe environment for all workers and for the public from hazards associated with the construction of the Project.

All Contractors shall implement measures that will create safety awareness, promote safe work practices at the job site and pursue the contract objectives in the safest possible manner. Each Contractor shall bear sole and exclusive responsibility for safety in all phases of their work. Nothing contained herein shall relieve such responsibility.

Each Contractor shall be responsible for all its subcontractor's and sub-subcontractor's compliance with the project safety requirements.

Contractors shall develop their own written site-specific safety and health plan for the MSCAA. At minimum, the safety and health plan shall conform to the requirements addressed in the Occupational Safety and Health Act of 1970 and all additions and revisions thereto, and the requirements established in the **Memphis-Shelby County Airport Authority** Construction Safety Guidelines. In short, as required by law, each Contractor is responsible for protecting the health and safety of its employees while ensuring they have a safe and healthful place to work.

Contractor developed plans/program(s).

Programs will be reviewed and approved by the MSCAA Engineer in charge of the Project. Example(s) of such OSHA mandated plans/programs are shown below.

Site Traffic Control Plan	Fall Protection Plan
Fire Protection Plan	Trench Safety Plan
Respiratory Protection Plan	Hazard Communication Program
Confined Space Entry	Scaffold Safety Program
Hearing Conservation Program	Ladder Safety Training
Dust Control Plan	

Emergency Procedures shall be made part of the Contractor's Safety Program. The following provisions shall be included in the emergency plan:

- a. Highest ranking supervisor automatically becomes responsible for the handling of any emergency that occurs

during his working hours; they may call upon the assistance of any available worker. A responsible supervisor must be designated for each shift.

- b. On a regular basis, at both supervisory and “weekly tool-box meetings” instruct and update all employees in any course of action for emergencies.
- c. Establish teams to handle each of the various emergencies.
- d. Following an emergency, ranking personnel shall secure the area as expediently as possible and provide access and an account of the emergency to authorized representative(s) of MSCAA. Questions from the media should be referred to MSCAA.

Emergency procedures that may occur during any 24-hour period in the following categories must be established by each contractor:

- a. Fire
- b. Employee injury
- c. Pedestrian injury due to work activity of any kind
- d. Property damage and damage to above ground and buried utilities
- e. Public demonstrations
- f. Bomb threats

On a regular basis, the Contractor shall review and, when necessary, update Emergency Procedures for maximum effectiveness. The contractor should provide MSCAA, the Construction manager, and the designated MSCAA Representative a telephone list of key management personnel, for after-hours emergency contact.

Should a serious accident or emergency occur, the contractor shall contact the MSCAA Development Division’s designated person immediately. If an emergency requires the presence of an ambulance or the Fire Department, including nights, weekends and holidays, the contractor shall call MSCAA emergency dispatch at (901)922-8333. Non injury accidents need to be reported to the airport police at (901)922-8298. **DO NOT USE 911**

Site Access

- 1. Use only designated haul routes/crossings.**
- 2. Stay in assigned work area as identified on plans and as defined by fences and barricades. Barricades/fences must not be crossed.**
- 3. Instructions from guards and escort personnel must be obeyed.**

Contractors, Subcontractors, and Sub-Subcontractors will be monitored for implementation and application of their respective safety programs at the work site. Members of the MSCAA staff shall have the authority to stop work when either site conditions and/or work practices present an imminent danger until those conditions and/or practices are corrected. Contractors will be notified of any non-compliance and any corrective action required. This notice, when delivered to the contractor or their representative at the site of the work, shall be deemed sufficient notice of non-compliance and corrective action is required. After receiving the notice, the contractor shall immediately take corrective action. If the contractor fails or refuses to take corrective action promptly, a stop work order may be issued. The cost to bring the work activity into compliance shall be incurred by the contractor, subcontractor, or sub-subcontractor. The Contractor, Subcontractor or Sub-Subcontractor shall not submit a request for extension of time or increased costs as a result of any such stop work order. Members of the MSCAA staff shall not be liable for any damages experienced by the Contractor due to the work stoppage. Progress payments may also cease until the Contractor and/or its Subcontractor and Sub-Subcontractors are in full compliance with all applicable safety and health rules, standards and regulations.

Each Contractor and their subcontractors and sub-subcontractors shall establish and enforce an effective disciplinary program (Appendix B). Contractors shall discipline and/or dismiss employees who violate established rules and regulations. This includes immediate termination for serious violations, repeated violations, or the refusal to follow safety and health rules.

MSCAA staff members shall have the authority to effectively remove from the site, any person (employees including supervisors and management of any contractor) who is regarded as a frequent violator of safe work practices, or who fails to ensure persons working under their supervision or in a workplace they control are not exposed to serious work hazards. Any Competent Person, as defined by OSHA, assigned to identify existing and predictable hazards, and

authorized to eliminate them, which fails to perform this duty for any reason shall be replaced by the employer.

The Contractor shall not receive additional payment or reimbursement for safety items and procedures which have been identified as required by the Project Safety and Health Guidelines.

Failure to comply with the contract safety requirements will be considered as non-compliance with the contract and may result in remedial action including withholding of progress payments due the Contractor and/or termination of the Contractor from the site.

In the event the work or any portion thereof is shut down by either an outside agency or because of an unsafe condition as determined by the MSCAA staff, the responsible Contractor shall bear the total cost caused by that shutdown.

In no case shall the Contractor be relieved of overall responsibility for compliance with the requirements of federal, state, and local safety and health laws for all work to be performed under the contract.

For any construction equipment working near operating right of way and in aircraft safety areas that could encroach into MSCAA's operating right of way and aircraft safety areas shall submit to MSCAA (and obtain approval from the MSCAA) a plan describing the use of such equipment, and the necessary precautions to be taken to preclude any accidental encroachment unto the right of way or aircraft safety area.

INTRODUCTION

Construction Safety and Health Guidelines, Purpose and Scope

These guidelines are established to aid in the prevention of job-related accidents and health problems during the construction of the **Memphis-Shelby County Airport Authority**. These guidelines set forth elements which all Contractors, subcontractors and sub-subcontractors shall include in their safety plan. This manual is not all-inclusive. Other elements may be added, or conveyed individually to Contractors to whom they expressly apply. There are other essentials which some Contractors, by nature of the specific type of work being performed, must integrate within their own safety plan.

These guidelines set forth basic rules and regulations for all personnel involved in the construction of the Project. The intent of these guidelines is to enhance and supplement the safety and health standards which are required by law, in contract documents, and are applicable to the construction projects for which it is applied. These guidelines do not cover the full spectrum of published safety and health standards mandated by law, and Contractors shall not assume that they are responsible only for those which are referenced in this manual, nor that they are current and quoted as published. It is the responsibility of the Contractor and its employees to ensure that they are in compliance and their safety plan is in compliance with all safety directives required by law.

In the event of a conflict between the provisions of these guidelines and applicable local, State or Federal safety and health laws, regulations and/or standards, contract documents or the Contractor's Safety Plan the more stringent shall apply.

RESPONSIBILITIES

General

Each participant involved in the construction of the Project is individually responsible for conducting their activities to ensure compliance with all applicable safety and health requirements. Construction activities of the Contractor and their Subcontractors and sub-subcontractors will be monitored for compliance with FAA, MSCAA, Federal, State, County, and local safety and health regulations and contract safety and health requirements.

Contractors

The Contractor shall be responsible for the safety and health of employees, subcontractors, sub-subcontractors, visitors, and vendors in accordance with State, Local and Federal regulations, and the Contract Documents. Each Contractor shall establish and submit for review a written Safety and Health Plan which includes details commensurate with the work to be performed. The Contractor's Safety and Health Plan shall clearly describe the contractor's commitments for meeting its obligations to provide a safe and healthful work environment for its employees and subcontractor employees, to protect vendors, visitors, and members of the general public. The Contractor's Safety and Health Plan shall reference Federal OSHA standards, and any other rules or regulations applicable to construction activities.

Each Contractor shall designate an on-site Safety Representative who is charged with the responsibility of on-site safety management. The Safety Representative's sole duty shall be safety management and shall not have other collateral duties. At minimum the safety representative shall meet the requirements of a "competent person" as defined by OSHA for all phases of construction and have a minimum of three (3) years construction safety experience. A resume shall be provided that outlines such items as: work experience, education, training completed and professional organizations, etc. The safety representative shall remain on the Project until contract acceptance (full-term of contract). Safety representative must be knowledgeable on SC-230, SC-240, and other safety requirements as outlined in the contract, the safety plan and site safety manual.

As a condition of this contract, a safety improvement team shall be established for this project. The following guidelines (Appendix H) shall be followed.

As a condition of their contract, all Contractors shall submit to the Project Safety Manager or designee:

- A site-specific safety plan within fifteen (15) days after receipt of Notice to proceed and prior to start of any construction activities.
- The name and qualifications (resume) of designated on-site safety person;
- An immediate copy of all citations and/or warning of safety violations received from any state or federal jurisdiction, agency, insurance company, or by any of its sub-tier contractor.

The Contractor shall:

- Ensure that all employees, subcontractors, and sub-subcontractors' employees are given a comprehensive Safety and Health orientation. This orientation shall include general Safety and Health procedures and policies as well as the project specific rules, regulations, and specific hazards. Employees shall be advised that disregard for these rules, or any other applicable Safety and Health regulations shall be subject to company disciplinary action and/or removal from the project. All workers shall complete an acknowledgment that indicates the worker has read, understood, and will abide by the rules and regulations. The following information shall be obtained from all employees: worker's name, date of orientation, Contractor's name, and project name (Appendix A).
- Investigate all accidents and incidents that result in personal injury or illness to workers, damage to buildings or equipment and any incident with the general public.
- Conduct daily job inspections, identify unsafe conditions or work practices and assure they are corrected, and maintain documentation.
- Conduct weekly, documented, safety meetings with Contractor supervisory personnel.
- Attend monthly Safety committee meetings and participate
- Assure that employees acting in a supervisory capacity understand and enforce all safe work practices. **Foreman and supervisors are required to have completed a 10-hour OSHA Outreach hazard recognition course within Two (2) years prior to directing work on the project.** Documentation must be made available for review
- Assure that employees acting in a supervisory capacity understand and enforce all safe work practices. **Foreman and supervisors are required to have completed a 10-hour OSHA Outreach hazard recognition course within Two (2) years prior to directing work on the project.** Documentation must be made available for review.
- Assure a Competent Person, as defined by OSHA, is provided at work locations where required by OSHA.
- Assure that all Personal Protective Equipment (PPE) is available and being used as required.
- Assure all construction equipment and motor vehicles certification, inspection, repair and controls are in compliance

with the safety requirements of the project and OSHA. Annual crane certification shall be available for review for each to a crane on the project.

- Prior to making critical crane lift, detailed lift plan shall be submitted. (See Appendix C, "Critical Lift Checklist")
- Assure that all hand and power tools are in safe working order.
- Assure that all work areas are kept clear of debris and trash and that adequate trash barrels are placed throughout the work area and emptied frequently.
- Provide the appropriate number and types of sanitary facilities for employees.
- Assure that fall protection equipment is provided and used. Inspections of this equipment shall be documented and on file for review.
- Assure that all perimeter cables, barricades, or any other safety-related items are installed correctly and maintained. If another Contractor must remove a safety item, coordinate this activity with the Contractor who installed the device and other Contractors who may be exposed. **Safety devices shall be replaced by the Contractor removing them.** Warning signs, tags, or barricades shall be installed if other safety devices are removed.
- Assure that employees receive adequate training as required by the Project and OSHA. Additional training for foreman and safety representative may be required based on unique hazards involved in a task.

WORKPLACE SUBSTANCE ABUSE POLICY

The contractor shall submit as a part of their overall Safety and Health Plan a copy of their company Workplace Substance Abuse policy. This policy shall at minimum comply with Appendix D, "Substance Abuse".

The Contractor shall ensure that all subcontractors and sub-subcontractors are in compliance. The Contractor shall submit a monthly notarized letter stating they and their subcontractors are in compliance with the Project's Substance Abuse Policy.

Contractors should contact the State of Tennessee, at 1-800-332-2667, if there are questions concerning the Tennessee Drug Free Workplace Program. Contractors should also consult their own legal counsel.

INSTRUCTION AND TRAINING

Safety Orientation Program

Newly employed, promoted, and/or transferred personnel shall receive an orientation regarding the general safety and health rules and regulations as well as the site-specific policies and hazards prior to starting work on the construction site. The Contractor shall be responsible for the orientation of their employees, Subcontractors and sub-subcontractors, and visitors. Documentation of this orientation shall be maintained on file for review (Appendix A). Hard hat stickers are to be issued to an employee following their orientation, and then documented on training Log Sheet. It is the responsibility of the contractor to ensure that non-English speaking employees receive these same instructions in a language they understand. Safety orientation of all personnel shall include at a minimum the following topics Safety orientation of all personnel shall include at a minimum the following topics:

- Unique hazards of the project
- Employer/personnel responsibilities under OSHA Standards – location of required posters
- Personal protective equipment, including appropriate work attire
- Confined space entry
- 6-Foot fall rule - 100% continuous fall protection (***including steel erection and scaffolds***)
- 100% eye protection, 100% hard hat protection
- Appropriate guarding and other warning devices
- Housekeeping
- Fire protection
- Accident reporting procedures - First-aid facilities - Emergency procedures

- Crane and lifting hazards
- Scaffolding tagging requirements
- Hazard communication/ Right-to-Know, location of MSDS's
- Substance abuse policy
- Disciplinary procedures
- Trenching & excavation
- Electrical hazards

PROTECTION OF THE PUBLIC

All necessary precautions to prevent injury to the public or damage to the property of others shall be taken. The "Public" is defined as all persons not employed by or under contractor or subcontractor to **Memphis-Shelby County Airport Authority**. Installation of temporary barriers and/or fencing designated to protect the Public shall be reviewed and approved by the Owner and/or their representative. Precautions shall include but not be limited to the following:

1. Work shall not be performed in any area occupied by the Public unless specifically permitted according to the terms of the contract or in writing.
2. When necessary to maintain public use of work areas involving vehicular roadways, etc., the contractor shall protect the Public in accordance with the applicable regulations.
3. Appropriate warnings, signs and instructional safety signs shall be conspicuously posted where necessary. In addition, a signal person shall control the moving of motorized equipment in areas where the public might be endangered. All signage warnings and traffic control shall comply with the particular agency that takes judicial precedence.
4. Each project work area shall be protected by a fence constructed and erected per MSCAA requirements.
5. Barricades for the general public or public roadways shall be secured against accidental displacement and in place at all times, except when temporary removal is required. As such times, a flag person shall be assigned to control the unprotected area. Barricades used on the airfield will be reconstructed, erected and maintained per MSCAA/FAA requirements.
6. Required signs and symbols shall be visible at all times when work is being performed and shall be removed or covered promptly when the hazards no longer exist.

Group Tours and Site Visitors

It is particularly important that a high degree of protection be afforded to all persons on the authorized tours of construction worksites. The following instructions shall be complied with, as applicable, by the Contractor and those responsible for arranging such tours. The following procedures shall be followed:

- a) Group tours shall be cleared through the **Memphis-Shelby County Airport Authority** office, allowing maximum advance notice.
- b) If visitors to the site will be on foot or out of the vehicle/bus, the individual or organization requesting the tour shall ensure that:
 - In all cases, the Construction Manager, MSCAA and the contractor shall be advised of any tour in a timely manner prior to the tour taking place.
 - Release and Hold Harmless Agreement – Each visitor shall be required to sign a release and hold harmless agreement prior to the commencement of the tour.
 -
 - MSCAA will coordinate the tour arrangements and ensure notification to the Construction Manager
 - Tour groups are limited to no more than (25) twenty-five persons.
 - Visitors are required to wear appropriate clothing and shoes.

- Children less than 18 years of age are not permitted on the Project tours.
- All visitors shall comply with Contractor safety requirements.
- Site **Memphis-Shelby County Airport Authority** or designee personnel will escort Tours.

HARASSMENT-FREE WORK POLICY

Employee Harassment

It is the policy of **Memphis-Shelby County Airport Authority** to provide a workplace free from employee harassment on the basis of race, color, religion, sex, national origin, age, handicap, disability, etc. Improper interference with the ability of an employee to perform their work activities will not be tolerated. Harassment can appear in many forms, including derogatory comments, jokes, slurs, unwanted physical contact, derogatory drawings, or threats.

Sexual Harassment

Unwanted sexual advances, requests for sexual favors and other verbal physical conduct of a sexual nature will not be tolerated. Sexual harassing conduct includes, but is not limited to:

- Unwelcome sexual flirtation, touching, advances or propositions
- Verbal abuse of a sexual nature, including graphic or suggestive comments about an individual's dress or degrading words used to describe and individual
- The display in the workplace of sexually suggestive objects or pictures, including nude photographs
- Other verbal or physical conduct of a sexual nature can affect an employee's work performance

Reporting of Harassment

It is the policy of **Memphis-Shelby County Airport Authority** to actively investigate any alleged incidence of harassment. Anyone who believes they have been harassed should contact the project manager. Any allegation or complaint will be held in the strictest confidence.

Any employee who commits a wrongful act of harassment shall be subject to disciplinary action, up to and including termination.

REPORTING, ACCIDENT INVESTIGATION, AND RECORDKEEPING

Contractors shall provide an American Red Cross and CPR Certified First Aid representative and designate an appropriate area for the first aid and medical care to treat injured employees at the job site.

Reporting

All accidents resulting in employee injury, property damage, or involving the general public shall be reported immediately to the designated project representative and the Project Safety Manager.

The Contractor and their subcontractors and sub-subcontractors shall complete a Supervisor's Incident Report Form (See Appendix E) for all job-related accidents involving any of the following:

1. Any employee injury of the contractor, any subcontractor or sub-subcontractor.
2. Any injury and/or incident with the general public (including any alleged injuries reported by a member of the general public).
3. Equipment
4. Property

A formal accident investigation report and "First Report of Injury" shall be submitted within 24 hours. Pertinent facts that are not available within the above time shall be submitted as soon as available in a supplemental report.

A drug and alcohol test shall be administered to employee(s) injured and/or any employees in a work crew involved in an accident involving bodily injury.

Record-Keeping and Files

The Contractor and all Subcontractors and sub-subcontractors shall maintain a master or central file for safety and health related documentation on the jobsite. Files shall be maintained in such a manner that distinguishes each contractor and their subcontractors from other subcontractors and sub-subcontractors.

Accident Investigation

All accident/incidents shall be investigated by the contractor's safety supervisor and/or their safety designee.

The accident investigation should generate appropriate recommendations for corrective actions to prevent recurrence of similar accidents. Depending upon severity of the accident, the foreman of the injured worker may be requested to appear at the job safety and coordination meeting to:

1. Describe the cause of accident.
2. Report as to what corrective action has been initiated to avoid future accidents.

The Contractor and all Subcontractors shall maintain a current OSHA 300 log.

The Contractor and all Subcontractors and Sub-Subcontractors shall submit on a monthly basis a monthly summary of accident/incidents for the project.

Under the direction of MSCAA AD HOC Committee may be appointed for investigation of serious accidents that result in loss of life, injury to several workers on pedestrians or major property loss. The committee will submit a report to MSCAA at the conclusion of the investigation.

RETURN-TO-WORK

Every effort shall be made to **return employees to work as soon as possible** after an accident and under the direction of the physician.

A return-to-work program shall be developed and implemented by each Contractor to assist workers who are temporarily disabled due to an injury or illness. The Contractor and all subcontractors shall participate in the return-to-work program.

The Contractor, Subcontractor or Sub-subcontractor shall agree that their injured employees shall be treated by an authorized medical treating facility. The medical facility shall be utilized for initial treatment and evaluation of all injured employees. Follow-up care will be provided in accordance with applicable Workers' Compensation statutes.

When employees report a work-related illness or injury, they shall be taken to the approved medical facility for examination

and/or treatment. If the doctor determines that the employee qualifies for "Return to Work" ("light-duty"), the doctor will complete appropriate forms indicating the restrictions and conditions for transitional work.

The Contractor, Subcontractor or Sub-subcontractor shall provide modified work until the employee is able to resume regular duties. All modified work is temporary in nature and is designed to facilitate a return to regular duties as soon as possible. Modified duty positions may be offered at any location of the project or on any shift.

WORK PRACTICE CONTROL

Overview

The primary focus of these Safety and Health Guidelines is to provide guidance for Contractors. Each Contractor shall have on site and available for employee review a written safety and health plan. This plan shall cover work exposures the contractors work operations. It is a project requirement that each and every employee conduct their operations in accordance with OSHA and all other applicable standards for all project operations

Memphis-Shelby County Airport Authority prohibits the use, possession, concealment, transportation, promotion, or sale of the following controlled items:

- a. Firearms, weapons, and ammunition – except when authorized for security reasons.
- b. Switchblades.
- c. Unauthorized explosives, including fireworks.
- d. Stolen or contraband.

Hazard Communication Program

The Contractor shall develop a written Hazard Communication Program that contains at minimum the following elements:

- The name of the program coordinator.
- A list of hazardous substances present within the Contractor's workplace.
- A written system that ensures MSDS's are obtained and made readily accessible to all employees, including lower tier subcontractor personnel, on each shift. In the event of an emergency, MSDS's shall be made available on an immediate basis.
- A labeling program that ensures that containers of hazardous substances in the workplace are properly labeled with the name of the substance and any applicable hazard warnings.
- A training program regarding hazards of substances that are used in the workplace and the protective measures that must be taken by the employee or any other persons potentially exposed to the hazardous substances.

The Contractor shall ensure that each employee, prior to working with, or being potentially exposed to hazardous substances, receives initial training on the Hazard Communication Program and the safe use of the hazardous substances. Additional training shall be provided to employees whenever new substances are introduced to the workplace.

Permanent records shall be maintained by the Contractor, describing all Hazard Communication Program training.

Record-Keeping and Files

The Contractor and all Subcontractors and sub-subcontractors shall maintain a master or central file for safety and health related documentation on the jobsite. Files shall be maintained in such a manner that distinguishes each contractor and their subcontractors from other subcontractors and sub-subcontractors.

Contractors shall submit and/or have available on site:

REPORT NAME	Annual	Immediately	24 Hr.	Weekly ¹	Monthly ²	Per Occurrence	Per Request
Annual Crane Inspection	X						X
Chemical Inventory					X		X
Contractor Weekly Inspection				X			X
Critical Lift Checklist						X	X
First Report of Injury		X				X	
Incident Investigation		X				X	
MSDS's					X		X
OSHA 300 Log					X		X
OSHA Citations		X				X	
Safety Observation				X			
Safety Plan of Action or JSA ³				X		X	X
Safety Statistics					X		X
Safety Training					X		X
Substance Abuse Policy compliance notarized letter					X		X
Toolbox Safety Meetings				X			X
Daily equipment / Vehicle Inspections							X

Daily -- Daily inspections are required on all equipment / vehicles.

¹ Weekly – Weekly reports are due the following Tuesday morning

² Monthly – Monthly reports are due by the 6th of the following month.

³ Safety Action Plan or JSA – As required by contract or specification

The Owner and its Representatives shall have the right to review all documentation at any time upon request. The Contractor shall give full cooperation during these reviews.

The following documentation shall be in the safety files:

- A written project site specific Safety & Health Plan
- Hazard Communication Program, including current MSDS's. A project specific MSDS file shall be maintained on-site for employee review
- Site emergency plans
- All required safety & health permits
- Weekly safety meeting reports - including meeting topic(s) and employee attendance sheets
- Specific job hazard worker training
- Daily jobsite safety inspection reports - including documentation of corrective measures
- Equipment inspection reports
- Crane inspection reports - daily and monthly (annual certification reports required prior to equipment operation)
- Employee orientation training records
- Accident investigation reports, including near-misses
- Job hazard analysis
- Competent person qualifications
- Written safety violations
- Noise and air quality monitoring

Job Safety Analysis (JSA)

In order to provide Contractor employees with a safe workplace through pre-planning hazardous work, a Job Safety Analysis (JSA) shall be prepared. JSA's shall be required when thorough pre-job planning, it is determined that the process, equipment or procedure indicates potential for serious injury and/or property damage. JSA's will be done daily. JSA's should be kept in the work area, possibly at the toolbox and/or where they are readily available to the workers. JSA's will also be on file with the contractor.

The JSA shall be used by Contractors to analyze the jobs they perform, to identify the existing and potential hazards associated with each job step and establish controls for them. These JSA's shall be used as a task specific training tool to instruct employees, inspectors, and visitors of potential hazards and required safety precautions. Each employee working on the project shall sign a training log indicating that they understand the hazards of the project as indicated on the JSA.

Examples of activities that may require a JSA:

- Potential for collapse, (work-in trenching, tunneling. This may include demolition, etc).
- Potential release of stored energy, (electrical, pressure, explosive, etc).
- Crane supported work plate form use.
- Critical crane lifts (two cranes used to lift one load).
- Unusual crane operation.
- Potential exposure to uncontrolled hazardous materials or wastes.
- Blasting operations
- Abrasive /Sandblasting, Hydro blasting, etc.
- Potential injury from burns, both chemical and thermal.
- Respirator use.
- Potential oxygen-deficient environments.
- Entry into confined space.
- Potential of entanglement in, on, or between objects.
- Work in public streets and highways.
- Lockout/Tagout.
- Operations involving fall exposure.
- Structural Steel Erection.
- Use of new or Hazardous Materials, procedures, equipment.
- Material Storage & Handling.
- Powder actuated tool use.
- Suspended scaffolds.
- Scaffold erection.
- Scaffold dismantlement
- Rock drilling.
- Work on live electrical systems.

SPECIFIC PROJECT SAFETY REQUIREMENTS

Controls for possible conflicts between construction operations and aircraft

1. Contractor must request that a notice to Airmen (NOTAM) be issued prior to start of any construction that might affect navigable airspace or surface movement.
2. Barricades and temporary lighting must be installed and maintained per specs.
3. Operators of equipment/vehicles must be instructed on routes and haul procedures.
4. All personnel must stay in defined work areas. Fences/barricades are not to be crossed.
5. No access to active taxiways/runways will be allowed without prior authorization and direction/escort by MSCAA personnel.

Scaffolds, Stair Towers and Work Platforms

MSCAA requires **100% continuous fall protection** during the erection and dismantling of scaffolds where employees may be exposed to a fall greater than (6) six feet. A competent person must be present during erection, dismantling or moving of scaffold. The Contractor/Subcontractor shall develop and use a scaffold tagging system similar to the following:

Tagging

The tagging procedure, at minimum, shall consist of three (3) tags. The appropriate tag will be placed on a scaffold approved by the competent person. Each tag must have at least the following information and be visible by all employees:

- Date tag was placed - date of the last inspection.
- Name of person inspecting. All tags must be weather resistant.

A **GREEN** tag means the scaffold complies with federal OSHA regulations and can be used by any person.

A **YELLOW** tag indicates the scaffold is complete but does not meet all federal OSHA specifications. This tag will be used only in special circumstances. Special precautions, such as wearing a safety harness may be required because any accessory, such as a handrail, could not be installed due to the location of the scaffold.

A **RED** tag shall be placed on a scaffold that is being erected, dismantled, damaged and/or defective. No employees except members of the erection/dismantling crew shall work from a red tagged scaffold.

Employees will be instructed to read tags before using scaffolds. If a tag is not attached to the scaffold, **DO NOT USE** the scaffold.

Exceptions: Single buck or Baker scaffolds need not be tagged.

Walking and Working Surfaces

Barrier Identification Tape

Barrier identification tape is strictly prohibited from being used for any form of personnel fall protection. Barricade tape around excavations can be used for short term (24-hours), after this period physical barriers are required.

- **YELLOW** barricade tape shall be used for **CAUTION/WARNING**
- **RED** barricade tape shall be used for **DANGER DO NOT ENTER**

Note: Once the area barricaded is free of the hazard(s) for which it was erected the tape will be removed and properly discarded.

Fall Protection

Employees shall not be exposed to fall hazards. When an employee observes a fall hazard, they will notify their supervisor of the hazard. The responsible Contractor will immediately correct the hazard. **100% continuous fall protection, for fall hazards greater than six (6') feet, shall be implemented on this Project - including steel erection and scaffold use, erection and dismantling.**

Each Contractor shall be responsible for meeting fall protection requirements in their overall safety and health program.

Each Contractor shall evaluate ALL fall exposure conditions or tasks and must develop a Fall Protection Plan which outlines what methods, procedures and/or devices will be used in their program.

Each Contractor shall be responsible for implementing the requirements to achieve fall protection in accordance with all Federal, State, local rules, regulations, and the MSCAA Safety and Health Guideline.

All fall protection systems used on this project shall comply with OSHA regulations and the project safety guidelines. Fall protection shall provide a positive means of protection. **Controlled Access Zones and Safety Monitoring Systems are not considered positive means of fall protection and shall not be permitted.** Any employee exposed to a fall greater than six (6) feet shall use approved fall protection equipment or devices. Fall protection systems shall be designed and installed under the direction of a Registered Professional Engineer or Qualified Person. Fall protection is required, as a minimum, under the following examples:

- Formwork and reinforcing steel. Each employee on the face of formwork or reinforcing steel shall be protected from falling 6 feet or more to lower levels by Personal Fall Arrest Systems, safety net systems, or positioning device systems.
- When working from a telescoping, articulating, or rotating type lifts and scissors lifts, personnel shall wear a safety harness with shock absorbing lanyard, secured to an approved anchorage point.
- When working on a ladder higher than six (6) feet from a solid surface, if the employee's torso extends past the side rails or if a vertical ladder extended a total of 20' or greater.
- When working on a platform or other support not equipped with an adequate guardrail, which is higher than six (6) feet from a solid surface.
- When working from a crane-suspended work platform, a safety harness with shock absorbing lanyard is mandatory.
- When an employee may have to be lowered into or raised from a confined space, a personal fall arrest system will be worn. The employee will be supported by an approved platform or a boatswain's chair, with certified hoisting device and fall arrest device.
- When working adjacent to an unguarded floor opening or sloped roof, a lifeline system is desirable for mobility. A positive means of fall protection must be provided unless it can be proven infeasible.
- When working adjacent to a deep excavation, pit or trench. Employees will be instructed on the proper wearing and use of personal Fall Protection Arresting Device Systems.
- **Barricade tape is not adequate fall protection.**

The Fall Protection Plan shall detail in writing when fall protection is required and exactly how this protection is to be provided. This written plan is required for any Contractor exposing workers to falls six (6) feet or greater.

The Contractor shall prepare a written training program to ensure that each employee who might be exposed to fall hazards is knowledgeable of the Fall Protection Plan requirements. The program shall enable each employee the ability to recognize the hazards of falling and shall train each employee in the procedures to be followed in order to eliminate or minimize these hazards.

The Contractor shall assure that each employee has been trained.

Personnel, who have been trained, then re-trained and continue to violate the established fall protection plan/regulations shall be removed from the project IMMEDIATELY.

Confined Space Entry

All employees required to enter a confined space shall be knowledgeable of the hazards involved with confined space entry. Prior to the start of such an entry the Contractor involved in the work will develop a Confined Space Entry Procedure. The Contractor shall train all personnel who will enter the confined space. No one shall enter a confined space area until properly instructed. Contractors shall identify all confined spaces within their work area with a sign identifying the area as a confined

space.

A Confined Space Entry procedure shall be used to:

- Prevent inadvertent operation of equipment and/or work process while people are working in the confined space.
- Eliminate unexpected exposure to hazardous materials, oxygen deficient or inert/toxic gaseous atmosphere while working in confined spaces.
- Plan for a timely and effective response to an emergency during a confined space entry.

Confined Spaces are considered to be areas with limited entry and exit, or poor natural ventilation, and not intended for human occupancy. Examples of a confined space include: tanks, covered basins, vaults, columns, mixers, manholes, pipelines, sumps, ditches or excavations. All spaces shall be considered permit-required confined spaces until the pre-entry procedures demonstrate otherwise.

Safety considerations include but are not limited to: atmosphere testing for gaseous conditions/lack of oxygen, appropriate personal protective and emergency equipment, and additional personnel as needed to assure communications and assist the individual conducting the entry.

A Permit Required Confined Space means confined space that has one or more of the following:

- May or may not potentially contain a hazardous atmosphere;
- Contains a material that has potential for engulfing entrant;
- Has internal configuration that could trap the entrant;
- Contains any other recognized serious health or safety hazard;

Contractors shall provide their own permit.

A Non-Permit Required Confined Space is a confined space that does not contain or with respect to atmospheric hazards, the potential of causing death or serious physical harm.

Employee Ground Transportation

The purpose of this section is to establish minimum acceptable guidelines for the safe transportation of all personnel traveling within the Project confines. Eliminate personal accidents and injuries resulting from improper equipment use.

Contractors are responsible for assuring that all personnel follow the requirements of this section and prohibit improper transportation of employees and visitors. Transporting employees in cargo beds of pick-ups, vans, etc. is prohibited, unless approved seats and seat belts are provided and used.

- Operators must be qualified. Vehicle operators must have valid state operator's license
- All equipment/vehicles must be identified (company logo) per specifications.
- Safe speed must be maintained and adjusted to site conditions.
- Use flashers/headlamps as directed.
- Mobile cranes, forklifts, winch trucks, front-end loaders, tractors, and other materials handling equipment are not permitted to transport passengers.
- Trucks
 - A maximum of three passengers are permitted to ride inside of the truck cab unless the cab is specifically designed to accommodate additional passengers.
 - Passengers shall ride with all portions of their bodies inside the truck body or frame.
 - Passengers shall be in the seated position, with the seat belts secured and adjusted properly, before the vehicle is set in motion.

- Riding on a vehicle's bumper or tailgate is prohibited.
- Tailgates will be closed and latched before the vehicle is operated.
- Passengers are not permitted to ride in the body of a dump truck, in the bed of a pickup truck or in trailers.
- Passengers are not permitted to ride on top of the load or to hold materials from shifting.
- Vehicles must be designed to accommodate passenger transportation, or the vehicle shall not be used for that purpose.
- Drivers transporting passengers shall follow the posted speed limit and Project traffic rules.
- The Contractor shall establish a designated employee parking area. Employee vehicles shall not be allowed on the construction project.

Housekeeping - MUST BE A CONTINUING PROCESS

The purpose of this section is to incorporate into the day-to-day work activity a good housekeeping action plan that will be followed by all Contractors working on the project.

- Contractors, through inspection and example, are responsible for assuring that trash and debris remain out of the work areas. Contractors are responsible for all their work areas and the work areas of their subcontractors and sub-subcontractors. If poor housekeeping practices are observed, corrective action will be discussed with the appropriate Contractor to remind them that cluttered work areas will not be tolerated and that their work area(s) pose a hazard to his employees and other personnel.
- Should the Contractor fail to address and correct their poor housekeeping upon 24 hour written notification, the “owner” may at its option, cause the same to be removed and charge the expense of such removal to the appropriate Contractor.
- Specific attention is needed for operations to the Aircraft Operation Area (AOA).
- Contractors shall monitor their work areas daily or more frequently if needed to assure that all debris is removed to minimize hazards.
- Immediately available vacuum sweeper for cleaning taxiway/runway crossings.
- Personnel immediately available for taxiway and runway cleanup. (Provide brooms to supplement cleanup by sweeper.)
- Access to taxiway/runway crossings for cleanup only at the direction of MSCAA guard.
- Loading of haulage vehicles to minimize spillage.
- Maintenance of vehicles/equipment so that no fluids will leak.
- Provide waste containers at the direction of the Construction Manager.

Project Electrical Requirements

- The Contractor shall implement an electrical safety program. This safety program element shall include safe installation, work practices, maintenance, and special equipment considerations. All electrical installations, either temporary or permanent, shall be in conformance with the National Electrical Safety Code, NFPA-70, ANSI-C1, and low and high voltage electrical safety orders OSHA code requirements. Only qualified employees shall install electrical tools and equipment, defective and/or improperly installed equipment shall be repaired immediately.
- Only qualified electricians familiar with code requirements shall be allowed to perform electrical work.
- Extension cords used with portable electrical tools and appliances shall be heavy duty (minimum 12 AWG) and of the three-wire type. Cords shall be covered, elevated, or otherwise protected from damage that would create a hazard to construction site personnel.
- Electrical cords and equipment shall be visually inspected before each shift for external defects. All damaged and defective cords shall be removed from service immediately (this includes cords with the ground prong missing). Cords

shall be repaired with approved heat-shrink methods, electrical tape is not permitted.

- All temporary electrical tools, cords and equipment shall be properly protected by ground fault circuit interrupters (GFCI). All portable generators shall have properly functioning GFCI outlets. GFCI receptacles shall be tested monthly with a multi-range GFCI tester (the tests shall be documented) to insure the GFCI is properly functioning and protecting the worker.
- A "task-specific" lockout/tagout safety plan shall be established to ensure power sources to equipment and/or machinery are isolated and de-energized. This plan shall establish minimum steps necessary to disable equipment and machinery to prevent the unexpected release of potentially hazardous energy. Lockout/Tagout shall be performed in accordance with 29 CFR 1910.147.

Cranes and Hoisting Equipment

- Cranes and hoists shall not be used without a current annual certificate of examination and testing issued by an accredited crane examiner. **Annual inspection certificates shall be available when cranes arrive on-site. Operators' manual shall be in the cab of each crane prior to crane operation.**
- Only qualified and designated personnel shall operate cranes or hoisting equipment. Crane operators must have current (Certified Crane Operator) CCO certification and/or local or state certification.
- Rated load capacities and recommended operating speeds, special hazard warnings, or instructions, shall be conspicuously posted on all equipment; they shall be visible to the operator from his/her control station, and an accessible fire extinguisher of 10:ABC rating, shall be available at all operator stations or cabs of equipment. Crane operations position shall be kept clear of loose tools or material.
- Outrigger cribbing shall be used for all crane operations. The size of the cribbing shall be determined by taking the cranes capacity and dividing by 5 (example: 40 to crane divided by 5 = 8 sq. ft. per outrigger).
- All cranes working over shafts or lifting personnel platforms shall have anti-two block devices installed and operating properly.
- Radio or other positive means of communication shall be used to direct the operator when the point of operation is not in direct view of the operator.
- The operator shall respond to signals from only one person. The operator shall not follow any signal which is not understood, but shall always obey a stop signal.
- The operator shall be responsible for the operations and load under their control at all times. Whenever there are doubts about the safety of movement, the operator shall stop operations until safety is assured.
- A warning signal, such as a horn, shall be sounded to alert personnel to proximity of moving loads. Loads should not be passed over personnel, and personnel should not be permitted to work in the area directly under a suspended load.
- Concrete buckets - Employees shall not be permitted to work under concrete buckets while the buckets are elevated.
- **Employees shall keep out from under suspended loads at all times.**
- Employees shall not ride on loads, slings, hooks, buckets or other load handling attachments.
- All repairs, adjustments, modifications, rigging assembly or dismantling shall be conducted only by qualified and authorized personnel.
- The swing radius shall be barricaded or other positive means shall be taken to prevent personnel from entering the area between the counter weight/swing radius and any stationary and/or outside obstructions.
- A critical lift checklist will be completed and submitted anytime:
 - 2 cranes are used to make a lift
 - when a lift exceeds 75% of the load chart
 - or any unusual conditions are encountered(See Appendix C, "Critical Lift Checklist")
- Crane suspended work platforms shall only be used if there is no other safe means to reach the work area. The Contractor shall complete a JSA prior to the lift.

- Any overhead wire shall be considered to be energized unless and until the person owning such line or operating officials of the electrical utility supplying the line assures that it is NOT ENERGIZED and it has been visibly grounded at the work site.
- Taglines shall be used to control all loads
- Daily inspection of all cranes shall be completed and documented prior to crane use

Rigging

- Major rigging operations shall be planned and supervised by Competent Personnel to ensure that the best methods and most suitable equipment and tackle are employed. This should be the superintendent or foreman in charge.
- Job site management shall ensure that:
 - Proper rigging equipment is available.
 - All rigging is inspected before use. Documented inspections are required.
 - Correct load ratings are available for the material and equipment used for rigging.
 - Rigging material and equipment are maintained in proper working condition.
- The supervisor of the hoisting operation shall be responsible for:
 - Proper rigging of the load.
 - Supervision of the rigging crew.
 - Ensuring that the rigging material and equipment have the necessary capacity for the job and are in safe condition.
 - Ensuring correct assembly of rigging material or equipment as required during the operation, such as the correct installation of lifting bolts.
 - Safety of the rigging crew and other personnel as they are affected by the rigging operation.

Excavation (Any process which disturbs soil)

- A. Contact MSCAA/FAA thru the Project Engineer at least 72 hours prior to proposed work for location of underground hazards (cables, ducts, fuel lines, etc.). A request form will be provided to the contractor.
- B. The contractor must contact Tennessee one call at least 72 hours prior to proposed excavation for location of utilities. Contractor must make arrangements to have personnel at the site when utilities are located. Documentation of the control number must be maintained on site.
- C. **Utilities must be located/marked prior to any process that disturbs the soil.**

Earthmoving Equipment and Trucks

- All earthmoving equipment shall be maintained in safe working condition and shall be appropriate and adequate for the intended use.
- Only authorized personnel shall operate equipment. Operators of equipment, machinery or vehicles shall be qualified and properly licensed for the operation involved.
- Equipment maintenance shall be performed only by qualified mechanics.
- Equipment operators and truck drivers shall make a documented pre-shift safety inspection of their equipment. Any conditions that affect safe operation will be corrected before use.
- Equipment shall not be operated unless all required safety devices are in place and functioning properly.
- Careless, reckless, or otherwise unsafe operation or use of equipment shall result in discipline and may constitute grounds for dismissal.
- Before performing any service or repair work, all equipment shall be stopped and positively secured against movement

or operation, locked, and tagged out of service, unless it is designed to be serviced while running, following the manufacturer's instructions.

- When equipment is serviced or repaired, the operator shall dismount until the service or repair is completed and then make a complete walk-around safety check before remounting.
- All heavy equipment including cranes, forklifts, dozers, end-loaders, skid-steers, etc., shall have a reverse signal/back-up alarm audible above surrounding background noise.
- All off-highway earthmoving equipment and trucks such as loaders, dozers, scrapers, motor graders, rock trucks, tractors, rollers and compactors shall be equipped with roll-over protective structures (ROPS) and seat belts.
- Seat belts shall be used and adjusted properly by operators of all heavy equipment.
- Mobile equipment shall not be left unattended unless parked securely to prevent movement, with all ground engaging tools lowered to the ground, brakes set and the engine off.
- Equipment parked at night shall be lighted, barricaded or otherwise clearly marked when exposed to traffic. Keys shall not be left in equipment overnight.
- Personnel shall not be transported or ride on equipment or vehicles that are not equipped with seats for passengers.
- When fueling equipment or vehicles with gasoline or liquefied petroleum gas (LPG) the engine shall be shut down.
- All equipment and vehicles shall be equipped with appropriate fire extinguisher or fire suppression system.
- Haul roads shall be designed, constructed, and maintained for safe operation consistent with the type of haulage equipment in use. Standard traffic control signs shall be used where necessary.
- Elevated roadways shall have axle high beams or guards maintained on their outer banks.
- Equipment, tools, and materials hauled on pickups and flat bed trucks must be secured to prevent them from falling onto the road.

Welding & Cutting

- Welding leads and cutting hoses shall be kept clear of walkways and stairways.
- Flash arrestors shall be installed provided in both oxygen and acetylene hoses at the regulator connection.
- Welders shall wear approved eye and head protection when welding. Personnel assisting the welder shall also wear approved eye protection.
- Prior to welding or cutting a "20-ABC" rated fire extinguisher shall be within easy reach of the worker. A fire watch shall be stationed at all locations where sparks and/or flames may fall to a lower floor/work area or to another side of a wall.
- A suitable cylinder truck, with chain shall be used to keep cylinders from being knocked over while in use.
- Spent welding rods shall be picked up and disposed of daily.
- When practical all welding and cutting operations shall be shielded by non-combustible or flame-proof screens.
- Oxygen and acetylene cylinders shall not be stored inside buildings.
- Rubber boot protectors shall be provided on all welding leads where they make connections at the welding machine

Personal Protective Equipment

Eye and Face Protection

All employees shall wear safety glasses 100% of the time while on the construction site. Minimum eye protection shall include approved safety glasses **with side shields** which meet the standards specified in ANSI Z-87.1-1989 (this shall also include prescription eye wear).

Additional eye and face protection in combination shall be worn when:

- Welding, burning or cutting with torches
- Using abrasive wheels, portable grinders or files
- Chipping concrete, stone or metal
- Working with any materials subject to scaling, flaking or chipping
- Drilling or working under dusty conditions
- Using explosive actuated fastening or nailing tools
- Working with compressed air or other gases

Only clear safety glasses shall be worn inside any building(s).

Head Protection

All construction workers shall wear hard hats which meet ANSI Z 89.1-1986, 100% of the time while on the construction site. Hard hats shall display the company decal where the employee works.

All delivery personnel, vendors and visitors shall wear approved hard hats while on the project.

Hearing Protection

Work areas shall be monitored to identify areas of high noise exposure (85 dBA and higher). All work areas identified as high noise exposure shall be properly posted to warn employees of the exposure.

Appropriate hearing protection shall be worn in work areas where noise levels are 85 dBA or greater.

Respiratory Protection

Contractors whose work activities warrant that employees wear respiratory protection, shall establish and implement a respiratory protection program. The program shall meet the requirements set forth in 29 CFR 1926.134.

Foot Protection

All personnel on the construction site shall wear leather hard-soled work boots. No one is permitted to wear sneakers (including ANSI approved), tennis shoes or athletic shoes of any type, sandals, high heels or thongs on the construction site.

Clothing

Suitable clothing for construction shall be worn on the construction site. Shirts with sleeves (at least t-shirt (4 inches) in length), full length pants and reflective safety vests shall be required. Shorts, sweatpants, or tank-tops are not allowed.

Appendix A - Safety Orientation

Check each box when completed - To be completed by all employees on the jobsite. To be completed by site supervision and employee prior to beginning work.

- Alcohol and/or drug use, fighting or horseplay are prohibited and will result in immediate termination
- 100 % eye protection, hard hats and reflective safety vests are required when on the construction project
- Review potential hazards on the project and the precautions to be taken to prevent injury
- Disciplinary Policy:
 - Non-serious violation**
 - First violation - Verbal warning
 - Second violation - Verbal & written warning
 - Third violation - Verbal & written warning and three day suspension without pay
 - Fourth violation - Employee discharge from company

 - Serious violation** - (see disciplinary policy)
 - First violation - Verbal & written warning
 - Second violation - Employee discharge from company
- Hazard Communication Program - location of MSDS's and written program on the project
- All accidents, injuries and unsafe conditions shall be reported to supervisor immediately
- Medical treatment protocols for injuries requiring off-site medical treatment with a doctor
- Safety meetings are held on a weekly basis (attendance is mandatory)
- All employees shall dress properly while working. Minimum attire is long pants, shirt with at least 4-inch sleeves and sturdy above the ankle work boots
- Ground fault circuit interrupters (GFCI) are required on all tools. All extension cords and power tools shall be properly grounded. Notify supervision immediately if defective equipment exists.
- All employees exposed to a fall exposure of six or greater, shall be protected by the means of fall protection. Specific training is required for fall protection.
- Employees are not allowed to work in excavations 4 feet or more in depth, unless they are properly sloped or protected by shielding or shoring
- Lockout/tagout is required when working on equipment or tools where unexpected start-up may occur or the release of energy may result in injury
- Before any employee is allowed to wear a respirator (including paper masks) they must be medically approved by a doctor and fit-tested
- Scaffolds shall be inspected and tagged prior to use by any personnel. Red tag means DO NOT USE; Yellow Tag means section of scaffold does not meet OSHA standards and Green Tag means SAFE FOR USE.
- Other hazards discussed related to the construction project:

Equipment Issued

- Hardhat
- Safety Glasses
- Reflective Safety Vest
- Fall Protection Harness & Lanyard
- Respirator
- Other _____

To be completed by supervisor in the field with the employee

- Show employee around the project and discuss potential hazards
- Introduce employee to crew members
- Assign new employee to experienced work crew
- Specify work duties
- Where to eat lunch

This is to acknowledge that I have completed new employee orientation and understand that failure to comply with the Safety Program may be grounds for dismissal.

Employee Print Name: _____ Date: _____

Emergency Contact: _____

Employee Signature: _____

Supervision Signature: _____ Date: _____

Appendix B – Employee Disciplinary Guideline

The discipline policy is intended to encourage compliance with the requirements of the Federal Occupational Safety and Health Act of 1970 (OSHA) and all additions and revisions thereto, as well as other applicable federal, state and local requirements and this Safety and Health Guideline. Workers performing work in an unsafe manner that would endanger the employee, other workers or the public shall be subject to discipline or termination.

The Project Representative in conjunction with the Project Manager and Project Foreman will determine the course of action best suited to the circumstances. The steps to be taken shall be progressive, except in the most egregious circumstances and shall include:

- a) **Non-Serious** – Initial, isolated, or rare instances of violation, that do not result in danger to the employee, property, or others, should be corrected through non disciplinary discussion and instruction. Safety violations of a less serious nature will be handled as follows:

First Offense	Verbal Warning
Second Offense	Written Warning
Third Offense	Employee given three-day suspension without pay
Fourth Offense	Employee Discharge

- b) **Serious** – One which could result in serious injury or loss of life or serious loss of property, shall be subject to:

First Offense	Employee given three-day suspension without pay
Second Offense	Employee Discharge

- c) **Supervisor Accountability** – If two or more employees working for the same supervisor are found in serious violation as described above, that subcontractor supervisor is also subject to disciplinary action up to and including immediate discharge.

Documentation - Notice of safety violation (written) shall be given to the employee, and a copy kept by the Contractors Project Safety Representative.

Appendix C - Critical Lift Checklist

Project: _____

Date: _____

Description of Lift: _____

Name of supervisor in charge of lift: _____

Name of crane operator(s): _____

Name of signal person(s): _____

Crane Data:

Make and Model: _____

Boom Length: _____

Counterweight: _____

Capacity: _____

Load Data:

Gross Load Weight: _____

Rigging Weight: _____

Load block & line Weight: _____

Max. Load Radius: _____

Min. Load Angle: _____

Max. Boom Angle: _____

Min. Boom Angle: _____

Net Load Weight: _____

Pre-Lift Requirements:

- _____ Load is within chart limits.
- _____ Has the Center of Gravity of the Load been established and marked?
- _____ Is rigging adequate and in good condition?
- _____ Load chart utilized is for exact crane model; boom type, length, tip; counterweight.
- _____ Competent person in charge of lift: Name
- _____ Competent signal person identified: Name
- _____ Pre-pick meeting held with crew
- _____ Written crane inspection completed within 1 day of critical pick
- _____ Swing path not over personnel
- _____ Footing is sound and level (soil conditions/compaction, underground tunnel or utilities).
- _____ Pre-planning for radio or hand signal communications.
- _____ Minimum clearances from power lines can and will be maintained.
- _____ The load radius has been measured with tape measure.
- _____ Weather conditions have been checked, including wind speed.
- _____ Load will not touch boom at any time.
- _____ For dual crane lift – diagrams have been prepared.
- _____ Pad blocking is adequate and substantial.
- _____ Outriggers are fully extended.

Signed: _____
Supervisor in Charge

Appendix D – Substance Abuse

Policy Statement

The Owner **Memphis-Shelby County Airport Authority** is committed to providing project employees with a drug-free and alcohol-free workplace. It is our goal to protect the health and safety of these employees and visitors to our job site, promote a productive workplace, and protect the reputation of our project.

Consistent with those goals, the use, possession, distribution, or sale at project sites of drugs, drug paraphernalia or alcohol is prohibited. A program of drug and alcohol testing will be instituted to monitor compliance with this policy.

Contractors / Subcontractors refusing to comply with this Drug and Alcohol Policy will not be permitted to work on this MSCAA project and will be noted as being in violation of their contract with the (Project Name) / or other contractors & subcontractors working on this project.

This Policy Statement does not represent a contract between the Owner **Memphis-Shelby County Airport Authority**, Design and Development, Owners of project, Construction Managers, General Contractors, Subcontractors, employees, or perspective employees of the project.

Policy Administration

It is our combined goal to protect the health and safety of personnel, craft workers, and visitors to our job site; to promote a productive workplace and protect the reputation of MSCAA.

Prohibited Substances

1. Drugs or Drug is defined as any substance which may impair mental or motor function including but not limited to illegal drugs, controlled substances, designer drugs, synthetic drugs, look alike drugs, and under circumstances described in this policy -prescription drugs.
2. Alcohol is defined as any beverage or substance containing alcohol, ethyl alcohol or ethanol. "Alcohol Testing or Alcohol test means testing by certified breath-alcohol technician using a DOT approved initial screening device or urine alcohol testing conducted by a certified laboratory and confirmed by gas chromatography/mass spectroscopy (GC/MS)". Test levels must not meet or exceed.04 grams per 210 liter of breath.

Pre-Project Testing

Prior to beginning work on this Project, employers will be required to ensure that all employees have met the requirements of this policy with a negative (passing) test result. Employers and employees not meeting the requirements will not be allowed to work on this job site.

Additional Testing of Employees

1. **Post-Accident:** It is agreed that drug and alcohol testing of employees shall be required after each and every work-related incident. This testing shall take place at the medical facility providing treatment for the injury. A work-related accident is defined as an accident resulting in an injury requiring treatment by a physician to the employee or other employees injured and / or resulting in damage to property or equipment.
2. **Reasonable Suspicion:** Is defined as supervision having a reason to suspect employee drug or alcohol use. The employer will bear the cost of this test.

Points of Understanding Regarding Substance Abuse Testing

The employer, the medical facility and the testing laboratory agree that the results of the described tests are to be held in strictest **CONFIDENCE** between the employer and the medical facility (MRO). This is an issue of employee – employer relationship (employment) and falls under the requirements within the employer’s program.

Testing Procedures

1. At a minimum pre-project and post-accident testing is required.
2. Testing shall include the following drugs at a minimum:
Marijuana, Cocaine, Opiates, Amphetamines, Phencyclidine, Barbiturates, Benzodiazepines, Methadone, Propoxyphene
3. For reasons of safety, any employee subject to a reasonable suspicion test shall be suspended until test results are available.

Prescription Drugs

The use of current valid prescription Drugs that may impair an employee’s ability to safely perform his or her duties must be reported to the safety director, supervisor and management personnel.

Alcoholic Beverages

Under no circumstances are alcoholic beverages allowed on the MSCAA project site.

Disciplinary Action

1. A positive pre-project or post-accident test will result in worker dismissal from this MSCAA project site
2. Employees found using, selling, possessing, or manufacturing drugs shall be removed from this project and may be reported to local law enforcement.

Confidentiality

All actions taken under this policy will be in conformance with the Local Drug Testing Act

Subcontractors and Vendors

Subcontractors, sub-tiered contractors, vendors, and their employees shall cooperate with this policy in achieving a drug-free and alcohol-free workplace.

Amendments to Policy

Amendments to this policy may be issued to comply with project owner requirements, state or local laws, or federal contract requirements.

Company Name _____

**DRUG AND ALCOHOL POLICY
ACKNOWLEDGMENT AND ACCEPTANCE STATEMENT**

I certify that I have read and understand the statement and policy. I further understand that prior to employment and during employment, I am subject to drug and alcohol screening tests. I agree to provide the specimen appropriate to such drug or alcohol test(s) as may be required. I further understand that my property and I may be subject to search under the terms of this policy while I am on the Owner's premises. Failure to provide the appropriate specimen, or to permit a search, will subject me to removal from this site.

I also understand that I will not be allowed to go to work prior to the reporting of my pre-employment drug test results.

If I am an employee of a subcontractor company, an employee of an affiliate company assigned to the job site, or a contract staff, I understand that I am subject to pre-employment drug testing and all testing conditions of this Policy. Failure to provide the appropriate specimen or to permit a search or a positive test result will result in my immediate removal from this job site.

Signature

Date

Print Name and Title

Witness

Guidelines for Reasonable Suspicion

Observation Checklist

- 1. **Walking** ___ Stumbling ___ Staggering ___ Falling ___ Unable to Walk
 ___ Swaying ___ Unsteady ___ Holding On ___ Normal
- 2. **Standing** ___ Swaying ___ Rigid ___ Unable to Stand
 ___ Staggering ___ Sagging at Knees ___ Feet Wide Apart
- 3. **Speech** ___ Shouting ___ Silent ___ Whispering ___ Slow
 ___ Rambling ___ Mute ___ Slurred ___ Slobbering
 ___ Incoherent ___ Confused ___ Normal
- 4. **Demeanor** ___ Cooperative ___ Polite ___ Calm ___ Sleepy
 ___ Silent ___ Talkative ___ Crying ___ Excited
 ___ Sarcastic ___ Fighting
- 5. **Actions** ___ Resisting ___ Fighting ___ Threatening ___ Erratic
 ___ Communications
 ___ Drowsy ___ Profanity ___ Hyperactive ___ Hostile
 ___ Calm
- 6. **Eyes** ___ Bloodshot ___ Watery ___ Dilated ___ Glassy
 ___ Droopy ___ Closed ___ Normal
- 7. **Face** ___ Flushed ___ Pale ___ Sweaty ___ Normal
- 8. **Appearance/
Clothing** ___ Unruly ___ Messy ___ Dirty ___ Partially Dressed
 ___ Body ___ Stains ___ Neat ___ Normal
 ___ Excrement
- 9. **Breath** ___ Alcoholic ___ Faint Alcohol ___ No Odor
 ___ Odor ___ Odor
- 10. **Movement** ___ Fumbling ___ Jerky ___ Slow ___ Hyperactive
 ___ Nervous ___ Normal
- 11. **Eating/
Chewing** ___ Gum ___ Candy ___ Mints ___ Other – identify
- 12. Other observations: (Visible drug use, possession, sale, etc.: attendance; poor work performance or accident; tampering with drug test; credible reports, etc.)

Observed by: _____ Observed by: _____

Date: _____ Time: _____ Location: _____

Appendix E - Supervisor's Report of Bodily Injury

Date of Accident _____ Date Returned to Work: _____

Location of Accident _____ Time of Accident _____ am/pm

Contractor/Subcontractor Involved _____

First Aid: _____ Recordable _____ Lost Time _____ Fatality _____

Damage*: _____ Fire _____ Property _____

Equipment _____

Injured Person: _____ SSN: _____

Address: _____ Occupation: _____

_____ Home Phone: _____

Male _____ Female _____ Age _____

Nature of Injury: _____

First Aid Administered By: _____

Hospital _____ Physician _____

Witnesses: _____

Equipment and/or Materials Involved: _____

Cause Of Accident: _____

Superintendent's Corrective Action: _____

Employee's Signature: _____ Supt. Signature _____

Date of report: _____

*Attach a list of damaged property and/or equipment excluding motor vehicles. Indicate owner's names and addresses. Complete "Report of Damage to Equipment or Property" (Appendix F).

Appendix F - Report of Damage to Equipment or Property

Date _____

Contractor/Subcontractor _____

Location of Accident _____

Equipment Involved _____

Personal injuries Yes _____ No _____

Damage Estimate \$ _____

<u>Witness to Accident</u>	<u>Statement Obtained</u>		<u>Statement Attached</u>	
	Yes	No	Yes	No
_____	Yes	No	Yes	No
_____	Yes	No	Yes	No
_____	Yes	No	Yes	No

Remarks _____

Time of Accident _____ AM _____ PM _____ Date _____

Weather Conditions _____ Temperature _____

Roadway or surface type _____ Wet _____ Dry _____ Other _____ *

*If other, explain _____

If more space is required, use back of this sheet for additional information and sketches.

Signed _____

Title _____

Employee Name _____

Appendix G – Safety Improvement Team Guidelines

The Owner recognizes that a cooperative effort is required to insure a safe construction project. Therefore, the Contractor shall establish a Safety Improvement Team to facilitate the proper cooperative attitude.

The Safety Improvement Team shall be composed of an equal number of employees and management representatives. The management personnel (4) will consist of one Owner representative, one person from the Contractor, one from the workers' compensation/general liability insurance carrier and a representative of subcontractor supervision. The employee members (4) shall be selected from the various subcontractor trades on a voluntary basis or by nomination to serve a minimum of one year each.

The Contractor's Safety Manager shall serve as the Safety Improvement Team advisor and is responsible for providing meeting agendas and minutes, giving assignments to the committee, and publicizing committee accomplishments. Safety Improvement Team meeting minutes and attendance roster shall be maintained.

The Contractor's Safety Manager is responsible for assuring that Committee members are adequately trained to perform their duties and responsibilities.

The Contractor's Safety Manager is responsible for assuring that subcontractors with 25 or more employees establish their own Safety Improvement Team commensurate with the NRS requirements.

The primary purpose of the Safety Improvement Team is to evaluate safety and health program effectiveness, suggestions, hazard reports, hotline reports, etc., and to provide suggestions and recommendations to improve workplace safety.

Additional duties include advising and educating employees in safe working practices, investigating accidents and their causes, recommending preventative measures, inspecting work areas, and other duties as assigned.

Meetings shall be held at least monthly; discussion items shall include:

- Inspection Reports

- Accident Reports

- The safety of construction methods and practices

- Review and make recommendations on employee hazard reports, hotlines, etc.

The Safety Improvement Team members will receive their regular rates of pay while performing Safety Improvement Team duties. Time spent performing Safety Improvement Team duties shall be documented using normal time reporting procedures.

**EXHIBIT E
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
CHARLES BAKER AIRPORT – RW 18 APPROACHING CLEARING - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

FAA REQUIRED CONTRACT PROVISIONS

FAA REQUIRED CONTRACT PROVISIONS – ALL CONTRACTS

Federal laws and regulations require that recipients of federal assistance (Sponsors) include contract provisions in certain contracts, requests for proposals, or invitations to bid. The provisions are as follows:

1. Title VI Clauses for Compliance with Nondiscrimination Requirements (FAA Provision A6.4.1). (Reference: 49 USC § 47123)

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the “contractor”) agrees as follows:

Compliance with Regulations: The contractor (hereinafter includes consultants) will comply with the Title VI List of Pertinent Nondiscrimination Acts And Authorities, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.

Non-discrimination: The contractor, with regard to the work performed by it during the contract, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor will not participate directly or indirectly in the discrimination prohibited by the Nondiscrimination Acts and Authorities, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR part 21.

Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the contractor of the contractor’s obligations under this contract and the Nondiscrimination Acts And Authorities on the grounds of race, color, or national origin.

Information and Reports: The contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the sponsor or the Federal Aviation Administration to be pertinent to ascertain compliance with such Nondiscrimination Acts And Authorities and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor will so certify to the sponsor or the Federal Aviation Administration, as appropriate, and will set forth what efforts it has made to obtain the information.

Sanctions for Noncompliance: In the event of a contractor’s noncompliance with the Non-discrimination provisions of this contract, the sponsor will impose such contract sanctions as it or the Federal Aviation Administration may determine to be appropriate, including, but not limited to:

- a. Withholding payments to the contractor under the contract until the contractor complies; and/or
- b. Cancelling, terminating, or suspending a contract, in whole or in part.

Incorporation of Provisions: The contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor will take action with respect to any subcontract or procurement as the sponsor or the Federal Aviation Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the sponsor to enter into any litigation to protect the interests of the sponsor. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.

2. Title VI List of Pertinent Nondiscrimination Acts and Authorities (FAA Provision A6.4.5).

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d *et seq.*, 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin);

49 CFR part 21 (Non-discrimination In Federally-Assisted Programs of The Department of Transportation—Effectuation of Title VI of The Civil Rights Act of 1964);

The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);

Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 *et seq.*), as amended, (prohibits discrimination on the basis of disability); and 49 CFR part 27;

The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 *et seq.*), (prohibits discrimination on the basis of age);

Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);

The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);

Titles II and III of the Americans with Disabilities Act of 1990, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131 – 12189) as implemented by Department of Transportation regulations at 49 CFR parts 37 and 38;

The Federal Aviation Administration's Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);

Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;

Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);

Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 *et seq.*).

3. Federal Fair Labor Standards Act (FAA Provision A17). (Reference: 29 U.S.C. § 201, *et seq.*)

All contracts and subcontracts that result from this solicitation incorporate by reference the provisions of 29 CFR part 201, the Federal Fair Labor Standards Act (FLSA), with the same force and effect as if given in full text. The FLSA sets minimum wage, overtime pay, recordkeeping, and child labor standards for full and part time workers.

The Contractor has full responsibility to monitor compliance to the referenced statute or regulation. The Contractor must address any claims or disputes that arise from this requirement directly with the U.S. Department of Labor – Wage and Hour Division.

4. Occupational Safety and Health Act of 1970 (FAA Provision A20). (Reference: 29 CFR part 1910)

All contracts and subcontracts that result from this solicitation incorporate by reference the requirements of 29 CFR Part 1910 with the same force and effect as if given in full text. Contractor must provide a work environment that is free from recognized hazards

that may cause death or serious physical harm to the employee. The Contractor retains full responsibility to monitor its compliance and their subcontractor's compliance with the applicable requirements of the Occupational Safety and Health Act of 1970 (20 CFR Part 1910). Contractor must address any claims or disputes that pertain to a referenced requirement directly with the U.S. Department of Labor – Occupational Safety and Health Administration.

5. General Civil Rights Provisions (FAA Provision A5). (Reference: 49 U.S.C. § 47123)

The Contractor agrees to comply with pertinent statutes, Executive Orders and such rules as are promulgated to ensure that no person shall, on the grounds of race, creed, color, national origin, sex, age, or disability be excluded from participating in any activity conducted with or benefiting from Federal assistance.

This provision binds the contractor and subcontractors from the bid solicitation period through the completion of the contract. This provision is in addition to that required of Title VI of the Civil Rights Act of 1964. If the Contractor transfers its obligation to another, the transferee is obligated in the same manner as the Contractor. The above provision obligates the Contractor for the period during which the property is owned, used or possessed by the Contractor and the airport remains obligated to the Federal Aviation Administration.

**EXHIBIT F
TO
CONSTRUCTION CONTRACT
FOR
CHARLES BAKER AIRPORT – RW 18 APPROACHING CLEARING - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

STATE REQUIRED CONTRACT PROVISIONS

STANDARD TERMS AND CONDITIONS:

Grantees shall not assign an Aeronautics Grant Contract or enter into a subcontract for any of the services performed under an Aeronautics Grant Contract without obtaining the prior written approval of the State. If such subcontracts are approved by the State, each shall contain, at a minimum, sections of the Aeronautics Grant Contract pertaining to "Conflicts of Interest," "Lobbying," "Nondiscrimination," "Public Accountability," "Public Notice," and "Records" (as identified by the section headings). Notwithstanding any use of approved subcontractors, the Grantee shall remain responsible for all work performed.

CONTRACT CLAUSES:

- F.1. Conflicts of Interest. Contractor warrants that no part of the total contract amount shall be paid directly or indirectly to an employee or official of the State of Tennessee as wages, compensation, or gifts in exchange for acting as an officer, agent, employee, subcontractor, or consultant to MSCAA in connection with any work contemplated or performed relative to this Contract.
- F.2. Lobbying. The Contractor certifies, to the best of its knowledge and belief, that:
- a. No federally appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any federal contract, the making of any federal grant, the making of any federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any federal contract, grant, loan, or cooperative agreement.
 - b. If any funds other than federally appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this contract, grant, loan, or cooperative agreement, the Promisor shall complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities," in accordance with its instructions.
 - c. The Contractor shall require that the language of this certification be included in the award documents for all sub-awards at all tiers (including subcontracts, sub-grants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into and is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. § 1352.

- F.3. Nondiscrimination. Contractor hereby agrees, warrants, and assures that no person shall be excluded from participation in, be denied benefits of, or be otherwise subjected to discrimination in the performance of this Grant Contract or in the employment practices of the Contractor on the grounds of handicap or disability, age, race, color, religion, sex, national origin, or any other classification protected by federal, Tennessee state constitutional, or statutory law. The Contractor shall, upon request, show proof of nondiscrimination and shall post in conspicuous places, available to all employees and applicants, notices of nondiscrimination.
- F.4. Public Accountability. If the Contractor is subject to Tenn. Code Ann. § 8-4-401 *et seq.*, or if this Contract involves the provision of services to citizens by Contractor on behalf of the State, Contractor agrees to establish a system through which recipients of services may present grievances about the operation of the service program. The Contractor shall also display in a prominent place, located near the passageway through which the public enters in order to receive Grant supported services, a sign at least eleven inches (11") in height and seventeen inches (17") in width stating:

NOTICE: THIS AGENCY IS A RECIPIENT OF TAXPAYER FUNDING. IF YOU OBSERVE AN AGENCY DIRECTOR OR EMPLOYEE ENGAGING IN ANY ACTIVITY WHICH YOU CONSIDER TO BE ILLEGAL, IMPROPER, OR WASTEFUL, PLEASE CALL THE STATE COMPTROLLER'S TOLL-FREE HOTLINE: 1-800-232-5454.

The sign shall be on the form prescribed by the Comptroller of the Treasury. MSCAA shall obtain copies of the sign from the Tennessee Department of Transportation, Aeronautics Division, and upon request from the Contractor, provide Contractor with any necessary signs.

- F.5. Public Notice. All notices, informational pamphlets, press releases, research reports, signs, and similar public notices prepared and released by the Contractor in relation to this Contract shall include the statement, "This project is funded under a grant contract with the State of Tennessee." All notices by the Contractor in relation to this Contract shall be approved by the State.
- F.6. Records. The Contractor and any approved subcontractor shall maintain documentation for all charges under this Contract. The books, records, and documents of the Contractor and any approved subcontractor, insofar as they relate to work performed or money received under this Grant Contract, shall be maintained in accordance with applicable Tennessee law. In no case shall the records be maintained for a period of less than five (5) full years from the date of the final payment. The Contractor's records shall be subject to audit at any reasonable time and upon reasonable notice by the Tennessee Department of Transportation, the Comptroller of the Treasury, or their duly appointed representatives.

The records shall be maintained in accordance with Governmental Accounting Standards Board (GASB) Accounting Standards or the Financial Accounting Standards Board (FASB) Accounting Standards Codification, as applicable, and any related AICPA Industry Audit and Accounting guides.

In addition, documentation of grant applications, budgets, reports, awards, and expenditures will be maintained in accordance with U.S. Office of Management and Budget's *Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards*.

Contract expenditures shall be made in accordance with local government purchasing policies and procedures and purchasing procedures for local governments authorized under state law.

The Contractor shall also comply with any recordkeeping and reporting requirements prescribed by the Tennessee Comptroller of the Treasury.

The Contractor shall establish a system of internal controls that utilize the COSO Internal Control - Integrated Framework model as the basic foundation for the internal control system. The Contractor shall incorporate any additional Comptroller of the Treasury directives into its internal control system.

Any other required records or reports which are not contemplated in the above standards shall follow the format designated by the head of the Tennessee Department of Transportation, the Central Procurement Office, or the Commissioner of Finance and Administration of the State of Tennessee.

DIVISION 0 – SECTION 00605
CERTIFICATE OF SECRETARY

AS TO RESOLUTION ADOPTED BY BOARD OF DIRECTORS

On _____

I, _____, hereby certify that I am the duly authorized Secretary of _____, charged with keeping the records and the seal of said Corporation, and that the following is a true and correct copy of a resolution adopted at a meeting of the Board of Directors of the Corporation duly held on _____, which resolution is now in full force and effect.

RESOLVED, that _____, (President, Vice President) of _____ is hereby authorized to execute contracts, performance bonds and labor materials bonds on behalf of the Corporation.

WITNESS my hand as Secretary, and the seal of the Corporation this ____ day of _____, 20____.

Secretary

BEFORE ME, a notary public of the state and county mentioned, personally appeared

_____, with whom I am personally acquainted, and who, upon oath,

acknowledged such person to be _____, and officer authorized to execute the

instrument, of _____, the within named bargainor, a corporation, and that such

officer, as such _____, executed the foregoing instrument for the purposes therein contained, by personally signing their name of the corporation as _____.

WITNESS my hand and seal, at office, this _____ day of _____, 20____.

Notary Public (SEAL)

My Commission Expires: _____

END OF SECTION 00605

THIS PAGE LEFT BLANK INTENTIONALLY.

PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS: that

as Principal, hereinafter called Contractor or Principal, and

as Surety, hereinafter called Surety, are held and firmly bound unto

MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY

hereinafter called Owner, or Obligee, in the amount of _____ Dollars, for the performance whereof Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly, severally, and solidarily, firmly by these presents.

The penal sum of this Performance Bond shall be increased by the amount that the Contract, as herein below defined, is increased during the term of the Performance Bond.

WHEREAS, Principal has entered into a written agreement with the Owner (hereinafter referred to as "Contract") for:

in accordance with Drawings and Specifications prepared and to be prepared by

ENSAFE

which Contract is by reference incorporated herein and made a part hereof.

WHEREAS, the Surety represents that it possesses an A-VIII rating or higher in the most recent edition of Best Insurance Reports and that Surety is authorized to execute and deliver bonds in the State of Tennessee.

NOW THEREFORE, THE CONDITION OF THIS OBLIGATION is such that, if Principal shall promptly and faithfully perform each and every term, condition, obligation and provision of said Contract, including but not limited to, completion and delivery of the work described in the Contract within the scheduled time as such time may be extended from time to time as permitted in the Contract, then this obligation shall be null and void; otherwise, it shall remain in full force and effect.

The Surety shall within sixty (60) days from notice by Owner to the Surety, either

1. Proceed to complete the performance of the Contract timely in accordance with the terms and conditions of the Contract, including but not limited to:

(a) The responsibilities of the Principal for completion of the Work, correction of defective Work, warranty Work and payment for the Work; and

(b) Payment of liquidated damages specified in the Contract, or

2. Pay to the Owner the amount of its costs and damages, up to the penal sum of this bond, that would be owed by the Principal to the Obligee under the Contract to complete the obligations of the Principal, including any liquidated damages that may be due and any additional legal, design professional or delay costs resulting from the Contractor's default less any remaining contract funds.

The Surety hereby waives notice of any alteration or extension of time made by the Owner. The Surety hereby waives notice of any change in the scope of the Contract.

Any suit under this Performance Bond must be instituted in a court of competent jurisdiction, in Shelby County, Tennessee, and not elsewhere within four (4) years from Substantial Completion as defined in the Contract.

No right of action shall accrue on this bond to or for the use of any person, partnership or corporation other than the Owner or the heirs, executors, administrators, successors or assigns of the Owner.

Notice of claim to the Surety under the bond shall be sent to the following address:

SIGNED AND SEALED this ____ day of _____, 20__.

PRINCIPAL

TITLE: _____

SURETY

TITLE: _____

ADDRESS

CITY STATE ZIP CODE

LABOR AND MATERIAL PAYMENT BOND

KNOW ALL MEN BY THESE PRESENTS: that

as Principal, hereinafter called Contractor or Principal, and

as Surety, hereinafter called Surety, are held and firmly bound unto

MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY

hereinafter called Owner or Obligee, in the amount of _____ Dollars, for the payment whereof Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly, severally, and solidarily, firmly by these presents.

The penal sum of this Labor and Material Payment Bond shall increase by the amount that the Contract, as herein below defined, is increased during the term of the Labor and Material Payment Bond.

WHEREAS, Principal has entered into a written agreement with the Owner (hereinafter referred to as the "Contract") for:

in accordance with Drawings and Specifications prepared and to be prepared by

ENSAFE

which Contract is by reference incorporated herein and made a part hereof.

WHEREAS, the Surety represents that it possesses an A--.VIII rating or higher in the most recent edition of Best Insurance Reports and that Surety is authorized to execute and deliver bonds in the State of Tennessee.

NOW THEREFORE, THE CONDITION OF THIS OBLIGATION is such that, if Principal shall promptly and faithfully complete the work as defined in the Contract free and clear of all claims, liens and any other contractual, statutory, or legal rights the Claimants, as hereinbelow defined, may have for the payment of amounts owed in connection with or arising out of the Contract ("Claims"); and the Principal shall make prompt payment to all persons having a Claim or lien pursuant to any statute or law of the State of Tennessee, then this obligation shall be void; otherwise, it shall remain in full force and effect.

1. A Claimant is defined as one having a contract with the Principal or a subcontractor or supplier of any tier for labor, materials, equipment used or reasonably required for use in the performance of the Contract, labor and materials being construed to include water, power, gas, light, heat, oil, gasoline, or telephone services applicable to the Contract.
2. No suit or action shall be commenced by any Claimant:
 - a) After the expiration of two (2) years following the date which Substantial Completion as defined in the Contract is achieved. However, if any limitation embodied in this bond is prohibited by any law controlling the construction hereof, such limitation shall be deemed to be amended so as to be equal to the minimum period of limitation permitted by such law.

- b) Other than in a court of competent jurisdiction in Shelby County, Tennessee, and not elsewhere.
- 3. Upon written notice to Surety from the Owner, Surety shall, within forty-five (45) days after receipt of said notice, pay or cause to be paid all Claims made or if the Surety contests in good faith the validity of any Claim, the Surety shall, within forty-five (45) days after receipt of said notice, cause bonds to be posted in an amount and form acceptable to Oblige to bond off such Claims. Surety shall indemnify, defend and hold Obligee harmless from any such Claims together with any and all attorney's fees, costs and expenses or liability in any manner arising out of or in connection therewith.
- 4. The Surety hereby waives notice of any alteration or extension of time made by the Owner. The Surety hereby also waives notice of any changes in the scope of the Contract, including changes to the contract amount.

Notice of claim to the Surety under the bond shall be sent to the following address.

SIGNED AND SEALED this the _____ day of _____, 20____.

PRINCIPAL

TITLE: _____

SURETY

TITLE: _____

ADDRESS

CITY STATE ZIP CODE



MEMPHIS INTERNATIONAL AIRPORT

APPLICATION FOR PAYMENT NO. _____

TO: MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY

REGARDING CONTRACT FOR: **MSCAA PROJECT NO. 18-1421-01**
CHARLES BAKER AIRPORT - RW 18 APPROACH CLEARING - CONST.

CONTRACTOR: **CONTRACTOR**
FOR WORK ACCOMPLISHED FROM __ TO __

STATUS OF CONTRACT:

ORIGINAL CONTRACT PRICE: \$0.00

APPROVED CONTRACT AMENDMENTS:

No. 1 Approved	MM/DD/YYYY	Adds <u>0</u> days	<u>\$0.00</u>
No. 2 Approved	MM/DD/YYYY	Adds <u>0</u> days	<u>\$0.00</u>
No. 3 Approved	MM/DD/YYYY	Adds <u>0</u> days	<u>\$0.00</u>
No. 4 Approved	MM/DD/YYYY	Adds <u>0</u> days	<u>\$0.00</u>
No. 5 Approved	MM/DD/YYYY	Adds <u>0</u> days	<u>\$0.00</u>
No. 6 Approved	MM/DD/YYYY	Adds <u>0</u> days	<u>\$0.00</u>
	Total time extension:	Adds <u>0</u> days	

TOTAL AMENDED CONTRACT PRICE \$0.00

NOTICE TO PROCEED DATE:	TOTAL INSTALLED TO DATE		
ORIGINAL COMPLETION DATE:	previously installed to date	\$0.00	
AMENDED COMPLETION DATE:	this application installed	<u>\$0.00</u>	\$0.00
REMARKS:	plus STORED MATERIALS		
	previously stored materials	\$0.00	
	this application stored materials	<u>\$0.00</u>	\$0.00
	less PREVIOUSLY CERTIFIED FOR PAYMENT		\$0.00
	equals AMOUNT DUE THIS APPLICATION		<u>\$0.00</u>

CONTRACTOR'S CERTIFICATION:

The undersigned Contractor certifies that (1) all previous progress payments received from Owner on account of Work done under the Contract referred to above have been applied to discharge in full all obligations of Contractor incurred in connection with Work covered by prior Application for Payment number 0 through ___ inclusive; and (2) title to all materials and equipment incorporated in said Work or otherwise listed in or covered by this Application for Payment will pass to Owner at time of payment free and clear of all liens, claims, security interests and encumbrances (except such as covered by Bond acceptable to Owner). Progress status is as described in schedule under monthly construction payment request.

Dated: MM/DD/YYYY

State of: Tennessee

County of: Shelby

Subscribed and sworn to before me this _____ day of _____, YYYY.

Notary Public: _____

CONTRACTOR:
Contractor

BY: _____
Signatory
Title

My Commission Expires: _____

PROGRAM MANAGER'S RECOMMENDATION:

Payment of the above AMOUNT DUE THIS APPLICATION to CONTRACTOR is recommended.

DATED:

BY: _____
Program Manager Signatory
Title

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 0 - SECTION 00640

Business Diversity Monthly Compliance Report

MSCAA Project. Name and Number: Charles Baker Airport - RW 18 Approach Clearing-Construction

(18-1421-01)

Date: _____

To: Memphis Shelby County Airport Authority Attn: ReGina Armstrong 2491 Winchester Rd., Ste. 113 Memphis, TN 38116-3856	From: Name: _____ Company: _____ Address: _____ Ph: _____ Owner Gender & Ethnicity: _____
--	---

For the month ending _____, I certify that the current payment for this contract was satisfied by the means shown below:

Name, Address, & Phone No. of All Subcontractors	Company Code	Current Payment Amt.	Check No.	Total for Calendar Year	Cumulative Total to Date	Gender	Ethnicity

PLEASE PROVIDE PROOF OF YOUR PAYMENT AMOUNT TO YOUR SUB CONTRACTORS.

Signed: _____

Title: _____

Gender Code: M=Male, F=Female

Proof of Payments: Copy of Check, or Copy of E-Payment Confirmation

Company Code: DBE =Disadvantaged Business Enterprise, MOC=Majority Owner Company, INC=Incorporated/Partnership, CM/WBE = M/WBEs the owners of which have been certified as having a personal net worth less than \$1.32mil

Ethnicity Code: **B**=Black, **H**=Hispanic, **N**=Native American, **AA**=Asian American, **APA**=Asian Pacific American, **SCA**=Sub Continent Asian, **NM**=Non-Minority, **C**=Caucasian & **O**=Other

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 0 – SECTION 00765
SUPPLEMENTAL PROVISIONS

00765-01 CONTRACTOR'S FIELD OFFICE

A Contractor's field office is not required for this project. Contractor shall keep on file at the project site copies of contract drawings, shop drawings, specifications, and other records pertaining to the project, in good condition, and readily accessible to the Contractor, Owner, Engineer, and all parties concerned. If the Contractor elects to operate a field office, it may do so at no additional compensation.

00765-02 PROTECTION OF PERSONS AND PROPERTY

00765-02.1 The Contractor shall be responsible for initiating, maintaining and supervising safety and anti-substance abuse precautions and programs in connection with the Work, and shall provide all protection to prevent injury to all persons involved in any way in the Work and all other persons, including, without limitation, the employees, agents, guests, visitors, invitees and licensees of the Owner who may visit or be affected thereby. These precautions shall include, but in no event be limited to: the posting of danger signs and personal notification to all affected persons of the existence of a hazard of whatever nature; the furnishing and maintaining of necessary traffic control barricades and flagman services; the use, or storage, removal and disposal of required explosives or other hazardous materials only under the supervision of qualified personnel and after first obtaining permission of all applicable governmental authorities; and the maintenance of adequate quantities of both hose and operable fire extinguishers at the job site. The Contractor shall set forth in writing its safety and anti-substance abuse precautions and programs in connection with the Work and, if requested by the Owner, submit the same to the Owner for review. The Owner may, but shall not be obligated to, make suggestions and recommendations to the Contractor with respect thereto.

00765-02.2 All Work, whether performed by the Contractor, its Subcontractors or Sub-Subcontractors, or anyone directly or indirectly employed by any of them, and all equipment, appliances, machinery, materials, tools and like items incorporated or used in the Work, shall be in compliance with, and conform to: (a) all applicable laws, ordinances, rules, regulations and orders of any public, quasi-public or other governmental authority relating to the safety of persons and their protection against injury, specifically including, but in no event limited to, the Federal Occupational Safety and Health Act of 1970, as amended, and all rules and regulations now or hereafter in effect pursuant to said Act; and (b) all codes, rules, regulations and requirements of the Owner and its insurance carriers relating thereto. In the event of conflicting requirements, the more stringent shall govern.

00765-02.3 The Contractor shall designate a responsible member of its organization at the Job site as the Project Safety Officer, whose duties it shall be to enforce the Contractor's safety and anti-substance abuse programs, to assure compliance with the Contract Documents and to prevent accidents. This person shall have enforcement authority and be responsible for carrying out the relevant duties and be designated in writing by the Contractor and approved by the Owner. The Contractor shall further cause each of its Subcontractors and Sub-Subcontractors to designate a responsible supervisory representative to assist the Contractor's Project Safety Officer representative in the performance of their duties as aforesaid.

00765-02.4 Should the Contractor fail to provide a safe area for the performance of the Work or any portion thereof, the Owner shall have the right, but not the obligation, to suspend Work in the unsafe area. All costs of any nature (including, without limitation, overtime pay) resulting from the suspension, by whomsoever incurred, shall be borne by the Contractor.

00765-02.5 The Contractor shall provide to each worker on the job site the proper safety equipment for the duties being performed by that worker and will not permit any worker on the job site who fails or refuses to use the same. The Owner shall have the right, but not the obligation, to order the Contractor to send a worker home for the day or to discharge a worker for their failure to comply with safe practices or anti-substance abuse policies, with which order the Contractor shall promptly comply.

00765-02.6 The Contractor shall indemnify the Owner, from and against any and all liability, public or private, penalties, contractual or otherwise, losses, damages, costs, attorney's fees, expenses, causes of action, claims or judgments resulting either in whole or in part from any failure of the Contractor, its Subcontractors or Sub-Subcontractors or anyone directly or indirectly employed by any of them or for whose acts any of them may be liable, to comply with the provisions of the Contract. The Contractor shall not be relieved of its responsibilities under the Contract, should the Owner act or fail to act pursuant to its rights hereunder, nor shall the Owner thereby assume, nor be deemed to have assumed, any responsibilities otherwise imposed upon the Contractor by this Construction Contract, in any manner whatsoever.

00765-02.7 The Contractor shall, throughout the performance of the Work, maintain adequate and continuous protection of all Work and temporary facilities against loss or damage from whatever cause, shall protect the property of the Owner and third parties from loss or damage from whatever cause arising out of the performance of the Work and shall comply with the requirements of the Owner, its designated agents, and its insurance carriers and with all applicable laws, codes, rules and regulations with respect to the prevention of loss or damage to property as a result of fire or other hazards. The Owner may, but shall not be required to, make periodic patrols of the job site as a part of its normal security program. In such event, however, the Contractor shall not be relieved of its aforesaid responsibilities.

END OF SECTION 00765

DIVISION 0 – SECTION 00801**AIRPORT CONSTRUCTION SAFETY REQUIREMENTS****PART 1 GENERAL****1.01 SUMMARY**

- A. This section contains the minimum level of safety requirements for construction projects at Memphis International Airport, General DeWitt Spain Airport, and/or Charles W. Baker Airport.
- B. Related work:
 - 1. Other contract documents affecting construction safety include, but are not limited to, the DIVISION 0 AND DIVISION 1 specifications.

PART 2 PRODUCTS

Not used.

PART 3 EXECUTION**3.01 CONTRACTOR PERSONNEL SAFETY ORIENTATION**

- A. The Contractor shall be responsible for briefing all construction personnel on the requirements contained in this section prior to their working in the construction area and at periodic intervals throughout the course of the contract. These briefings will be documented in writing.

3.02 SCHEDULING WORK

- A. See Specification section 01100, SEQUENCE OF CONSTRUCTION & LIQUIDATED DAMAGES.
- B. See General Provision Section 80, Paragraph 80-04, Limitation of Operations.

3.03 CONSTRUCTION SECURITY

- A. See Specification section 00802, AIRPORT SECURITY REQUIREMENTS.

3.04 LIMITATION ON CONSTRUCTION

- A. The limits of construction, material storage areas, equipment parking and other areas defined as available for the contractor's exclusive use during construction shall be identified and defined by the contractor prior to starting work on the project. Temporary barricades, flagging and flashing caution lights may be required at access points, taxiway crossings and pavement tie-ins. The type markings, barricades and flashing caution lights are designated on the construction plans and must be inspected and approved by the Airport Authority.
- B. The Contractor shall store all materials and park construction equipment, when not in use only in the areas designated on the plans or during the pre-construction conference.
- C. Stockpiling of dirt and construction materials shall be constrained in a manner preventing movement resulting from jet blast or wind in excess of 10 knots.
- D. Construction debris, waste, wrappings or loose material capable of causing damage to aircraft engines, propellers, or landing gear shall not be allowed on active aircraft movement areas. Material meeting this criteria shall be contained and removed immediately from the AOA.

- E. Open flame, welding, or torch cutting operations are prohibited in the construction area unless written permission has been given by the Airport Authority and adequate fire and safety precautions have been taken.
- F. The use or possession of explosives is prohibited on Airport property.
- G. Extensive stockpiles of construction materials will not be permitted near runway ends, runway edges, taxiways or aircraft parking aprons.
- H. Excavation and open trenches may be permitted within runway safety areas and up to the edge of structural pavement on taxiways and aprons, on a case-by-case basis, i.e. cable trenches, pavement tie-ins, etc.; but only with prior approval of the Owner and, where required, the FAA.
- I. Hazardous areas, into which no part of an aircraft may enter, (i.e., excavations, open trenches, material stockpiles, etc.) must be permanently delineated by use of barricades with alternate orange and white markings. The barricades are to be supplemented with orange flags (20x20 inch minimum) made and installed so that they are always in the extended position and properly oriented. For nighttime use, the barricades are supplemented with flashing red lights. Light intensity and barricade spacing must adequately delineate the hazardous area. Flare pots are prohibited.

Note: The Contractor shall designate an individual by name who is on call 24 hours per day for emergency maintenance of airport hazard lighting and barricades.
- J. FAA approval is required in advance of scheduled operation of any crane or other construction equipment with top elevation exceeding 300 feet mean sea level or that will penetrate any navigable surface as defined under FAR PART 77. Advance notification of intended use will be provided by the Owner well in advance of intended use.

3.06 CONSTRUCTION VEHICLE TRAFFIC

- A. Access to the construction site is as shown on the plans or as directed by the Owner. No other access point is authorized unless designated in writing by the Airport Authority. Construction traffic will operate only on designated haul routes within the construction area limits.
- B. Drivers of construction vehicles will be knowledgeable of construction routes or will be escorted by other Contractor or Owner designated personnel who are knowledgeable.
- C. The Contractor will be responsible for traffic control in the various construction areas of the work site. The Contractor will not permit unauthorized personnel or vehicles on the construction site.
- D. The Contractor shall be responsible for immediate cleanup of any debris deposited along construction routes, as result of his construction traffic.
- E. Directional signing at the construction access gate and along the delivery route to work site temporary storage areas shall be as designated and approved by the Owner.
- F. Construction vehicle identification shall be as prescribed in Specification Section 00802, AIRPORT SECURITY REQUIREMENTS.
- G. No construction vehicle is authorized on any active AOA pavement surface or to enter runway safety areas without specific authorization from the Owner.

3.07 REPORTING PROPERTY DAMAGE OR PERSONNEL INJURY

- A. All persons involved in any accident whether personal injury, aircraft or automotive, occurring on Airport property, shall make a full report to the Airport Police (922-8298) as soon after the accident as possible. The report shall include, but not be limited to, the names, addresses of all principals and witnesses, if known, and a statement of the facts. Construction accidents fall under this category.

- B. In the event of personnel injury, call 911.

END OF SECTION 00801

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 0 – SECTION 00802**AIRPORT SECURITY REQUIREMENTS****PART 1 GENERAL****1.01 CONTRACTORS SECURITY AND VEHICLE PROCEDURES OVERVIEW**

- A. This overview outlines procedures concerning Airport security requirements, vehicle operation, and maintenance requirements for contractors at Memphis International Airport or any airport owned and operated by the Memphis-Shelby County Airport Authority. The sponsor Memphis-Shelby County Airport Authority (Airport Authority), airline, tenant, or concessionaire at the Airport who has hired the contractor is responsible for ensuring the contractor understands and complies with all the rules and regulations. This is a consolidated synopsis of the contractor requirements from the Airport Security Program and the Airport Rules and Regulations.

1.02 DEFINITIONS

- A. **Aircraft** - shall mean any contrivance known or hereinafter invented, used or designed for navigation of or flight in the air.
- B. **Air Operations Area (AOA)** - that part of the Airport used or intended to be used for landing, taking off, surface maneuvering, loading, unloading, or servicing the aircraft.
- C. **Airport** - shall mean the Memphis International Airport and/or the General DeWitt Spain Airport and/or the Charles W. Baker Airport – where applicable.
- D. **Airport Restricted Area** - area of Memphis International Airport that is not intended for public uses or access. These are areas designated by the Airport Authority as restricted areas and clearly identified with signs designating those areas as "RESTRICTED AREA." The restricted area also includes the AOA.
- E. **AOA Driver's Permit** - permit issued by the Airport Authority for operating unescorted motor vehicles on the AOA.
- F. **Construction Restricted Area** - any area, inside or outside of the Airport Restricted Area, which is fenced, or in some like manner defined by the Contractor. The Contractor is responsible for the security of the Construction Restricted Area.
- G. **Director** - shall mean the Director of Operations and Public Safety or his duly authorized representatives.
- H. **Job Site** - a predetermined geographic area with specific boundaries established by the Airport Authority.
- I. **Movement Area** - runways, taxiways, and other areas of the Airport used for taxiing, takeoff, and landing of aircraft, except loading ramps and parking areas.
- J. **Personal Escort** - remaining within sight of the individual under escort at all times while in the Airport restricted areas at a distance not to exceed 20 feet.
- K. **Public Area** - any area within Airport facilities open to the general public.
- L. **SIDA** - Security Identification Display Area.

- M. **Unescorted Identification Badge** - pictured identification badge issued by the Airport Authority, which allows bearer to enter Airport Restricted Areas where there is a job related need.
- N. **Vehicle Escort** - means the following of an authorized escort vehicle into the Airport Restricted Areas.

PART 2 PRODUCTS

(No products are required in this Section.)

PART 3 EXECUTION

3.01 AMENDMENTS AND SPECIAL NOTICES

- A. The Contractor will be bound by any future amendments, additions, deletions, or corrections of the Airport Rules and Regulations promulgated by the Airport Authority, as dictated by changes in Federal Transportation Security Administration (TSA) regulations, as dictated by changes in Federal Aviation Administration (FAA) regulations, or safety requirements at Memphis International Airport or any airport owned and operated by Memphis-Shelby County Airport Authority.
- B. Special regulations, notices, memoranda, or directions of an operations nature of interest to persons engaged in business with the Airport Authority, as generated by the Director, shall be issued under the authority of the Airport Regulations and shall have the same effect as the Airport Rules and Regulations.
- C. The Director is authorized to interpret and construe these regulations wherever necessary, either by directions of general or specific application, and his interpretation and construction should be deemed a part of the regulations and binding upon all persons.

3.02 ENFORCEMENT AND COMPLIANCE WITH AIRPORT REGULATIONS

- A. The uniformed Airport Police Officers of the Airport Authority and other representatives as designated by the Director are empowered to require compliance with Airport Rules and Regulations, ordinances of the City of Memphis, laws of the State of Tennessee, and federal rules and regulations. No authority is either hereby expressed or implied, however, that would permit any individual other than the Director to change, alter, or amend Airport Rules and Regulations.
- B. It shall be unlawful for any person to do or commit any act forbidden herein or fail to perform any act required by Airport Rules and Regulations.

3.03 SCOPE

- A. All users of and persons on Airport property shall be governed by the Airport Rules and Regulations and directions of the Director. Airport Rules and Regulations are subject to change by the Airport Authority Board of Directors at any time.
- B. Airport Rules and Regulations are not intended to amend, modify or supersede federal, state, or local laws or regulations.
- C. If any portion of the Airport Rules and Regulations shall be invalid or unenforceable, all other portions shall remain in effect and be construed to achieve the purposes hereof.

3.04 IDENTIFICATION REQUIREMENTS

- A. Identification badges are not required on this project.

3.05 VEHICLE PARKING AND OPERATION

A. General.

1. All streets on the Airport shall have the status of dedicated city streets for the purpose of traffic enforcement.
2. Motor vehicles operated on the public roadways and parking lots of the Airport shall be governed by the traffic ordinance of the city and state laws applicable and, in addition thereto, the following regulations shall be applicable.

B. Traffic Rules and Regulations in the Air Operations Area.

1. The driver of any motor vehicle operating within the Airport boundary shall comply with the lawful orders, signals or directives of Airport Police Officers.
2. All drivers operating motor vehicles within the Airport boundary must possess a valid state driver's license.
3. Only drivers possessing a valid Airport Driver's Permit issued by the Airport Authority are authorized to operate any motorized vehicle unescorted on the AOA of Memphis International Airport. (The Security Coordinator may designate certain construction areas as void of this requirement)
4. Riding on trailer hitches, fenders, or on any portion of a vehicle not equipped with proper seats, running boards, or handholds is prohibited. Standing up in a moving motor vehicle, riding outside of a moving motor vehicle, or riding with arms or legs protruding from the body of the vehicle is prohibited.
5. All vehicle lights shall be lighted during the hours of darkness or during the time of reduced visibility when said vehicle is being operated in the restricted area.
6. No person shall operate any motorized vehicle when vision is restricted due to the load being carried, or for any other reason.
7. No person under the influence of alcoholic beverages or narcotic drugs shall operate any motor vehicle or motorized equipment on the Airport.
8. It shall be the responsibility of the operator to ascertain that the vehicle is in good operating condition. Operators are required to check proper operation of the vehicle's brakes before commencing any operation on airport.
9. Vehicles dripping oil, gasoline, water, or debris of any kind, shall be restricted.
10. Pedestrians and aircraft shall at all times have right-of-way over vehicular traffic. All vehicles must pass to the rear of taxiing aircraft.

C. Radio Equipment.

1. All vehicles operating in the aircraft movement area must be equipped with a two-way radio and, when the movement area is being controlled, be in continuous communication with the Control Tower, unless being escorted by authorized escort vehicle.
 2. The installation of two-way radios does not permit the operation of vehicles on the Airport without proper authorization of the Director.
- D. Contractor Employee Parking.
1. Employee parking is not available on the job site. The Contractor must provide for remote parking for employees and transport them to the job site.
- E. Authorized Contractor Vehicles.
1. Unless otherwise authorized, the Contractor and each subcontractor shall be permitted to have no more than one (1) vehicle per trade on the job site. All Contractor vehicles authorized access to Airport restricted areas shall be:
 - a. Owned or hired by the Contractor or subcontractor;
 - b. Insured under company policy;
 - c. On a pre-approved list; and
 - d. Marked in accordance with Airport regulations.
 2. Passenger type vehicles, including pickup trucks, must have the company name displayed on each front door of the vehicle. The company name must be readable, but at a minimum (the letter size shall be 4.5"). The vehicle must display the appropriate Airport registration decal. Specialized equipment such as bulldozers, cranes, etc., will be exempted from this requirement.
 3. Cranes used during daylight hours shall have a red flag affixed to the top of boom. Cranes shall have a red obstruction light on the top of boom when used at night. Crane booms shall not be left erect when not in use or following end of workday.
- F. Emergency Vehicles and Conditions.
1. Any person operating a motor vehicle on the air operations area shall immediately yield the right-of-way to the police, ambulance, fire department, or other emergency vehicle giving an audible or visual signal or as otherwise directed by an Airport law enforcement officer or fire/rescue department personnel.
 2. Emergency conditions existing on the air operations area will not mitigate or cancel existing regulations for non-emergency vehicles in areas not affected by the emergency.
 3. Under emergency conditions such as an aircraft accident or fire, access to the scene is denied to all vehicles or persons except those whose duties require their presence. Permits and licensing shall be rendered invalid in the area of emergency conditions and the Airport Authority shall determine when normal operations may be resumed.
- G. Passing Aircraft.
1. All vehicles shall pass to the rear of taxiing aircraft and shall pass no nearer than 200 feet horizontal distance.
- H. Passenger Concourse.

1. No motorized vehicles or carts of any type shall be used in any concourse or terminal lobby unless approved by the Director.
 2. No vehicle or motorized equipment shall be driven under concourses except at authorized vehicle pass-throughs designated by the Director.
- I. AOA Driving Lanes.
1. Vehicles on the aircraft parking apron at the terminal and air cargo buildings shall be operated within the marked driving lanes and in compliance with marked traffic control signs except for the following:
 - a. Authorized vehicles engaged in parking apron repair and inspection; and
 - b. Vehicles exceeding a width of 12 feet which shall follow marked lanes as closely as possible.
 2. Vehicles shall enter and exit designated driving lanes at a point nearest to the origin and destination.
 3. No vehicles or equipment shall be parked in a manner as to obstruct any portion of the driving lanes.
- J. Taxiing Aircraft.
1. Vehicles shall yield to taxiing aircraft or aircraft under tow.
- K. Speed Limits.
1. No person shall operate a motor vehicle or other motorized equipment at a speed greater than the following:
 - a. Five miles per hour in designated drives under the terminal;
 - b. Fifteen miles per hour on paved service roads in the vicinity of the terminal and air cargo buildings; or
 - c. Twenty-five miles per hour on all aprons or ramps unless the area has an otherwise posted speed limit.
 - d. Fifteen miles per hour on all aprons or ramps at General DeWitt Spain Airport and Charles W. Baker Airport unless the area has an otherwise posted speed limit.
- L. Inspection of Vehicles.
1. Contractors authorized to operate vehicles on the air operations area shall be responsible for ensuring that each motor vehicle is inspected at least each 12 months by a qualified mechanic, is in good mechanical condition and has all the required safety equipment.
 2. The Contractor shall remove from service any vehicle, which, in the opinion of the Director, is defective and in need of repair and said vehicle will not be returned to service until properly repaired.
- M. Violations of Restricted Area Traffic Regulations.
1. The penalties for a violation of restricted area traffic regulations shall be as follows:
 - a. First offense within any 12-month period: retraining;
 - b. Second offense within any 12 month period: retraining and fine not to exceed \$50.00;

- c. Third offense within any 12 month period: retraining and fine not to exceed \$100.00; and
 - d. Fourth offense within any 12 month period: revocation of privilege to drive in restricted area (unescorted or escorted).
 - 2. The above set penalties do not negate the right of the Airport Authority to immediately revoke driving privileges, dependent upon the seriousness of the violation.
- N. Vehicle Registration.
 - 1. The Contractor shall list all construction vehicles requiring passage through the access gate on the "AOA Access Decal Request Form," which will be provided upon request.
 - 2. Each vehicle approved will be issued a windshield decal, which must be affixed to the driver's side of the windshield. This decal is not transferable. Only those vehicles so marked will be allowed through the access gate with the following exceptions:
 - a. dump trucks;
 - b. concrete trucks;
 - c. vehicles making deliveries; and
 - d. cranes, tractor, etc.
- O. Delivery Vehicles.
 - 1. Each day the Contractor shall give the access gate guard a written list of deliveries expected. No delivery will be cleared into the restricted area unless it is on the list or the construction supervisor is contacted for clearance.

3.06 GENERAL INFORMATION

- A. Access to Public Facilities.
 - 1. Contractor employees are not authorized to use public facilities, (i.e., rest rooms, eating facilities, boarding gate hold rooms or other public areas of the terminal), except as specifically authorized by the Airport Authority and as necessary for access to job site.
 - 2. Contractors shall provide adequate rest room and break facilities within the job site and staging areas as appropriate.
 - 3. All public areas authorized for use by the Contractor's employees are to be kept in a clean and sanitary manner, free of all construction debris.
- B. Accident Reports.
 - 1. All persons involved in any accident whether personal injury, aircraft or automotive, occurring on Airport property, shall make a full report to the Airport Police (922-8298) as soon after the accident as possible. The report shall include, but not be limited to, the names, addresses of all principals and witnesses, if known, and a statement of the facts. Construction accidents fall under this category
 - 2. To request paramedics call 922-8333.

- C. Airport Rules and Regulations.
1. The Contractor shall conform to the "Memphis-Shelby County Airport Authority Rules and Regulations."
 2. The Contractor shall conform to "Memphis-Shelby County Airport Authority's Air Operations Area Rules and Regulations and its Airport Security Program."
- D. Alcoholic Beverages and Narcotic Drugs.
1. No person shall have any alcoholic beverages or narcotic drugs on Airport property.
- E. Damages.
1. Contractors shall be fully responsible for all damages to buildings, equipment, real property and appurtenances in the ownerships or custody of the Airport Authority caused by negligence, abuse or carelessness on the part of their employees, agents, customers, visitors, suppliers or persons with whom they do business.
- F. Disorderly Conduct.
1. No person shall commit any disorderly, obscene or indecent act nor commit any nuisance.
 2. Abusive behavior by Contractor supervisors or their employees will not be tolerated.
- G. Debris and Cleanup.
1. No person shall dispose of any garbage, trash, refuse or any other material on the Airport except in the receptacles provided for that purpose.
 2. No person shall dispose of any fill or building materials or any other materials on Airport property except in such areas as are specifically designated by the Director.
 3. Contractors are responsible for the cleanliness of the job site and access to the job site as appropriate. All Contractors must establish an active ongoing program to eliminate any foreign objects which may cause damage to aircraft or cause personal injury to other persons. Contractors must pay particular attention to haul routes used to and from the job site to clean up any debris which may be tracked onto or dropped on the air operations area. Contractor will immediately remove such debris to eliminate the hazard. **END OF THE WORKDAY CLEANUP WILL NOT SUFFICE.** Cleanup shall be done to the satisfaction of the Airport Authority. All Active taxiway crossings and work areas adjacent to the taxiways shall be kept clean.
 4. If it should become necessary for the Airport Authority to remove debris left by a Contractor, the Contractor shall be billed at 2 1/2 times the actual cost of the cleanup or a minimum of \$250 per trip whichever is greater.
- H. Firearms and Explosives.
1. No person shall have any firearm, explosive or incendiary device on or about their person or accessible property while on Airport property.
- I. Fire Equipment.

1. All Contractors shall supply and maintain adequate and readily accessible fire extinguishers for the particular hazard involved as directed by the Airport Authority or the Fire Marshal. All fire apparatus shall be maintained in first class operable condition.
2. The Contractor shall maintain the following items on site:
 - a. Two-pound dry chemical extinguisher, or
 - b. Four-pound carbon dioxide extinguisher.
3. Carbon tetrachloride chlorobromethene or other vaporizing liquid extinguishers are not permitted inside buildings due to their high toxicity unless approved in writing by the Fire Marshal.

J. Gambling.

1. No person shall conduct gambling in any form or operate gambling devices anywhere on Airport property.

K. Hazards.

1. No person shall use flammable volatile liquids having a flash point of less than 100°F in cleaning of parts, appliances, or for any other purpose unless such operations are conducted in the open air not within 50 feet of an aircraft, away from structures and equipment or in properly ventilated, approved paint booths.
2. No person shall keep or store any flammable liquids, gases, oil, oil wastes, flares, paints, or other similar material in any building within the Airport boundary except that such materials may be kept in specially provided rooms or receptacles approved by the Fire Marshal.
3. Contractors shall provide suitable metal receptacles with covers for the storage of wastes, rags, or other rubbish.
4. No person shall start any open fires of any type, including flare posts, torches or fires in containers formerly used for oil, paint, or similar materials on any part of an Airport without permission of the Director.

L. Picketing and Public Demonstrations.

1. Subject to applicable federal, state and local regulations and laws, no persons shall walk in a picket line as a picketer or take part in any labor or other public demonstration on any Airport property or facilities therein except in those places which may be specifically assigned for use of such picket lines or other public demonstration by the Director.

M. Restricted Areas.

1. No persons shall enter any area posted as being restricted or closed to the public except for the following:
 - a. Persons assigned to duty therein;
 - b. Persons authorized by the Director; or
 - c. Persons under contractual agreement with the Airport Authority or tenants of the Airport Authority.
2. All persons in restricted areas of Memphis International Airport must be duly authorized and must have displayed on their person an official identification badge which will

clearly establish the individual by name, contractor affiliation, and construction project completion date.

3. The identification badge must be worn on the outermost garment above the waist except in those cases where there exists an overriding safety consideration approved by the FAA.

N. Signs on the Airport.

1. Signs may not be installed in public view on the Airport without prior approval of the Airport Authority. Proposals should be documented and submitted to the Airport Authority with an accompanying sketch depicting the general appearance and location of the desired sign, and the name and telephone number of an individual to contact.

O. Smoking.

1. No person shall smoke or carry lighted cigars, cigarettes, pipes, matches or any naked flame in or on any fuel storage areas, Air Operations Area, public aircraft parking and storage area, in any other place where smoking is specifically prohibited by signs or upon any open space within 50 feet of any fuel carrier which is not in motion. Smoking by tank vehicle drivers, helpers, repairmen, or other personnel is prohibited while they are driving, making deliveries, filling or making repairs to tank vehicles. No person shall smoke or permit any open flame within 100 feet of any aircraft undergoing fuel service or within at least 50 feet of any hangar or building.

P. Storage of Equipment.

1. Contractors shall store or stock material or equipment in a neat and orderly manner and in a manner not to constitute a hazard to personnel or property.

Q. Trash Containers.

1. Areas to be used for trash and garbage containers shall be designated by the Director and no other areas shall be used. Only trash containers approved by the Director shall be used by contractors for the collection of trash and garbage. The placement of trash or garbage outside approved containers is strictly prohibited.

R. Utilities.

1. The following instructions must be adhered to without exception:
 - a. No contractor or employee for any craft shall turn off any utilities without contacting the Airport Authority. This includes water, electrical and HVAC;
 - b. No one shall open any electrical substations, distribution or motor control centers without first notifying the Airport Authority. No branch circuits shall be turned off or on, without obtaining permission from the Airport Authority; and
 - c. No one shall turn off the water or the HVAC or open any drain lines without notifying the Airport Authority.
2. All notifications for utility disruption must be made through the Airport Authority and coordinated with as much notice as possible but a minimum of 72 hours prior to scheduled shutoff.
3. The Airport Authority has a responsibility to keep the Airport in operation; it is your responsibility to conform to the above instructions. You may contact the Airport Authority.

FOR ANY QUESTIONS CONCERNING SECURITY REGULATIONS CONTACT THE SECURITY COORDINATOR AT 901/922-8021.

END OF SECTION 00802

DIVISION 1 – SECTION 01100**SUMMARY OF THE WORK, SEQUENCE OF CONSTRUCTION & LIQUIDATED DAMAGES****PART 1 GENERAL**

Related Work:

1. Documents affecting work of this Section include, but are not necessarily limited to Division 0 and Division 1 and other Sections of these Specifications.

1.01 SUMMARY**SUMMARY OF WORK**

- A. The "Project," of which the "Work" of this Contract is a part, is titled Charles Baker Airport - RW 18 Approach Clearing-Construction, MSCAA Project 18-1421-01.
- B. The "Work" of this Contract is defined in the Contract Documents to include, but not be limited to, site clearing and selective tree topping within 56 acres wooded upland and stream/wetland protected areas. General contracting services will consist of 2 Phases of this project. Phase I removal trees, stump & root removal within 19 acres. Harvested trees will be hauled offsite, as well as burned onsite using Air Curtain Destruction technology. Phase I will require contractor to follow TDEC Stormwater construction permit regulations. Phase II includes the falling and topping of trees with 37 acres of forested wetland and streams buffer areas. All work in Phase II must be completed by hand using chain saws, not site machinery will be allowed in these areas. Extensive erosion and sediment controls will be installed and maintained to ensure boundaries between both phases are clear throughout the project.

PART 2 PRODUCTS

Not used.

PART 3 EXECUTION**3.01 PROJECT PHASING AND COMPLETION**

- A. This is a fixed-duration Contract required to be substantially completed within one hundred and eighty (180) calendar days from the Notice to Proceed ("NTP") date. The project scope of work is as stated in Paragraphs 1.01 (A) and (B) above. Final Completion of the project shall be within forty-five (45) days of the Substantial Completion Date.

"Substantial Completion" of the project shall be defined as the stage of construction when work is substantially completed and excludes all punch list items, record drawings, O&M manuals, lien waivers, maintenance training, warranties, consent of surety to final payment, and all other required closeout documentation.

"Final Completion" of the project shall be defined as work that is 100% complete including all punch list items, record drawings, O&M manuals, lien waivers, maintenance training, warranties, consent of surety to final payment, and all other required closeout documentation. Final Completion shall include Demobilization.

"Demobilization" shall consist of all activities by the Contractor and subcontractors necessary for 100% completion of the work and final contract closeout as listed above and all cleanup work and operations, including but not limited to, removal of personnel, equipment, contractor-owned

stockpiles, supplies, and incidentals from the project site; return of any and all airport-issued security identification badges; cleanup of all offices, buildings, batch plant, staging/lay-down areas, and other facilities; and restoration of all areas to preconstruction condition or better or to other condition as stipulated in the project plans and specifications; completion and delivery to the Owner of all contract closeout documentation and any other documentation request by Owner, including but not limited to, Operations and Maintenance Manuals, Warranties, Final Lien-waivers, Owner Controlled Insurance Program closeout paperwork, DBE paperwork, Final Project Record Documents and finalization of any and all punch list items. The Demobilization lump sum amount becomes fixed and will not change for the duration of contract.

- B. The actual NTP date will be negotiated and mutually agreed by both parties (Owner and Contractor) prior to issuance of the NTP. If mutual agreement cannot be reached between the parties, the Owner reserves the right to establish the actual Notice to Proceed date. The NTP letter will state the date on which the Contractor will begin construction and from which date contract time will be charged. Contractor shall be mobilized and on site ready for work on the date stated in the Notice to Proceed.
- C. “Mobilization” shall consist of all preparatory work and operations needed to begin construction activities on the date mutually agreed including but not limited to, movement of personnel, equipment, stockpiles, supplies and incidentals to the project site; the establishment of all offices, buildings, batch plant, staging/lay-down areas and other facilities necessary for work on the project; all other work and operations which must be performed or costs incurred prior to beginning work on the various items on the project site, and utility services for all offices, buildings, batch plant, staging/ lay-down areas, and other facilities. The Mobilization lump sum amount becomes fixed and will not change for the duration of contract.
- D. All days are calendar days.
- E. The work site will be available as described on the plans and applicable sections of these specifications. Work is permitted 24 hours per day, 7 days per week except that only non-noise producing activities shall be permitted between 11:00 PM and 6:00 AM, except with prior written approval of the Owner.
- F. The Contractor shall proceed with the work at such rate of progress to ensure full completion within the specified duration. It is expressly understood and agreed, by and between the Contractor and the Owner, that the contract time for the completion of the work described herein is a reasonable time, taking into consideration the average climatic and economic conditions and other factors prevailing in the locality of the work.
- G. If the Contractor experiences weather related delays, he shall submit a report documenting the weather conditions and delays, if any, experienced during any calendar month.
- H. If the Contractor is prevented from working due to any other legitimate reason he shall notify the Owner in writing as per the Lump Sum Construction Contract of the delay and request a corresponding increase in the number of contract days.
- I. The Owner shall be the sole judge as to whether or not a request for a contract time extension is legitimate.
- J. The Owner reserves the right to adjust limits of construction to accommodate the Owner’s requirements for maintenance of Airport Operations and Public Traffic with minimum interruption during the construction of this project. Any required adjustment of limits of construction will be at no additional cost to the Owner.

3.02 LIQUIDATED DAMAGES

- A. The OWNER and the CONTRACTOR recognize that time is an essential element of this contract and that delay in completing this project will result in damages due to public inconvenience, obstruction to aviation and vehicular traffic, interference with businesses both on and off the airport, increased operational costs to airport users, and increased costs to the OWNER associated with engineering services, inspections, testing, and project administration. It is therefore agreed that in view of the difficulty of making a precise determination of such damages, the CONTRACTOR will pay the OWNER, sums of money in the amounts herein stipulated, not as a penalty, but as Liquidated Damages for not meeting the schedule for specific critical Project Milestones.
- B. If the CONTRACTOR fails to deliver equipment or materials, or perform any services within the times and dates specified in this Contract to achieve the established Milestones, or any extensions granted in writing, the CONTRACTOR shall pay to the OWNER as Liquidated Damages, the sums specified in Table 1, below:

Table 1

<i>Milestone</i>	<i>Completion Date</i>	<i>Liquidated Damages</i>
Substantial Completion	180 days	\$1,000 per Day or any portion thereof
Final Completion and Demobilization Phase	45 days	\$500 per Day or any portion thereof

- D. Application of Liquidated Damages is not a Change to the Contract. The application of any Liquidated Damages to one Milestone shall not effect a change in the subsequent Contract Milestone dates or relieve CONTRACTOR of his responsibility to meet all construction schedules. If multiple Milestone dates are missed, Liquidated Damages for more than one Milestone will be imposed concurrently.
- E. If Liquidated Damages are imposed, the OWNER shall deduct the same from any amounts due the CONTRACTOR at the time Liquidated Damages are imposed. If sufficient amounts are not due to the CONTRACTOR to cover such Liquidated Damages, then the OWNER shall invoice the CONTRACTOR for the amounts due to the OWNER. Such invoices shall become due and payable immediately upon receipt by the CONTRACTOR.
- F. Liquidated Damages are in addition to any other damages or penalties which may be assessed and withheld under other provisions of this contract.

3.03 COMPLETION BONUS

NO completion bonus has been budgeted for this project.

END OF SECTION 01100

DIVISION 1 – SECTION 01210

ALLOWANCES

PART 1 GENERAL

1.01 SUMMARY

- A. To provide adequate budget and bonding to cover items not precisely determined by the Owner prior to bidding, allow within the proposed Contract Sum the amounts described in this Section.
- B. Unless stated otherwise herein, all allowances are to be paid as Time and Materials Work per GP-150.
- C. Related Work:
 - 1. Documents affecting Work of this Section include, but are not necessarily limited to, Division 0, Division 1 and other Sections of these Specifications.
 - 2. Other provisions concerning Allowances may be stated in other Sections of these Specifications.

1.02 SPECIFIC ALLOWANCES – The following cash allowances are included within this Contract:

- A. None.

END OF 01210

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1 – SECTION 01230**ALTERNATES****PART 1 GENERAL****1.01 SUMMARY**

- A. This selection includes identification of each Alternate by number, and describes the basic changes to be incorporated into the Work if a particular Alternate is made a part of the Work by specific provisions in the Agreement between the Owner and the Contractor.
- B. Related Work:
 - 1. Documents affecting Work of this Section include, but are not necessarily limited to, Division 0, Division 1 and other Sections of these Specifications.
 - 2. Materials and methods to be used in the Base Bid and in the Alternates also may be described on the Drawings and/or in pertinent other Sections of these Specifications.
 - 3. Method for stating the proposed Contract Sum is shown on the Bid Form.

1.02 SUBMITTALS

- A. All Alternates described in this Section are required to be reflected on the Bid Form as submitted by the Bidder.
- B. Do not submit Alternates other than as described in this Section.

1.03 SELECTION OF ALTERNATES

- A. Immediately after award of the Contract, or as soon thereafter as the Owner has made a decision on which, if any, of the Alternates will be selected, thoroughly and clearly advise necessary personnel and suppliers as to the nature of Alternates selected by the Owner.
- B. If the Owner elects to proceed on the basis of one or more of the described Alternates, make modifications to the Work required in providing the selected Alternate or Alternates to the approval of the Owner and at no additional cost to the Owner except as proposed in the Bid.

1.04 ADVANCE COORDINATION

- A. Immediately after award of the Contract, or as soon thereafter as the Owner has made a decision on which, if any, of the Alternates will be selected, thoroughly and clearly advise necessary personnel and suppliers as to the nature of Alternates selected by the Owner.

PART 2 ALTERNATES – The following alternates are included within this Contract:

- A. None.

END OF SECTION 01230

DIVISION 1 – SECTION 01250**AMENDMENT PROCEDURE****PART 1 GENERAL****1.01 SUMMARY**

- A. Make such changes in the Work, in the Contract Price, in the Contract Time, or any combination thereof, as are described in written Amendments signed by the Owner and the Contractor and issued after execution of the Construction Contract, in accordance with the provisions of this Section.
- B. Related work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0, Division 1, and other Sections of these Specifications.
 - 2. Any proposal for a change in the Work shall include DBE participation consistent with the required DBE percentage for this Contract. If the Contractor is unable to meet said DBE percentage, a written justification of the good faith efforts made shall be submitted along with the response to the Engineer's or Owner's proposal request.
 - 3. Engineer or Owner supplemental instructions:
 - a. From time to time during progress of the Work the Engineer or Owner may issue supplemental instructions, which interpret the Contract Documents or order minor changes in the Work without change in Contract Sum or Contract Time.
 - b. Should the Contractor consider that a change in Contract Sum or Contract Time is required, he shall submit an itemized proposal to the Engineer or Owner immediately and before proceeding with the Work. If the proposal is found to be satisfactory and in proper order, the supplemental instructions in that event will be superseded by an Amendment.
 - 4. Proposal requests:
 - a. From time to time during progress of the Work the Engineer or Owner may issue a Request for Proposal (RFP) proposal request for an itemized quotation for changes in the Contract Price and/or Contract Time incidental to proposed modifications to the Contract Documents.
 - b. This will not be an Amendment, and will not be a direction to proceed with the changes described therein.

1.02 QUALITY ASSURANCE

- A. Include within the Contractor's quality assurance program such measures as are needed to assure familiarity of the Contractor's staff and employees with these procedures for processing Amendment data.

1.03 PROCESSING PROPOSAL REQUESTS

- A. Make timely written reply to the Engineer or Owner in response to each proposal request. Proposal requests will be numbered in sequence and dated.
1. State proposed change in the Contract Sum, if any.
 2. State proposed change in the Contract Time of Completion, if any.
 3. Clearly describe other changes in the Work, if any, required by the proposed change or desirable therewith.
 4. State amount of DBE participation applicable to the proposed changes.
 5. Include full backup data such as subcontractor's letter of proposal or similar information.
 6. Submit this response in single copy.
- B. When cost or credit for the change has been agreed upon by the Owner and the Contractor, or the Owner has directed that cost or credit be determined in accordance with provisions of Division 0 and Division 1 Specifications, the Engineer or Owner will prepare an Amendment for execution by the Owner and Contractor.

1.04 PROCESSING AMENDMENTS

- A. Amendments will be numbered in sequence, and dated.
1. The Amendment will describe the change or changes, will refer to the proposal requests or supplemental instructions involved, and will be signed by the Contractor and Owner, in sequence.
 2. The Engineer or Owner will issue two copies of each Amendment to the Contractor.
 - a. The Contractor shall promptly sign all copies and return all copies to the Engineer or Owner for further processing by the Owner.
 - b. The Engineer or Owner will forward all copies to the Owner with a request for complete processing.
 - c. The Owner will sign and return a copy to the Contractor for distribution.

END OF SECTION 01250

DIVISION 1 – SECTION 01310**PROJECT MANAGEMENT AND COORDINATION****PART 1 PROJECT MANAGEMENT****1.01 DESCRIPTION**

- A. The Contractor will be required to utilize an integrated construction project management software platform for coordination, meeting organization, submittals, payment applications, project records, drawings, specifications, reports, punch-lists, and schedules throughout the duration of the project.
 - 1. Project Management software platform utilized for this project will be Procore.
- B. The project management software will be provided by the Owner. The Contractor will be allowed seat licenses with access to the project management software as needed for the duration of the project.
- C. Any training required in order for the Contractor to become proficient in the utilization of the construction project management software, shall be the responsibility of the Contractor at no additional cost to the Owner.

PART 2 PRECONSTRUCTION CONFERENCE**2.01 SUMMARY**

- A. To help clarify construction contract administration procedures, the Engineer or Owner will schedule a Preconstruction Conference prior to start of the Work, as described in this Section.
- B. Related Work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0 and Division 1 Specification Sections.

2.02 AGENDA AND MEETING SUMMARIES

- A. To the maximum extent practicable, advise the Engineer or Owner at least 24 hours in advance of the Conference as to items to be added to the agenda.
- B. The Engineer or Owner will compile summaries of the Conference, and will furnish copies of the summaries to the Contractor. The Contractor may make and distribute such other copies as he wishes.

2.03 QUALITY ASSURANCE

- A. For those persons designated by the Contractor, his subcontractors, and suppliers to attend the Pre-Construction Conference, provide required authority to commit the entities they represent to schedules and solutions agreed upon in the Conference.

2.04 PRECONSTRUCTION CONFERENCE

- A. The Conference will be held at a time and date established by the Engineer or Owner. If requested by the Engineer or Owner, additional conferences will be held.
- B. Attendance:

1. Insure attendance by authorized representatives of the Contractor and major Subcontractors.
 2. The Engineer or Owner will advise other interested parties, including the Owner, and request their attendance.
- C. Minimum agenda:
1. Organizational arrangement of Contractor's forces and personnel and those of subcontractors, material suppliers, and the Engineer or Owner;
 2. Channels and procedures for communications;
 3. Construction schedule, including sequence of critical work;
 4. Contract Documents, including distribution of required copies of Drawings and revisions;
 5. Processing of Shop Drawings and other data submitted to the Engineer or Owner for review;
 6. Processing of field decisions and Change Orders;
 7. Rules and regulations governing performance of the Work;
 8. Procedures for safety and first aid, security, quality control, housekeeping, and related matters; and
 9. Reports required and schedule for submittal.
 10. Items requiring long lead time and special requirements.

PART 3 PROGRESS MEETINGS

3.01 DESCRIPTION

- A. Work included: To enable orderly review during progress of the Work, and to provide for systematic discussion of problems, the Engineer or Owner will conduct project meetings throughout the construction period.
- B. Related work:
 1. Documents affecting work of this Section include, but are not necessarily limited to, General Provisions, and other Sections of these Specifications.
 2. The Contractor's relations with his subcontractors and materials suppliers, and discussions relative thereto, are the Contractor's responsibility and normally are not part of project meetings content.

3.02 SUBMITTALS

- A. Agenda items: To the maximum extent practicable, advise the Engineer or Owner at least 24 hours in advance of project meetings regarding items to be added to the agenda.
- B. Summaries:

1. The Engineer or Owner will compile summaries of each project meeting, and will furnish copies to the Contractor and the Owner.
2. Recipients of copies may make and distribute such other copies as they wish.

3.03 QUALITY ASSURANCE

- A. For those persons designated by the Contractor to attend and participate in project meetings, provide required authority to commit the Contractor to solutions agreed upon in the project meetings.

PART 4 EXECUTION

4.01 MEETING SCHEDULE

- A. Project meetings will be held at times as determined by the Engineer or Owner.
- B. Coordinate as necessary to establish a mutually acceptable schedule for meetings.

4.02 MEETING LOCATION

- A. The Engineer or Owner will establish the meeting location.

4.03 PROJECT MEETINGS

- A. Attendance:
 1. To the maximum extent practicable, assign the same person or persons to represent the Contractor at project meetings throughout progress of the Work.
 2. Subcontractors, materials suppliers, and others may be invited to attend those project meetings in which their aspect of the Work is involved.
- B. Minimum agenda:
 1. Review, revise as necessary, and approve summaries of previous meetings.
 2. Review progress of the Work since last meeting, including status of outstanding submittals.
 3. Identify problems which may impede planned progress.
 4. Develop corrective measures and procedures to reestablish planned schedule.
 5. Discuss other current business.
- C. Revisions to summaries:
 1. Unless published summaries are challenged in writing prior to the next regularly scheduled progress meeting, they will be accepted as properly stating the activities and decisions of the meeting.
 2. Persons challenging published summaries shall reproduce and distribute copies of the challenge to all indicated recipients of the particular set of summaries.
 3. Challenge to summaries shall be settled as priority portion of "old business" at the next

regularly scheduled meeting.

END OF SECTION 01310

DIVISION 1 – SECTION 01310**PRECONSTRUCTION CONFERENCE & PROGRESS MEETINGS****PART 1 PRECONSTRUCTION CONFERENCE****1.01 SUMMARY**

- A. To help clarify construction contract administration procedures, the Engineer or Owner will schedule a Preconstruction Conference prior to start of the Work, as described in this Section.
- B. Related Work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0 and Division 1 Specification Sections.

1.02 AGENDA AND MEETING SUMMARIES

- A. To the maximum extent practicable, advise the Engineer or Owner at least 24 hours in advance of the Conference as to items to be added to the agenda.
- B. The Engineer or Owner will compile summaries of the Conference, and will furnish copies of the summaries to the Contractor. The Contractor may make and distribute such other copies as he wishes.

1.03 QUALITY ASSURANCE

- A. For those persons designated by the Contractor, his subcontractors, and suppliers to attend the Pre-Construction Conference, provide required authority to commit the entities they represent to schedules and solutions agreed upon in the Conference.

1.04 PRECONSTRUCTION CONFERENCE

- A. The Conference will be held at a time and date established by the Engineer or Owner. If requested by the Engineer or Owner, additional conferences will be held.
- B. Attendance:
 - 1. Insure attendance by authorized representatives of the Contractor and major Subcontractors.
 - 2. The Engineer or Owner will advise other interested parties, including the Owner, and request their attendance.
- C. Minimum agenda:
 - 1. Organizational arrangement of Contractor's forces and personnel and those of subcontractors, material suppliers, and the Engineer or Owner;
 - 2. Channels and procedures for communications;
 - 3. Construction schedule, including sequence of critical work;
 - 4. Contract Documents, including distribution of required copies of Drawings and revisions;
 - 5. Processing of Shop Drawings and other data submitted to the Engineer or Owner for

- review;
- 6. Processing of field decisions and Change Orders;
- 7. Rules and regulations governing performance of the Work;
- 8. Procedures for safety and first aid, security, quality control, housekeeping, and related matters; and
- 9. Reports required and schedule for submittal.
- 10. Items requiring long lead time and special requirements.

PART 2 PROGRESS MEETINGS

2.01 DESCRIPTION

- A. Work included: To enable orderly review during progress of the Work, and to provide for systematic discussion of problems, the Engineer or Owner will conduct project meetings throughout the construction period.
- B. Related work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, General Provisions, and other Sections of these Specifications.
 - 2. The Contractor's relations with his subcontractors and materials suppliers, and discussions relative thereto, are the Contractor's responsibility and normally are not part of project meetings content.

2.02 SUBMITTALS

- A. Agenda items: To the maximum extent practicable, advise the Engineer or Owner at least 24 hours in advance of project meetings regarding items to be added to the agenda.
- B. Summaries:
 - 1. The Engineer or Owner will compile summaries of each project meeting, and will furnish copies to the Contractor and the Owner.
 - 2. Recipients of copies may make and distribute such other copies as they wish.

2.03 QUALITY ASSURANCE

- A. For those persons designated by the Contractor to attend and participate in project meetings, provide required authority to commit the Contractor to solutions agreed upon in the project meetings.

PART 3 EXECUTION

3.01 MEETING SCHEDULE

- A. Project meetings will be held at times as determined by the Engineer or Owner.

- B. Coordinate as necessary to establish a mutually acceptable schedule for meetings.

3.02 MEETING LOCATION

- A. The Engineer or Owner will establish the meeting location.

3.03 PROJECT MEETINGS

- A. Attendance:

1. To the maximum extent practicable, assign the same person or persons to represent the Contractor at project meetings throughout progress of the Work.
2. Subcontractors, materials suppliers, and others may be invited to attend those project meetings in which their aspect of the Work is involved.

- B. Minimum agenda:

1. Review, revise as necessary, and approve summaries of previous meetings.
2. Review progress of the Work since last meeting, including status of outstanding submittals.
3. Identify problems which may impede planned progress.
4. Develop corrective measures and procedures to reestablish planned schedule.
5. Discuss other current business.

- C. Revisions to summaries:

1. Unless published summaries are challenged in writing prior to the next regularly scheduled progress meeting, they will be accepted as properly stating the activities and decisions of the meeting.
2. Persons challenging published summaries shall reproduce and distribute copies of the challenge to all indicated recipients of the particular set of summaries.
3. Challenge to summaries shall be settled as priority portion of "old business" at the next regularly scheduled meeting.

END OF SECTION 01310

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1- SECTION 01320**SCHEDULES AND REPORTS****PART 1 GENERAL****1.01 SUMMARY**

- A. The work under this Contract shall be planned, scheduled and reported using computerized precedence diagram format of the Critical Path Method in calendar days, unless otherwise specifically provided in the Contract Documents. The Detailed Construction Schedule shall be developed by using the latest revision of Microsoft Project, or approved equal computer software.
- B. Related Work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, other Sections of these Specifications.
 - 2. Other provisions concerning Schedules and Reports are stated to Specification Sections:
 - 01100 – Summary of Work, Sequence of Construction & Liquidated Damages
 - General Provision Section 60 - Control of Materials
 - General Provision Section 90 - Measurement and Payment

PART 2 PRODUCTS

Not Used.

PART 3 EXECUTION**3.01 GENERAL REQUIREMENTS**

- A. The Detailed Construction Schedule shall be developed by using the latest revision of Microsoft Project, or approved equal computer software that is compatible with Owner's scheduling software.
- B. The primary objectives of the requirements of this section are:
 - 1. to insure adequate planning and execution of the Work by Contractor;
 - 2. to assist Owner and Engineer in evaluating the progress of the Work;
 - 3. to provide a mechanism or tool for use by the Owner, Engineer and Contractor in determining and monitoring any actions of the Contractor which may be required in order to comply with the requirements of the Contract relating to the timely completion of the various portions of the Work
- C. The Detailed Construction Schedule, defined in Paragraph 3.04, shall represent the Contractor's commitment and intended plan for completion of the Work in compliance with the Contract. The Contractor will not:
 - 1. Misrepresent to the Owner its planning, scheduling, and coordination of the work;
 - 2. Utilize schedules different from those provided to the Owner and Engineer for the direction, execution and coordination of the work;
 - 3. Utilize schedules which are not feasible or realistic; or

4. Prepare schedules, updates, revisions or reports which do not accurately reflect the Contractor's actual intent or the Contractor's reasonable and actual expectations as to: the sequences of activities, labor availability, productivity, or efficiency; expected or reasonably foreseeable inclement weather conditions; the percentage complete of any activity or path of activities; completion of any item of work or activity; projected dates of completion; delays, slippage, or problems encountered or expected and Subcontractor requests for time extensions,
- D. Once approved by the Engineer or Owner, the Detailed Construction Schedule will become the Schedule of Record for coordinating the work, scheduling the work, monitoring the work, issuing progress payments, evaluating time extension requests, and all other objectives listed in Paragraph 3.01.B. The Contractor is required to employ whatever means he deems necessary to implement the Detailed Construction Schedule and to comply with the requirements of this Section. Updates shall be provided to the Engineer or Owner at each construction progress meeting or as requested by the Engineer or Owner. Updates shall be both electronic media and hard copy.
 - E. Contractor is responsible for determining the sequence of activities, the time estimates of the detailed construction activities and the means, methods, techniques and procedures to be employed. Each construction schedule shall represent the Contractor's best judgment of how he will prosecute the Work in compliance with the Contract.
 - F. Contractor shall consult with his Subcontractors and Suppliers (if any) relating to the preparation of each construction schedule. Subcontractors shall receive copies of each construction schedule and shall be continually advised of any updates or revisions to each construction schedule as the Work progresses.
 - G. When there are separate contractors working concurrently on Airport whose work must interface or be coordinated with the Work of Contractor, Contractor shall coordinate his activities with the activities of the separate contractors and shall, prior to the submission of any construction schedule to the Engineer or Owner, obtain written approval of his construction schedule by the separate contractors.
 - H. To carry out the intent of this Section, the Contractor agrees that the reasonable exercise of any rights under this Section by the Engineer or Owner shall not be grounds for any claim by Contractor or any of his Suppliers, Subcontractors or Sub-subcontractors of alleged interference, lack of cooperation, delay, disruption, negligence or hindrance by Owner or Engineer, and Contractor covenants not to sue therefor.
 - I. It is understood and agreed that the Detailed Construction Schedule, defined in Paragraph 3.04, is to represent Contractor's best plan and commitment for the Work; however, Contractor acknowledges that the Detailed Construction Schedule may have to be revised from time-to-time as progress proceeds. Contractor further acknowledges and agrees that the Owner and Engineer do not guarantee that:
 1. Any changes, modifications or adjustments to any schedule by Contractor can only be made by the written approval of the Engineer or Owner.
 - J. It is understood and agreed that should the Engineer or Owner provide the Contractor, at Contractor's request, with any advice relating to the scheduling or coordination of the Work or any other matter that:
 1. Owner and Engineer shall not be liable to Contractor for any errors, omissions, negligence or deficiencies which may in any way occur because of same;
 2. Such advice is provided solely as aids in the development by Contractor of a

representation of Contractor's actual construction plan and schedule in accordance with the requirements of the Contract Documents, and Owner and Engineer shall not be liable to Contractor should Contractor rely on such advice or counsel to his detriment;

3. Such advice shall not relieve Contractor of any responsibility under Paragraph 3.01.E hereof for all construction means, methods techniques, sequences and procedures and for planning, scheduling and coordinating all portions of the Work; and
 4. Any advice provided by the Engineer or Owner or the lack or alleged untimeliness thereof will not in any way take the place of or relieve the Contractor of full responsibility for compliance with all requirements of the Contract, including, but not limited to the obligations to complete the Work within the Contract.
- K. Approval or acceptance by the Owner or Engineer of any Contractor's construction schedule, or any revisions or updates thereto, shall not relieve the Contractor of the responsibility for accomplishing the Work by the Project Substantial Completion date.
- L. Contractor shall be solely responsible for expediting the delivery of all materials and equipment to be furnished by him so that the progress of construction shall be maintained according to the currently approved construction schedule for the Work. Contractor shall notify the Owner or Engineer in writing, and in a timely and reasonable manner, whenever Contractor determines or anticipates that the delivery date of any material or equipment to be furnished by Contractor will be later than the delivery date indicated by the currently approved construction schedule, or the current update thereof as herein provided.

3.02 NOT USED

3.03 DETAILED CONSTRUCTION SCHEDULE DRAFT

- A. No later than two (2) weeks after the Notice to Proceed, the Contractor shall complete a draft of the Detailed Construction Schedule in accordance with the requirements of this Paragraph 3.03.
- B. Except for procurement activities, Contractor shall differentiate activities of the Detailed Construction Schedule Draft so that no single activity shown has a duration longer than twenty-eight (28) calendar days, unless the Engineer, in its sole discretion, shall approve a longer duration for certain specific activities.
- C. The Detailed Construction Schedule Draft shall represent the Contractor's commitment and intended plan for completion of the Work in compliance with Contract Times listed elsewhere in the Contract. The Detailed Construction Schedule Draft shall take into account all foreseeable activities to be accomplished by any separate contractors, and interface dates with utility owners, the Owner's operations and others. The Detailed Construction Schedule Draft shall anticipate all necessary manpower and resources to accomplish the activities within the durations set forth therein.
- D. The Detailed Construction Schedule Draft shall consist of a time-scaled, detailed network graphic representation of all activities, which are part of the Contractor's construction plan. The Detailed Construction Schedule Draft submission shall include, but not be limited to, the following information:
 1. Project name;
 2. Activities of completed Work ready for use by next trade, Owner, etc.;
 3. Activities relating to different areas of responsibility, such as subcontracted Work, which is distinctly separate from that being done by the Contractor directly;
 4. Activities relating to different categories of Work as distinguished by craft or crew requirements;
 5. Activities relating to different categories of Work as distinguished by equipment requirements;
 6. Activities relating to different categories of Work as distinguished by materials;

7. activities relating to distinct and identifiable subdivisions of Work;
8. Activities relating to locations of Work within the Project that necessitates different times or crews to perform;
9. Activities relating to outage schedules for existing utility services that will be interrupted during the performance of the Work;
10. Activities relating to acquisition and installation of equipment, materials and supplies installed by the Owner and/or separate contractors;
11. Activities relating to material to be stored on site;
12. Contract Times consistent with those required in the contract;
13. A legible time scaled network diagram;
14. Activity durations not exceeding twenty-eight (28) calendar days for all activities for which the Contractor will perform actual field work. Material procurement, submittals, concrete curing and other similar activities may exceed twenty-eight (28) calendar days for this draft submission only.

3.04 DETAILED CONSTRUCTION SCHEDULE

- A. Prior to any monthly Application for Payment, the Contractor shall complete the Detailed Construction Schedule to the satisfaction of the Owner or Engineer.
- B. The Detailed Construction Schedule shall represent the Contractor's commitment and intended plan for completion of the Work in compliance with the Contract.
- C. The Owner/Engineer reserves the right to require the Contractor to furnish such manpower, materials facilities and equipment and shall work such hours, including additional shifts and overtime operations as may be necessary, to insure completion of the Work or specified portions thereof within the specific dates as set forth in the Contract Documents. If it becomes apparent to the Owner or Engineer that the work, or any required portion thereof, will not be completed by any such dates, the Contractor shall undertake the following actions, at no additional cost to the Owner, and comply with the requirements as set forth in Section 01320, 3.07 and 3.08, in order to ensure that it complies with all completion requirements:
 1. Increase the quantity of manpower, materials, trades, crafts, and equipment and facilities on the site;
 2. Increase the number of working hours per shift, shifts per working day, or any combination of the foregoing; and
 3. Reschedule activities to achieve maximum activity accomplishment.

3.05 DETAILED CONSTRUCTION SCHEDULE CONTENT

- A. The Detailed Construction Schedule shall consist of a time-scaled graphic representation of all activities, which are part of the Contractor's construction plan and an accompanying listing of each activity's dependencies and interrelationships.
- B. The Contractor shall anticipate and account for, as a minimum, the potential loss of the number of **calendar** days listed below for each calendar month due to weather and shall schedule the work accordingly.

January	6	July	6
February	6	August	6
March	8	September	4
April	6	October	5
May	8	November	5

June 5 December 7

The preceding days were derived from historical data provided by the National Climatic Data Center regarding rainfall at Memphis International Airport. They represent a number less than the actual number of days of measurable rainfall that can be expected to occur during a twenty-four (24) hour period for the months indicated. **The Contractor shall make his own determination as to the likely impact of weather on his operation and shall include as part of the Detailed Construction Schedule submission an accounting of how the impact of anticipated weather was determined and accounted for in the schedule.** These values listed above are the minimum number of weather related days the Contractor shall consider in developing his Detailed Construction Schedule. It is further understood that said calendar day period shall be derived through assuming that work will take place on a calendar day basis.

The Owner or Engineer will continually monitor the effects of weather and when found justified, grant time extensions, if required, at the end of the Contract. In the event less weather days are actually encountered than provided for in this section, those days will accrue to subsequent months of the phase or contract and be balanced against actual weather. In accordance with the Contract Documents weather days occurring during the extension beyond the original completion date will be compensated day for day, if justified. No weather days will be granted beyond the final Contract completion date as computed herein.

- C. All activity durations shall be given in calendar days.
- D. Contractor shall plan his operations and schedule the work to ensure that the critical path runs through on-site construction activities and that off-site procurement activities do not control the critical path of the Detailed Construction Schedule, unless approved in writing by the Owner or Engineer.

3.06 UPDATING OF CONSTRUCTION SCHEDULE/PROGRESS REPORTS

- A. The Detailed Construction Schedule will be reviewed and updated as needed during each project progress meeting.

3.07 RECOVERY SCHEDULE

- A. Should the updated Detailed Construction Schedule, at any time during Contractor's performance, show, in the sole opinion of the Owner or Engineer, that the Contractor is seven (7) or more days behind schedule for any location or category of work, or should Contractor be required to undertake actions under Paragraph 3.04.D hereof, the Contractor shall immediately prepare a Recovery Schedule explaining and displaying how Contractor intends to reschedule his Work in order to regain compliance with the Approved Detailed Construction Schedule during the immediate subsequent pay period.

3.08 SCHEDULE REVISIONS

- A. Should Contractor desire to or be otherwise required under the Contract to make modifications or changes in his method of operation, his sequence of Work or the durations of the activities in his Construction Schedule, he shall do so in accordance with Paragraph 3.04 of this specification. The approved Detailed Construction Schedule may only be revised by the written approval of the Owner or Engineer as provided herein.

END OF SECTION 01320

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1 – SECTION 01321
CONSTRUCTION SURVEYING

PART 1 GENERAL

1.01 SUMMARY

- A. This section describes the Owner’s airport survey grid and surveying requirements.
- B. Related Work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to the General Provisions and other Sections of these Specifications.

PART 2 PRODUCTS

Not used.

PART 3 EXECUTIONS

3.01 EXISTING SURVEY CONTROL MONUMENTS

- A. The Owner has established an airport-wide survey grid consisting of both first order and second order survey monuments. The monuments are distributed both inside and outside the Air Operations Area fence.
- B. The monuments are tied to the Tennessee State Plane Coordinate System in U.S. Survey feet with the North American Datum, 1983.
- C. Survey control monuments typically, but not always, consist of aluminum disks stamped with identifying codes, set in concrete, and marked by orange witness posts.
- D. The Contractor may obtain the current Survey Control Monument Manual from the Program Manager.

3.02 REQUIREMENTS

- A. Contractor is responsible for all construction surveying.
- B. Any deviations from the existing grades shall be immediately reported to the Program Manager.
- C. Contractor shall tie the project to the survey grid as established by the monuments described in section 3.01.
- D. Contractor shall protect all survey monuments within the vicinity of the project and all survey monuments used for survey while they are occupied.
- E. The Contractor shall, at his expense, have a Tennessee Professional Land Surveyor replace any monument disturbed or destroyed by Contractor’s construction activities (using first order techniques); replaced monuments shall be located at least ten feet, but not more than fifty feet, from the location of the disturbed monument. New monuments shall consist of aluminum disks stamped with an identifying code, set in concrete using a procedure approved by Program Manager, and marked by an orange witness post. Replaced-monument survey information shall be provided to Owner in exact format as contained within Owner’s Survey Control Monument Manual.

END OF SECTION 01321

ISSUED FOR BID

01321
Page 1

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1- SECTION 01322**AERIAL PHOTOGRAPHS****PART 1 GENERAL****1.01 SUMMARY**

- A. Provide photographs taken at specified stages during construction, and in accordance with provisions of this Section.
- B. Related work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, General Provisions and other Sections of these Specifications.

1.02 SUBMITTALS

- A. Except as otherwise directed and paid for, submit one electronic file of each photograph.

1.03 QUALITY ASSURANCE

- A. Secure the services of a professional photographer who is skilled and experienced in construction photography and whose work samples are acceptable to the Engineer.
- B. Do not replace the photographer without the Engineer's written approval.

PART 2 PRODUCTS**2.01 AERIAL PHOTOGRAPHS**

- A. Provide electronic files, at a quality and resolution capable of printing the photographs at a size up to 36" x 24".
- B. Record each electronic file's filename in a manner to show:
 - 1. Job number;
 - 2. Location from which photographed;
 - 3. Date of photograph;
- C. Do not permit photographs to be issued for any other purpose without specific written approval from the Engineer.

PART 3 EXECUTION**3.01 AERIAL PHOTOGRAPHY**

- A. Except as otherwise specifically approved by the Engineer, make the photographs within three calendar days of the date of each Application for Payment.
 - 1. To the maximum extent practicable, make photographs at approximately the same time of day throughout progress of the Work.

2. When inclement weather is anticipated, consult with the Engineer and determine acceptable alternative arrangements.
- B. Except as otherwise specifically approved by the Engineer, take the photographs from four (4) directions. The photographs required shall be oblique aerial photographs. One shall be taken from the north, one from the south, one from the east and one from the west looking at the entire project, or as directed by the Engineer.
1. Select the locations to provide diversified overall views of the Work, from positions, which are expected to remain accessible throughout progress of the Work.
 2. Identify each location by word description, by marked drawing, or by such other means as acceptable to the Engineer, to enable future photographs to be taken from the same position.
 3. When so directed by the Engineer because of the stage of construction, change one or more of the locations as the Engineer directs.
- C. Make each photograph clear, in focus, with high resolution and sharpness, and with minimum distortion.

END OF SECTION 01322

DIVISION 1 – SECTION 01325**DELAYS AND EXTENSIONS OF TIME****1.01 DESCRIPTION**

- A. Work included:
 - 1. Delays and extensions of time.
- B. Related Work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to the General Provisions, and other Sections of these Specifications.

1.02 OBLIGATION OF OWNER AND PROGRAM MANAGER

- A. Neither the Owner nor the Program Manager shall be obligated or liable to the Contractor for any damages, cost or expenses of any type which the Contractor, its subcontractors, sub-subcontractors, or any other person may incur as a result of any disruption or delay from any cause, regardless of the actual source of delay, whether avoidable or unavoidable, it being understood and agreed that the Contractor's sole and exclusive remedy in such event shall be an extension of the Contract Time, but in accordance with provisions of the Contract Documents.
- B. Except for weather delays, any claim for extension of time shall be made in writing to the Program Manager not more than ten (10) days after commencement of such delay, otherwise, such claim will be waived. The Contractor shall provide an estimate of the probable effect of such delay on the progress of the Work.
- C. The time during which the Contractor is delayed in performance of the work caused by the acts or omissions of the Owner, Program Manager or their employees or agents, or by acts of God, fires, floods, epidemics, quarantine restrictions, riots, civil commotions or freight embargoes, or other conditions beyond the Contractor's control which the Contractor could not have reasonably foreseen and provided against shall be added to the Contract Time; however, the Contractor must submit his claim for such delays in accordance with the requirements of this Section and any other applicable provisions of these Contract Documents in order to be considered for an extension of time.
- D. The Contract Time shall be adjusted only for changes in the work pursuant to GP-40, suspensions of the work, excusable delays or emergencies. Whenever the Contractor requests an extension of the Contract Time, the Contractor shall furnish such justification and supporting evidence as required by this section and such other and additional information as the Owner may deem necessary to determine whether the Contractor is entitled to an extension of the Contract Time. All such requests shall conform to all of the requirements of the Contract Documents, shall include evidence that the reasons for the requested Contract Time extension were beyond the control of the Contractor, and the Contractor shall bear the burden of substantiating and proving the necessity of an extension to the Contract Time. The Owner, with the assistance of the Program Manager, shall review all requests for Contract Time extensions and shall advise the Contractor of its decision and finding of fact in writing. If the Owner determines that the Contractor is entitled to an extension of the Contract Time, the length of the extension shall be based upon the currently approved detailed construction schedule and on all other relevant data, which data shall be incorporated into and from the basis for revision to the construction schedule.

The Contractor acknowledges and agrees that the actual delays due to said changes, suspension of the work, or excusable delays in activities which, according to the detailed construction schedule, do not affect the Contract Time, shall not affect the Contract Time, and therefore, cannot form the basis for an extension in the Contract Time or a change in the construction schedule.

- E. The Contractor shall be entitled to an extension of the Contract Time but no increase in the Contract sum, for delays arising from unforeseeable causes beyond the control and without the fault of negligence of the Contractor or its Subcontractors as follows:
1. Acts of God, tornadoes, fires, blizzards, earthquakes, or floods that severely damages completed work or stored materials.
 2. Acts of the public enemy; acts of the state, federal or local governments in their sovereign capacities; and acts of a separate contractor in the performance of a separate contract with the Owner relating to this or another project.
- F. The Contractor shall not be entitled to any extension of Contract Time resulting from any condition or cause unless the Contractor strictly complies with the requirements of this Section and the Contractor must submit to the Program Manager within ten (10) days of the first instance of the delay a written request for an extension in the Contract Time which shall include the following information: (a) the nature of the delay; (b) the date of anticipated date of commencement of the delay; (c) activities on the schedule affected by the delay, and/or new activities created by the delay and their relationship with existing activities; (d) identification of persons or organizations or events responsible for the delay; and (e) recommended action to avoid or minimize the delay.
- G. No claim for delay shall be allowed and the Contractor waives any such claim if the Contractor fails to furnish the written request, required by this or other sections, within the period of time specified therein.

END OF SECTION 01325

DIVISION 1 – SECTION 01330**SUBMITTALS****PART 1 GENERAL****1.01 SUMMARY**

- A. This section describes the process for handling Contractor submittals.
- B. Related work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0, Division 1, and other Sections of these Specifications

1.02 SUBMITTALS

- A. Except as otherwise specified below, as soon as practicable after contract award and without causing delay in the work, submit at least 7 bound copies of submittals of all items for which submittals are specified in other sections, and for all major submittal equipment whether specified in other sections or not. Alternatively, all Submittals may be submitted electronically in lieu of hard copies, if possible. Each submittal shall be clearly marked with the project name, dated, and accompanied by a letter of transmittal listing all items included in the submittal and referencing the project specification page and article numbers applicable to each item.
 - 1. Submittals shall include all test results and/or certificate necessary to show that the item conforms to the standards specified. Such standards shall include ASTM, AASHTO, FAA, PCA, Federal Specifications or any other standard listed in these specifications.

1.03 QUALITY ASSURANCE

- A. Before submission to the Engineer or Owner, the Contractor shall check the submittals of all items furnished directly by him, and the applicable Subcontractor shall check the submittals of all items furnished by the Subcontractor involved, as follows: check the submittal drawings for completeness and compliance with the contract documents; check and verify all dimensions, field conditions certifications relating to the submittals and certify in writing that these checks have been made.
 - 1. The Engineer or Owner will return for resubmission, all submittals without the above specified approval and certification, and all submittals which in the Engineer's or Owner's opinion contain numerous discrepancies and/or have not been checked by the Contractor or Subcontractor.

PART 2 PRODUCTS

Not used.

PART 3 EXECUTION**3.01 SUBMITTAL REVIEW**

- A. After the Owner or Engineer has reviewed the submittals, except as otherwise specified below, submittals will be dated, and three sets will be returned to the Contractor. If submittals are rejected, four sets will be returned to the Contractor, with indications of the required corrections and changes made on one of the sets. Make such corrections and changes as indicated. Resubmit

submittals as specified above, as often as required by the Engineer or Owner to complete the review. No correction or change indicated on submittals shall be considered as an order for extra work.

- B. Submittals reviewed by the Owner or Engineer will be a general review only, and acceptance will not relieve Contractor or Subcontractor of responsibility for accuracy of submittals, proper fitting, coordination, construction or work, and furnishing materials and work required by Contract but not indicated on submittals. Review of submittals shall not be construed as accepting departures from Contract requirements.
- C. Any material ordered, or work performed prior to obtaining an approved submittal shall be at the Contractor's risk and subject to rejection.

END OF SECTION 01330

DIVISION 1 – SECTION 01351
STORAGE AND PROTECTION

PART 1 GENERAL

1.01 SUMMARY

- A. Protect products scheduled for use in the Work by all means including, but not necessarily limited to, those described in this Section.
- B. Related Work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0, and Division 1 of these Specifications.
 - 2. Additional procedures may also be prescribed in other Sections of these Specifications.

1.02 QUALITY ASSURANCE

- A. Include within the Contractor's quality assurance program such procedures as are required to assure full protection of work and materials.

1.03 MANUFACTURERS' RECOMMENDATIONS

- A. Except as otherwise approved by the Owner or Engineer, determine and comply with manufacturers' recommendations on product handling, storage, and protection.

1.04 PACKAGING

- A. Deliver products to the job site in their manufacturer's original container, with labels intact and legible.
 - 1. Maintain packaged materials with seals unbroken and labels intact until time of use.
 - 2. Promptly remove damaged material and unsuitable items from the job site, and promptly replace same with material meeting the specified requirements, at no additional cost to the Owner.
- B. The Owner or Engineer may reject as non-complying such material and products as do not bear identification satisfactory to the Owner or Engineer such as manufacturer, grade, quality, and other pertinent information.

1.05 PROTECTION

- A. Protect finished surfaces, materials, trenches, earthwork, etc. from weather, construction operations, etc.
- B. Maintain finished surfaces clean, unmarred, and suitably protected until accepted by the Owner.

1.06 REPAIRS AND REPLACEMENTS

- A. In event of damage, promptly make replacements and repairs to the approval of the Owner or Engineer and at no additional cost to the Owner.
- B. Additional time required to secure replacements and to make repairs will not be considered by the Owner or Engineer to justify an extension in the Substantial Completion Date.

END OF SECTION 01351

DIVISION 1 – SECTION 01353

RADIO COMMUNICATIONS

1.01 DESCRIPTION

A. Work Included

1. Provide radio communication with Airport Control Tower.

B. Documents affecting work of this Section include, but are not necessarily limited to General Provisions, and other Sections of these Specifications.

1.02 RADIO COMMUNICATIONS

A. When required by the Contract Documents, and when work under this Contract is in progress within the Air Operations Area (AOA), the Contractor's job superintendent or other authorized representative of the Contractor on the job site shall coordinate such work with the Program Manager and the Program Manager shall maintain approved 2-way radio communication with the Airport Control Tower, for coordination of work with airport operations in progress.

END OF SECTION 01353

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1 – SECTION 01500**CONSTRUCTION FACILITIES AND TEMPORARY CONTROLS****PART 1 GENERAL****1.01 SUMMARY**

- A. This Section describes construction facilities and temporary controls required for the Work.
- B. Related work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0 and Division 1 Specifications,

1.02 REQUIREMENTS

- A. Provide construction facilities and temporary controls needed for the Work including, but not necessarily limited to:
 - 1. Sanitary facilities;
 - 2. Temporary fencing of the construction site, if required.

1.03 DELIVERY, STORAGE, AND HANDLING

- A. Maintain temporary facilities and controls in proper and safe condition throughout progress of the Work.

PART 2 PRODUCTS**2.01 UTILITIES**

- A. Water:
 - 1. Provide necessary temporary piping and water supply and, upon completion of the Work, remove such temporary facilities.
 - 2. Provide and pay for water used in construction.
- B. Electricity:
 - 1. Provide necessary temporary wiring and, upon completion of the Work, remove such temporary facility.
 - 2. Provide area distribution boxes located so that the individual trades may furnish and use 100 ft maximum length extension cords to obtain power and lighting at points where needed for work, inspection, and safety.
 - 3. Provide and pay for electricity used in construction.
- C. Heating: Provide, maintain and pay for heat necessary for proper conduct of operations needed in the Work.
- D. Telephone:

1. Make necessary arrangements and pay costs for installation and operation of telephone service to the Contractor's office at the site.
2. Make the telephone available to the Program Manager for use in connection with the Work.

2.02 FIELD OFFICES AND SHEDS

A. Sanitary facilities:

1. Provide temporary sanitary facilities in the quantity required for use by all personnel.
2. Maintain in a sanitary condition at all times.

2.03 ENCLOSURES

- ### **A. Provide and maintain for the duration of construction all scaffolds, tarpaulins, canopies, warning signs, steps, platforms, bridges, and other temporary construction necessary for proper completion of the Work in compliance with pertinent safety and other regulations.**

2.04 TEMPORARY FENCING

- ### **A. If indicated provide and maintain for the duration of construction a temporary fence of design and type needed to prevent entry onto the Work by the public.**

2.05 REMOVING AND REPLACING FENCES, SOD, ETC.

- ### **A. Where required to install the Work, carefully remove and store all interfering fences, mailboxes, culverts, etc. After installation of work and backfilling, reinstall these items and restore them to at least the conditions, which existed prior to the commencement of work, using materials and workmanship to match those of the original construction and installation.**
- ### **B. Carefully remove and store all interfering shrubbery, trees, sod, flowers, and other planting, sufficiently in advance of construction. After installation of work and backfilling, reset and restore these items to at least the conditions that existed prior to the commencement of work.**

PART 3 EXECUTION

3.01 MAINTENANCE AND REMOVAL

- #### **A. Maintain temporary facilities and controls as long as needed for safe and proper completion of the Work.**
- #### **B. Remove such temporary facilities and controls as rapidly as progress of the Work will permit, or as directed by the Owner or Engineer.**

3.02 DUST CONTROL

- #### **A. During construction, haul roads and other disturbed construction areas shall be watered as required to prevent dust from damaging and/or becoming a nuisance to the terminal and other buildings, automobiles, aircraft, and residential and other built-up areas surrounding the project site.**

END OF SECTION 01500

DIVISION 1 - SECTION 01600**PRODUCT REQUIREMENTS****PART 1 - GENERAL****1.1 RELATED DOCUMENTS**

- A. Drawings, Contract, Division 0 and Division 1 Specification Sections apply to this Section.

1.2 SUMMARY

- A. This Section specifies administrative and procedural requirements governing Contractor's selection of products for use in Project.
- B. Related Sections: Following Sections contain requirements that relate to this Section:
1. Division 1 Section "Reference Standards and Definitions" specifies the applicability of industry standards to products specified.
 2. Division 1 Section 01320 specifies requirements for submittal of the Contractor's Construction Schedule and the Submittal Schedule.
 3. Division 1 Section "Product Substitution Procedures" specifies administrative procedures for handling requests for substitutions made after award of the Contract.

1.3 DEFINITIONS

- A. Definitions used in this Article are not intended to change meaning of other terms used in Contract Documents, such as "specialties," "systems," "structure," "finishes," "accessories," and similar terms. Such terms such are self-explanatory and have well recognized meanings in construction industry.
1. **"Products"** are items purchased for incorporation in Work, whether purchased for Project or taken from previously purchased stock. Term "product" includes terms "material," "equipment," "system," and terms of similar intent.
 - a. "Named Products" are items identified by manufacturer's product name, including make or model designation, indicated in manufacturer's published product literature, that is current as of date of Contract Documents.
 - b. "Foreign Products," as distinguished from "domestic products," are items substantially manufactured (50% or more of value) outside of United States and its possessions; or produced or supplied by entities substantially owned (more than 50%) by persons who are not citizens of nor living within United States and its possessions.
 2. **"Materials"** are products that are substantially shaped, cut, worked, mixed, finished, refined or otherwise fabricated, processed, or installed to form part of Work.
 3. **"Equipment"** is a product with operational parts, whether motorized or manually operated, that requires service connections such as wiring or piping.

1.4 SUBMITTALS

- A. Product List: Prepare list showing products specified in tabular form acceptable to Program Manager. Include generic names of products required. Include manufacturer's name and proprietary product names for each item listed.
1. Coordinate product list with Contractor's Construction Schedule and Schedule of Submittals.
 2. Form: Prepare product list with information on each item tabulated under following column headings:
 - a. Related Specification Section number.
 - b. Generic name used in Contract Documents.
 - c. Proprietary name, model number and similar designations.
 - d. Manufacturer's name and address.
 - e. Supplier's name and address.
 - f. Installer's name and address.
 - g. Projected delivery date, or time span of delivery period.
 3. Initial Submittal: Within 30 days after date of commencement of Work, submit 3 copies of an initial product list. Provide written explanation for omissions of data and for known variations from Contract requirements.
 - a. At Contractor's option, initial submittal may be limited to product selections and designations that must be established early in Contract period.
 4. Completed List: Within 60 days after date of commencement of Work, submit 3 copies of completed product list. Provide written explanation for omissions of data and for known variations from Contract requirements.
 5. Engineer's Action: Engineer will review and the Program Manager will respond in writing to Contractor within 2 wks of receipt of completed product list. No response within this period constitutes no objection to listed manufacturers or products but does not constitute a waiver of the requirement that products comply with Contract Documents. Engineer's review will include a list of unacceptable product selections, containing a brief explanation of reasons for this action.
- B. Source Limitations: To fullest extent possible, provide products of same kind, from single source.
1. When specified products are available only from sources that do not or cannot produce quantity adequate to complete project requirements in timely manner, consult with Program Manager for determination by the Engineer of most important product qualities before proceeding. Qualities may include attributes relating to visual appearance, strength, durability, or compatibility. When determination has been made, select products from sources that produce products that possess these qualities, to fullest extent possible.
- C. Compatibility of Options: When Contractor is given option of selecting between 2 or more products for use on Project, product selected shall be compatible with products previously selected, even if previously selected products were also options.
1. Each Contractor is responsible for providing products and construction methods that are compatible with products and construction methods of other separate Contractors.
 2. If dispute arises between Contractors over concurrently selectable, but incompatible products, Engineer will determine which products shall be retained and which are incompatible and must be replaced.
- D. Foreign Product Limitations: Except under 1 or more of following conditions, provide domestic products, not foreign products, for inclusion in the Work:

1. No available domestic product complies with Contract Documents.
 2. Domestic products that comply with Contract Document are only available at prices or terms that are substantially higher than foreign products that also comply with Contract Documents.
- E. Nameplates: Except for required labels and operating data, do not attach or imprint manufacturer's or producer's nameplates or trademarks on exposed surfaces of products which will be exposed to view in occupied spaces or on exterior.
- F. Labels: Locate required product labels and stamps on a concealed surface or, where required for observation after installation, on an accessible surface that is not conspicuous.
- G. Equipment Nameplates: Provide permanent nameplate on each item of service-connected or power-operated equipment. Locate on an easily accessible surface which is inconspicuous in occupied spaces. Nameplate shall contain following information and other essential operating data:
1. Name of product and manufacturer.
 2. Model and serial number.
 3. Capacity.
 4. Speed.
 5. Ratings.

1.5 PRODUCT DELIVERY, STORAGE, AND HANDLING

- A. Deliver, store and handle products according to manufacturer's recommendations, using means and methods that will prevent damage, deterioration, and loss, including theft.
1. Schedule delivery to minimize long-term storage at site and to prevent overcrowding of construction spaces.
 2. Coordinate delivery with installation time to ensure minimum holding time for items that are flammable, hazardous, easily damaged, or sensitive to deterioration, theft and other losses.
 3. Deliver products to site in an undamaged condition in manufacturer's original sealed container or other packaging system, complete with labels and instructions for handling, storing, unpacking, protecting and installing.
 4. Inspect products upon delivery to ensure compliance with Contract Documents, and to ensure that products are undamaged and properly protected.
 5. Store products at site in manner that will facilitate inspection and measurement of quantity or counting of units.
 6. Store heavy materials away from Project structure in manner that will not endanger supporting construction.
Store products subject to damage by elements above ground, under cover in weathertight enclosure, with ventilation adequate to prevent condensation. Maintain temperature and humidity within range required by manufacturer's instructions.

PART 2 - PRODUCTS

2.1 PRODUCT SELECTION

- A. General Product Requirements: Provide products that comply with Contract Documents, that are undamaged and, unless otherwise indicated, new at time of installation.
1. Provide products complete with all accessories, trim, finish, safety guards and other devices and details needed for complete installation and for intended use and effect.
 2. Standard Products: Where available, provide standard products of types that have been produced and used successfully in similar situations on other projects.

- B. Product Selection Procedures: Product selection is governed by Contract Documents and governing regulations, not by previous Project experience. Procedures governing product selection include following:
1. Proprietary Specification Requirements: Where only a single product or manufacturer is named, provide product indicated. No substitutions will be permitted.
 2. Semiproprietary Specification Requirements: Where 2 or more products or manufacturers are named, provide 1 of products indicated. No substitutions will be permitted.
 - a. Where products or manufacturers are specified by name, accompanied by term "or equal," or "or approved equal" comply with Contract Document provisions concerning "substitutions" to obtain approval for use of an unnamed product.
 3. Compliance with Standards, Codes and Regulations: Where Specifications only require compliance with an imposed code, standard or regulation, select product that complies with standards, codes or regulations specified.
 4. Visual Matching: Where Specifications require matching an established Sample, Engineer's decision will be final on whether proposed product matches satisfactorily.
 - a. Where no product available within specified category matches satisfactorily and complies with other specified requirements, comply with provisions of Contract Documents concerning "substitutions" for selection of matching product in another product category.
 5. Visual Selection: Where specified product requirements include phrase "...as selected from manufacturer's standard colors, patterns, textures..." or similar phrase, select product and manufacturer that complies with other specified requirements. Engineer will select color, pattern and texture from product line selected.
 6. Allowances: Refer to individual Specification Sections and "Allowance" provisions in Division 1 for allowances that control product selection, and for procedures required for processing such selections.

2.2 ASBESTOS-FREE REQUIREMENTS

- A. The Contractor shall not use any asbestos containing material (ACM) at any time during the Project. The Contractor shall verify that all materials used on the Project are asbestos-free materials.
- B. During the course of the Project, the Contractor shall routinely check products utilized on-site to ensure only asbestos-free products are utilized.
- C. If the Owner suspects the presence of asbestos, the Owner will sample the suspect material to verify that no ACM was utilized. This testing shall be performed at the expense of the Owner. If ACM is subsequently found during the sampling, the Contractor shall remove and replace the product or material at his/her sole expense. No adjustment of the Contract Schedule will be provided to account for delays associated with removal and/or replacement of ACM. The Contractor shall reimburse Owner for any and all costs associated with the original testing and/or any re-testing that may be necessary.
- D. Upon completion, a notarized certification statement shall be provided by the Contractor to the Owner certifying that all materials associated with this Project are asbestos free. See Specification 01771 Closeout Documents for certification document. If the Contractor does not submit the required asbestos-free certification, the Authority shall have a complete building survey performed by a qualified testing firm within the Project's location. The cost of the survey and any subsequent removal/replacement of any ACM shall be deducted from the Contractor's final payment at the sole discretion of the Owner.

PART 3 - EXECUTION

3.1 INSTALLATION OF PRODUCTS:

- A. Comply with manufacturer's instructions and recommendations for installation of products in applications indicated. Anchor each product securely in place, accurately located and aligned with other Work.
 - 1. Clean exposed surfaces and protect as necessary to ensure freedom from damage and deterioration until time of Substantial Completion.

END OF SECTION 01600

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1 - SECTION 01630
PRODUCT SUBSTITUTION PROCEDURES

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings, Contract, Division 0 and Division 1 Specification Sections apply to this Section.

1.2 SUMMARY

- A. This Section specifies administrative and procedural requirements for handling requests for substitutions made after award of Contract.
- B. Contractor's Construction Schedule and Schedule of Submittals are included under Section 01320.
- C. Standards: Refer to Section "Reference Standards and Definitions" for applicability of industry standards to products specified.
- D. Procedural requirements governing Contractor's selection of products and product options are included under Section "Product Requirements."
- E. Program Manager's policy is to reject requests for substitution unless paragraph "Substitutions" under Article "Definitions" applies.

1.3 DEFINITIONS

- A. Definitions used in this Article are not intended to change or modify meaning of other terms used in Contract Documents.
- B. Substitutions: Requests for changes in products, materials, equipment, and methods of construction required by Contract Documents proposed by Contractor after award of Contract are considered requests for "substitutions." Following are not considered substitutions:
1. Revisions to Contract Documents requested by Owner or Program Manager.
 2. Specified options of products and construction methods included in Contract Documents.
 3. Contractor's determination of and compliance with governing regulations and orders issued by governing authorities.

1.4 SUBMITTALS

- A. Substitution Request Submittal: Requests for substitution will be considered if received within 30 days after commencement of Work. Requests received more than 30 days after commencement of Work may be considered or rejected at discretion of Program Manager.
1. Submit 3 copies of each request for substitution for consideration. Submit requests on forms included at end of this Section.

2. Identify product, or fabrication or installation method to be replaced in each request. Include related Specification Section and Drawing numbers. Provide complete documentation showing compliance with requirements for substitutions, and the following information, as appropriate:
 - a. Product Data, including Drawings and descriptions of products, fabrication and installation procedures.
 - b. Samples, where applicable or requested.
 - c. Detailed comparison of significant qualities of proposed substitution with those of Work specified. Significant qualities may include elements such as size, weight, durability, performance and visual effect.
 - d. Coordination information, including list of changes or modifications needed to other parts of Work and to construction performed by Owner and separate Contractors, that will become necessary to accommodate proposed substitution.
 - e. Statement indicating substitution's effect on Contractor's Construction Schedule compared to schedule without approval of substitution. Indicate effect of proposed substitution on the overall Substantial Completion of the project.
 - f. Cost information, including proposal of net change, if any in Contract Sum.
 - g. Certification by Contractor that substitution proposed is equal-to or better in every significant respect to that required by Contract Documents, and that it will perform adequately in application indicated. Include Contractor's waiver of rights to additional payment or additional Contract time, that may subsequently become necessary because of failure of substitution to perform adequately.

PART 2 - PRODUCTS

2.1 SUBSTITUTIONS

- A. Conditions: Contractor's substitution request will be received and considered by Program Manager when one or more of following conditions are satisfied, as determined by Program Manager; otherwise requests will be returned without action except to record noncompliance with these requirements.
 1. Extensive revisions to Contract Documents are not required.
 2. Proposed changes are in keeping with general intent of Contract Documents.
 3. Request is timely, fully documented and properly submitted.
 4. Request is directly related to an "or equal" clause or similar language in Contract Documents.
 5. Specified product or method of construction cannot be provided within Contract Time. Request will not be considered if product or method cannot be provided as result of failure to pursue Work promptly or coordinate activities properly.
 6. Specified product or method of construction cannot receive necessary approval by governing authority, and requested substitution can be approved.
 7. Substantial advantage is offered the Owner, in terms of cost, time, energy conservation or other considerations of merit, after deducting offsetting responsibilities Owner may be required to bear. Additional responsibilities for Owner may include additional compensation to Program Manager and Engineer for redesign and evaluation services, increased cost of other construction by Owner or separate Contractors, and similar considerations.
 8. Specified product or method of construction cannot be provided in manner that is compatible with other materials, and where Contractor certifies that substitution will overcome incompatibility.
 9. Specified product or method of construction cannot be coordinated with other materials, and where Contractor certifies that proposed substitution can be coordinated.
 10. Specified product or method of construction cannot provide warranty required by Contract Documents and where Contractor certifies that proposed substitution provide required warranty.

- B. Contractor's submittal to the Program Manager and Engineer's acceptance of Shop Drawings, Product Data or Samples that relate to construction activities not complying with Contract Documents does not constitute an acceptable or valid request for substitution, nor does it constitute approval.
- C. See next page for "Request for Substitution" form.

REQUEST FOR SUBSTITUTION

To:

Attention:

From:

_____ Name of Company

_____ Address

_____ City, State, Zip Code

_____ Phone

Fully answer all information requested below. Failure to answer any item may cause rejection of request for substitution. If requested by Program Manager, submit information about manufacturer and vendor history, financial stability, distribution and support systems. Use one form for each product requested. Only first product listed will be considered on forms with more than one product listed.

Specification Section Number: _____ Drawing Number: _____

Para Number: _____ Detail Number: _____

Specified Product: _____

Proposed Substitution: _____

Answer the following questions. Attach an explanation sheet on your company's letterhead when required.

Does the proposed substitution affect dimensions indicated on Drawings?

No _____ Yes _____ (If yes, explain below).

Does the proposed substitution require changes in Drawings and/or design or installation changes?

No _____ Yes _____

If yes, is the cost of these changes included in the proposed amount? No ____ Yes ____

Does the proposed substitution affect other trades? No _____ Yes _____

(If yes, explain who and how)

If the proposed product does affect the work of other trades, has the cost impact on their work been included in the price of the proposed substitution?

No _____ Yes _____

Does the proposed product's guarantee differ from that of the specified product's?

No _____ Yes _____ (If yes, explain below).

Why is this proposal for substitution being submitted? List reasons below.

Attach a listing of 3 projects using proposed substitution completed within the past 5 yrs in geographic and climatic region of Project. One of applications shall have been in service for at least 3 yrs.

Attach product data/brochures and Vendor Qualification Form for the specified and substitute product.

Undersigned has examined Construction Documents, is familiar with specified product, understands indicated application of product, and understands design intent of Engineer. Undersigned states that proposed substitution complies with Construction Documents and will perform at least equally to specified product within limitations stated above. Undersigned accepts responsibility for coordinating application and installation of proposed substitution and waives all claims for additional costs resulting from incorporation of proposed substitution into Project or its subsequent failure to perform according to specified requirements.

Submitted By: _____
Typed Signature

Date: _____

END OF SECTION 01630

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1 – SECTION 01700**FIELD ENGINEERING****PART 1 GENERAL****1.01 SUMMARY**

- A. Provide such field engineering services as are required for proper completion of the Work including, but not necessarily limited to:
1. Establishing and maintaining lines and levels;
 2. Structural design of shores, forms, and similar items provided by the Contractor as part of his means and methods of construction.

All field engineering is incidental to the Item for which it applies. No direct pay will be made for field engineering.

- B. Related work:
1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0, Division 1 and other Sections of these Specifications.
 2. Additional requirements for field engineering may be described in other Sections of these Specifications.

1.02 SUBMITTALS

- A. Upon request of the Owner or Engineer, submit:
1. Data demonstrating qualifications of persons proposed to be engaged for field engineering services.
 2. Documentation verifying accuracy of field engineering work.
 3. Certification, signed by the Contractor's retained field engineer, certifying that elevations and locations of improvements are in conformance or nonconformance with requirements of the Contract Documents.

1.03 QUALITY ASSURANCE

- A. Use adequate numbers of skilled workmen who are thoroughly trained and experienced in the necessary crafts and who are completely familiar with the specified requirements and the methods needed for proper performance of the work of this Section.

1.04 PROCEDURES

- A. In addition to other procedures directed by the Contractor for proper performance of the Contractor's responsibilities:
1. Locate and protect control points before starting work on the site.
 2. Preserve permanent reference points during progress of the Work.
 3. Prior to commencing any work requiring location or grades, the Contractor shall establish

temporary bench marks (TBMs) at an interval not to exceed 1000 feet. TBMs are to be located in areas not anticipated to be disturbed by construction. Provide the Owner or Engineer copies of field notes, including peg test of level, and a listing of the adjusted coordinates and elevations of all TBMs.

4. Do not change or relocate reference points or items of the Work without specific approval from the Owner or Engineer.
5. Promptly advise the Owner or Engineer when a reference point is lost or destroyed, or requires relocation because of other changes in the Work.
 - a. Upon direction of the Owner or Engineer, require the field engineer to replace reference stakes or markers.
 - b. Locate such replacements according to the original survey control.

END OF SECTION 01700

DIVISION 1 – SECTION 01720
PROJECT RECORD DOCUMENTS

PART 1 GENERAL

1.01 SUMMARY

- A. Throughout progress of the Work, maintain an accurate record of changes in the Contract Documents, as described in paragraph 3.01 below and, upon completion of the Work, transfer the recorded changes to a set of Record Documents, as described in paragraph 3.02 below. This shall include Record Drawings.
- B. Related work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, General Provisions and the Technical Sections of these Specifications.
 - 2. Other requirements affecting Project Record Documents may appear in pertinent other Sections of these Specifications.

1.02 SUBMITTALS

- A. The Program Manager’s review of the current status of Project Record Documents is a prerequisite to the Program Manager’s approval of requests for progress payments and request for final payment under the Contract.
- B. Prior to submitting each Application for Payment, secure the Program Manager’s review of the current status of the Project Record Documents.
- C. The final project Record Documents must be submitted to the Program Manager and secure approval before final payment for demobilization can occur.

1.03 QUALITY ASSURANCE

- A. Delegate the responsibility for maintenance of Record Documents to one person on the Contractor's staff as approved by the Program Manager.
- B. Accuracy of records:
 - 1. Thoroughly coordinate changes within the Record Documents, making adequate and proper entries on each page of Specifications and each sheet of Drawings and other Documents where such entry is required to show the change properly.
 - 2. Accuracy of records shall be such that future searches for items shown in the Contract Documents may rely reasonably on information obtained from the approved Project Record Documents.
- C. Make entries within 24 hours after receipt of information that the change has occurred.

1.04 DELIVERY, STORAGE, AND HANDLING

- A. Maintain the job set of Record Documents completely protected from deterioration and from loss and damage until completion of the Work and transfer of all recorded data to the final Project Record Documents.

- B. In the event of loss of recorded data, use any means necessary to again secure the data needed to comply with this section.
 - 1. Such means shall include, if necessary in the opinion of the Program Manager, removal and replacement of concealing work or materials by Contractor at Contractor's expense.

PART 2 PRODUCTS

2.01 RECORD DOCUMENTS

- A. Job set: Promptly following the Notice to Proceed, secure from the Program Manager at no charge to the Contractor one complete set of all Documents comprising the Contract.

PART 3 EXECUTION

3.01 MAINTENANCE OF JOB SET

- A. Immediately upon receipt of the job set described in Paragraph 2.01-A above, identify each of the Documents with the title, "RECORD DOCUMENTS - JOB SET."
- B. Preservation:
 - 1. Considering the Contract completion time, the probable number of occasions upon which the job set must be taken out for new entries and for examination, and the conditions under which these activities will be performed, devise a suitable method for protecting the job set to the approval of the Program Manager.
 - 2. Do not use the job set for any purpose except entry of new data and for review by the Program Manager, until start of transfer of data to final Project Record Documents.
 - 3. Maintain the job set at the site of Work or at another site as designated by the Program Manager.
- C. Making entries on Drawings:
 - 1. Using an erasable colored pencil (not ink or indelible pencil), clearly describe the change by graphic line and note as required.
 - 2. Date all entries.
 - 3. Call attention to the entry by a "cloud" drawn around the area or areas affected.
 - 4. In the event of overlapping changes, use different colors for the overlapping changes.
- D. Make entries in the pertinent other Documents as approved by the Program Manager.
- E. Drawings shall clearly show actual installed locations, depth, and sizes of:
 - 1. Pipe work of all descriptions below ground outside of building and structures, including locations of culverts, storm & sewer lines, water lines, cleanouts, manholes, inlets, hydrants, and underground valves.
 - 2. Underground electrical conduits, electrical ducts, and directly buried conductors light cables, FAA cables including locations of pull and junction boxes, electric manholes and handholes, pad mounted electrical equipment, utility poles, electrical outlets, and lighting fixtures.

3. All existing underground facilities unearthed by Contractors operations not accurately shown on the drawing.

F. Conversion of schematic layouts:

1. In some cases on the Drawings, arrangements of conduits, circuits, piping, ducts, and similar items, is shown schematically and is not intended to portray precise physical layout.
 - a. Final physical arrangement is determined by the Contractor, subject to the Program Manager's review.
 - b. However, design of future modifications of the facility may require accurate information as to the final physical layout of items, which are shown only schematically, on the Drawings. This information will be provided by the Contractor.
2. Show on the job set of Record Drawings, by dimension accurate to within one half foot, the centerline of each run of items such as are described in subparagraph 3.01-E above.
 - a. Clearly identify the item by accurate note such as "24 inch R.C. pipe drain", "4" conduit" and the like.
 - b. Show, by symbol or note, the vertical location of the item ("36 inches deep"), "exposed," and the like.
 - c. Make all descriptive identification so that it may be related reliably to the Specifications.
3. The Program Manager may waive the requirements for conversion of schematic layouts where, in the Program Manager's judgment, conversion serves no useful purpose. However, do not rely upon waivers being issued except as specifically issued in writing by the Program Manager.

3.02 FINAL PROJECT RECORD DOCUMENTS

- A. The purpose of the final Project Record Documents is to provide factual information regarding all aspects of the Work, both concealed and visible, to enable future modification of the Work to proceed without lengthy and expensive site measurement, investigation, and examination.
- B. Approval of recorded data prior to transfer to Program Manager:
 1. Secure the Program Manager's review of all recorded data.
 2. Make required revisions.
- C. Transfer of data to other Documents:
 1. If the Documents other than Drawings have been kept clean during progress of the Work, and if entries thereon have been orderly to the approval of the Program Manager, the job set of those Documents other than Drawings will be accepted as final Record Documents.
 2. If any such Document is not so approved by the Program Manager, secure a new copy of that Document from the Program Manager at the Program Manager's usual charge for reproduction and handling, and carefully transfer the change data to the new copy to the

approval of the Program Manager.

- D. Review and submittal:
 - 1. Submit the completed set of Project Record Documents to the Program Manager as described in Paragraph 1.02-C above.
 - 2. Participate in review meetings as required.
 - 3. Make required changes and promptly deliver the final Project Record Documents to the Program Manager.

3.03 CHANGES SUBSEQUENT TO ACCEPTANCE

- A. The Contractor has no responsibility for recording changes in the Work subsequent to Final Completion, except for changes resulting from work performed under Warranty.

END OF SECTION 01720

DIVISION 1 – SECTION 01741**CLEANING****PART 1 GENERAL****1.01 SUMMARY**

- A. Throughout the construction period, maintain the site in a standard of cleanliness including mowing of grass as described in this Section. All demolition or construction debris (FOD) shall be confined within the work site at all times.
- B. Related work:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to, Division 0, Division 1 and other Sections of these Specifications.
 - 2. In addition to the standards described in this Section, comply with requirements for cleaning as described in pertinent other Sections of these Specifications.
 - 3. In addition to the standards described in this Section, comply with pertinent requirements of governmental agencies having jurisdiction.

1.02 QUALITY ASSURANCE

- A. Conduct a daily inspection, and more often if necessary, to verify that cleanliness requirements are being met.
- B. In addition to the standards described in this Section, comply with pertinent requirements of governmental agencies having jurisdiction.

PART 2 PRODUCTS**2.01 CLEANING MATERIALS AND EQUIPMENT**

- A. Provide required personnel, equipment, and materials needed to maintain the specified standard of cleanliness.
- B. In addition to the standards described in this Section, comply with pertinent requirements of governmental agencies having jurisdiction.

2.02 COMPATIBILITY

- A. Use only cleaning materials and equipment compatible with the surface being cleaned and as recommended by the manufacturer of the material.

PART 3 EXECUTION**3.01 PROGRESS CLEANING**

- A. General:
 - 1. Retain stored items in an orderly arrangement allowing maximum access, not impeding traffic or drainage, and providing required protection of materials.

2. Do not allow accumulation of scrap, debris, waste material, and other items not required for construction of this Work.
 3. Inspect all haul vehicles leaving the site to make sure no debris can fall from the vehicle during transportation.
 4. Provide adequate storage for all items awaiting removal from the job site, observing requirements for fire protection and protection of the ecology.
- B. Site:
1. Daily, and more often if necessary, inspect the site and pick up all scrap, debris, and waste material. Remove such items to the place designated for their storage. Contractor shall document all daily inspections.
 2. Weekly, and more often if necessary, remove, completely, all accumulated scrap, debris, and waste material from the site.
 3. Maintain the site in a neat and orderly condition at all times.
 4. Mowing of grass within the construction limits is required at a minimum of every two (2) weeks during the active growing season, or as directed by the Engineer or Owner.

3.02 FINAL CLEANING

- A. "Clean," for the purpose of this section, and except as may be specifically provided otherwise, shall be interpreted as meaning the level of cleanliness generally provided by material sweepers and vacuums.
- B. Prior to completion of the Work, remove from the job site all tools, surplus materials, equipment, scrap, debris, and waste. Conduct final progress cleaning as described in Article 3.01 above.
- C. Site:
1. Unless otherwise specifically directed by the Owner or Engineer, broom clean paved areas on the site and public paved areas adjacent to the site.
 2. Completely remove resultant debris.
- D. Schedule final cleaning as approved by the Owner or Engineer to enable the Owner to accept a completely clean Work.

3.03 CLEANING DURING OWNER'S OCCUPANCY

- A. Should the Owner occupy the Work or any portion thereof, prior to its completion by the Contractor, and acceptance by the Owner, responsibilities for interim and final cleaning shall be as determined by the Engineer or Owner in accordance with the Division 0 and Division 1 Specifications.

3.04 INTERVENTION OF OWNER

- A. If the Contractor fails to clean up any debris which is deposited as a result of construction/demolition operations, or fails to mow grass as stipulated, the Airport Authority will, after attempting one notification, immediately do so and the cost thereof will be charged to the Contractor at the rate of two hundred and fifty dollars (\$250.00) per hour, per machine and per person additively. The Contractor shall assume full responsibility for failure to perform clean up operations required.

END OF SECTION 01741

THIS PAGE LEFT BLANK INTENTIONALLY

DIVISION 1 - SECTION 01770**CONTRACT CLOSEOUT****PART 1 - GENERAL****1.01 SECTION INCLUDES**

- A. Procedures and requirements for closing out the Work.
 - 1. Closeout submittals.
 - 2. Final cleaning.
 - 3. Record Documents.
 - 4. Substantial completion.
 - 5. Final inspection.
 - 6. Final payment.
 - 7. Warranties.

1.02 RELATED REQUIREMENTS AND SECTIONS

- A. Section 01100 - Summary of Work, Sequence of Construction & Liquidated Damages.

1.03 CLOSEOUT SUBMITTALS

- A. Record documents of the constructed work.
- B. Certificate of Occupancy.
- C. Warranties: This Section and applicable Sections of these Specifications.
- D. Contractors Affidavit of Payment of Debts and Claims and Contractors Affidavit of Release of Liens.
- E. Consent of Surety to Final Payment.
- F. As-built drawings.

1.05 FINAL CLEANING

- A. Clean work and storage areas free of trash. Broom clean and hose wash walks and pavements.

1.06 RECORD DOCUMENTS

- A. Definition:
 - 1. Dimensioned drawings showing in-place components and systems measured as accurately as practicable.
 - 2. Product data and other documents clearly identifying proprietary product and equipment incorporated into the Work.
- B. Maintain at job site one record copy of:
 - 1. Contract Drawings and As-built Drawings.
 - 2. Project Manual.

3. Addenda.
 4. Approved shop drawings.
 5. Contract Modifications.
 6. Field test records.
 7. Meeting minutes (notes).
- C. Make documents available at all times for inspection by Engineer and Owner.
- D. Marking Devices:
1. Use colored felt marking pens for marking prints and product data.
- E. Label each document "PROJECT RECORD" in 1" high printed letters.
- F. Record information concurrent with construction progress. Do not conceal any work until required information has been recorded.
- G. Submittal of Record Documents:
1. At completion of the Work, deliver Record Documents to Owner or Engineer with request for Final Payment.
 2. Accompany submittal with transmittal letter indicating:
 - a. Date
 - b. Project title
 - c. Contractor's name and address
 - d. Title and number of each record document
 3. Submit one reproducible copy and one electronic copy of Record Documents, and provide one copy of other Record Documents.
 4. Provide one AutoCAD Diskette

1.07 SUBSTANTIAL COMPLETION

- A. When Contractor considers the Work to be substantially complete as defined in Conditions of the Contract, Contractor shall prepare and submit a list (punch list) of items to be completed or corrected. Upon receipt of Contractor's list, Owner or Engineer will decide if the Work is substantially complete and, if necessary, will prepare a supplemental list (punch list) of items to be completed or corrected.
- B. Failure to include items on the punch list does not alter responsibility of Contractor to complete work according to Contract Documents.
- C. Before Owner or Engineer issues a Certificate of Substantial Completion, Contractor shall provide certificate of Use and Occupancy and evidence of approval from applicable governing authorities.

1.08 FINAL INSPECTION

- A. When Owner or Engineer receives written notice that the Work is ready for final inspection, and when final application for payment is received, Owner or Engineer shall promptly inspect to determine if the Work complies with the Contract Documents.
- B. Provide Owner or Engineer with written status report of each punch list item before final inspection.

1.09 FINAL PAYMENT

- A. Final payment will be made to contractor by Owner within 45 days after:

1. Completion of the Work.
2. Acceptance by Owner and Engineer of all work performed under the Contract.
3. Receipt of Project Record Documents.
4. Receipt of O & M data, manufacturer's instructions, service manual, parts manual, warranties, and other closeout submittals specified. O & M data must include a list of recommended vendors for any non-standard replacement parts and must include a detailed Preventative Maintenance guide with a schedule of suggested efforts.
5. Preparation by Contractor and approval of Owner of final statement of cost of the completed Work. Final statement shall indicate:
 - a. Original Contract Sum.
 - b. Previous Change Orders.
 - c. Deductions for liquidated damages.
 - d. Other applicable adjustments to Contract Sum.
 - e. Total Contract Sum as adjusted.
 - f. Previous Payments.
 - g. Final payment remaining due.
6. Upon completion by Contractor of work covered by Contract Documents, and before final payment to Contractor for work performed, Contractor shall deliver to Owner an affidavit, indicating that all labor and material used on or for execution of the Work has been paid.

1.10 WARRANTIES

- A. Provide duplicate notarized copies of warranties required by Contract Documents. Accumulate executed documents by subcontractors, suppliers, and manufacturers; provide table of contents and assemble in binder with durable plastic cover properly titled.
- B. Warranties are in addition to and not a limitation of other rights Owner may have against Contractor under the Contract Documents.
- C. Contractor shall bear costs of correcting work not complying with warranty requirements.
- D. Duration of warranties required by individual Sections shall indicate minimum times and shall not relieve Contractor of obligations required under applicable statutes or other Conditions of the Contract.
 1. Warranty period begins on date of Substantial Completion, except where modified by Conditions of the Contract.
 2. Warranties are non-prorated unless stated otherwise in these Specifications.
- E. Manufacturer's warranties shall be backed by assets of manufacturer and not a third party.
- F. Warranties shall be transferable.
- G. Submit warranties to Owner or Engineer for verification and submittal to Owner with Contractor's final Application for Payment.
- H. Re-submit warranties that do not comply with Contract Documents.

PART 2 - PRODUCTS (not applicable)

PART 3 - EXECUTION (not applicable)

END OF SECTION 01770

DIVISION 1 – SECTION 01771
AFFIDAVIT OF CONTRACTOR

STATE OF _____

COUNTY OF _____

_____, being duly sworn according to Law,
(Name of Affiant)

deposes and says that he is the _____ of
(Title)

_____, the Contractor, in a
(Name of Contractor)

Construction contract entered into between the Contractor and Memphis-Shelby County Airport Authority, the Owner, for the construction of Charles Baker Airport - RW 18 Approach Clearing-Construction, MSCAA Project No. 18-1421-01, and that he is authorized to and does make this Affidavit on behalf of said Contractor in order to induce the Owner to make payment to the Contractor, in accordance with the provisions of the said Construction Contract.

Affiant further says that all persons who have furnished materials, labor, and equipment in connection with the construction of the facilities have been paid in full, and that the names of all manufacturers, materialmen, subcontractors and DBE subcontractors that furnished any material and/or services in connection with such construction and the kind of kinds of material and/or services so furnished are as listed hereinafter.

Affiant further certifies that he/she is familiar with the materials used in the construction of and incorporated into, the Project referenced above and attests that no asbestos-containing materials, either friable or otherwise, were used in the process of constructing or incorporated into the construction of the Project.

(Signature of Affiant)

Sworn to and subscribed before me this _____ day of _____ 20____.

(Notary Public)

My commission expires: _____

Name of Entity

Kind of Material and/or Service

DIVISION 1 – SECTION 01772

**FINAL LIEN WAIVER AND RELEASE
PRIME CONTRACTOR**

**STATE OF TENNESSEE
COUNTY OF SHELBY**

The undersigned _____ (hereinafter “Contractor”) has entered into a Contract with the Memphis-Shelby County Airport Authority (“Owner”) for the construction of improvements known as the:

Charles Baker Airport - RW 18 Approach Clearing-Construction
Memphis International Airport
MSCAA Project No. 18-1421-01 (hereinafter “the Project”).

Upon the receipt of the sum of \$ _____, the undersigned forever waives and releases any and all liens or claims of liens it has upon the foregoing described real property on account of labor, materials, equipment or services furnished for said Project. The undersigned certifies that all payments have been made for all work/materials performed to date for all subcontractors and suppliers with the exception of the amount due as a result of the payment amount shown above; and, that all subcontractors and suppliers will be paid all balances due upon receipt of the payment amount shown above. Further, the undersigned does hereby waive, release and relinquish any and all claims or demands against the Owner and Engineer of the above-described Project, the right to assert a mechanic’s and materialmen’s lien and/or any claim for quantum meruit or unjust enrichment, additional work, verbal agreements, increased cost, scheduling damages, including, but not limited to damages for delay, disruption, acceleration and/or interference, whether existing now or arising in the future.

The undersigned certifies and warrants that it has complied with all federal, state and local tax laws, including Social Security laws and Unemployment Compensation laws and workers’ compensation laws insofar as applicable to the performance of the Project. Further, the undersigned certifies and warrants that it has paid all of its subcontractors, vendors, and materialmen for services rendered in connection with the construction and improvement of the Project and that all labor, materials and equipment are free and clear of claims, security interests, indebtedness or encumbrances. The undersigned agrees to indemnify and hold harmless the Owner and the Engineer from and against any and all claims, damages, losses and expenses, including but not limited to, attorney’s fees, arising out of or resulting from any non-payment by the undersigned to any subcontractor, laborer, vendor or materialman for the Project.

As of this date, no mechanics’ or materialmen’s liens have been filed of record arising out of or related to the work performed by the undersigned.

Given under hand and seal this ____ day of _____, 20_____.

CONTRACTOR

By: _____

Title: _____

**STATE OF TENNESSEE
COUNTY OF SHELBY**

Before me, a notary public of the state and county mentioned, personally appeared _____, with whom I am personally acquainted, and who, upon oath, acknowledged such person to be _____, an officer authorized to execute the instrument, of _____, the within named bargainor, a corporation, and that such officer, as such _____, executed the foregoing instrument for the purposes therein contained, by personally signing the name of the corporation as _____.

Witness my hand and seal, at office, this ____ day of _____, 20_____.

Notary Public

My Commission Expires:

END OF SECTION 01772

**DIVISION 1 – SECTION 01774
CONTRACTOR WARRANTY FORM**

PROJECT: MSCAA Project No. 18-1421-01, Charles Baker Airport - RW 18 Approach Clearing-
Construction

LOCATION: Memphis International Airport, Shelby County, Tennessee

OWNER: Memphis-Shelby County Airport Authority

We _____, Contractor
(Company Name)

for the above-reference project, do hereby warrant all labor and materials furnished and work performed are in accordance with the Contract Documents and authorized modifications thereto, and will be free from defects due to defective materials or workmanship for a period of one year.

This warranty commences on _____ and expires on _____.

This warranty covers that portion of the project described below:

ALL MATERIALS, LABOR, AND EQUIPMENT IN CONNECTION WITH THE CONSTRUCTION OF THE FACILITIES OF THE ABOVE REFERENCED CONTRACT.

The Contractor shall promptly correct all defective Work to comply with the Contract Documents whether observed before or after the substantial completion date and whether or not fabricated, installed or completed. The Contractor shall bear all costs of correcting defective Work.

If, within one (1) year after the substantial completion date, or within such longer period of time as may be prescribed by law or by the terms of any applicable special guarantee or warranty required by the Contract Documents, any of the Work is found to be defective and not in accordance with the Contract Documents, the Contractor shall correct it promptly after receipt of a written notice from the Owner, or the Engineer to do so.

All defective or non-conforming Work shall be removed from the site of the Work if necessary, and the Work shall be corrected to comply with the Contract Documents without cost to the Owner. The Contractor also shall bear the cost of making good all work of other contractors destroyed or damaged by removal or correction of the defective Work of Contractor.

If the Contractor fails to timely and properly correct defective Work, the Owner may correct it and hold the Contractor liable for all costs, expenses and damages, including attorney’s fees and litigation costs incurred by Owner in correcting it.

In addition to the foregoing warranty, a warranty period of one (1) year shall apply under the same terms and conditions as the original warranty, to any work, supplied in correction of defective work under warranty pursuant to the provisions of this Section 17.04 and the Contractor shall assign to the Owner any warranties, including extended warranties, which are available in connection with the performance of such correction of defective Work. The warranty period shall commence on the date the Owner accepts the corrective Work of the Contractor.

DATE: _____ FOR: _____
(Company Name)

BY: _____
TITLE: _____

END OF SECTION 01774

THIS PAGE LEFT BLANK INTENTIONALLY.

DIVISION 1 – SECTION 01775

CONSENT OF SURETY COMPANY TO FINAL PAYMENT

To: Memphis-Shelby County Airport Authority
2491 Winchester Road, Suite 113
Memphis, TN. 38116-3856

Regarding Contract for: Charles Baker Airport - RW 18 Approach Clearing-Construction

Project: 18-1421-01

Dated: _____

CONTRACTOR: _____

In accordance with the provisions of the Contract between the Owner and the Contractor as indicated above, the

(here insert name and address of Surety Company)

_____, SURETY COMPANY,

on bond of _____

(here insert name and address of Contractor)

_____, CONTRACTOR,

hereby approves of the final payment to the Contractor, and agrees that final payment to the Contractor shall not relieve the Surety Company of any of its obligations to Memphis-Shelby County Airport Authority, OWNER.

IN WITNESS WHEREOF,
the Surety Company has hereunto set its hand this _____ day of _____, 20 _____

Surety Company

Signature of Authorized Representative

Attest:
(Seal):

Title

END OF SECTION 01775

THIS PAGE LEFT BLANK INTENTIONALLY.

ITEM C-102 TEMPORARY AIR AND WATER POLLUTION, SOIL EROSION, AND SILTATION CONTROL

DESCRIPTION

102-1. This item shall consist of temporary control measures as shown on the plans or as ordered by the Program Manager during the life of a contract to control pollution of air and water, soil erosion, and siltation through the use of silt fences, berms, dikes, dams, sediment basins, fiber mats, gravel, mulches, grasses, slope drains, and other erosion control devices or methods.

Temporary erosion control shall be in accordance with the approved erosion control plan; the approved Construction Safety and Phasing Plan (CSPP) and AC 150/5370-2, *Operational Safety on Airports During Construction*. The temporary erosion control measures contained herein shall be coordinated with the permanent erosion control measures specified as part of this contract to the extent practical to assure economical, effective, and continuous erosion control throughout the construction period.

Temporary control may include work outside the construction limits such as borrow pit operations, equipment and material storage sites, waste areas, and temporary plant sites.

Temporary control measures shall be designed, installed and maintained to minimize the creation of wildlife attractants that have the potential to attract hazardous wildlife on or near public-use airports.

102-2 Tennessee Department of Environment and Conservation. The Contractor must perform and certify that an inspection, as described in section 3.5.8.2 of the General Permit for Stormwater Discharges from Construction Activities (“Permit”) has been performed at least twice every calendar week and documented on form CN-1173 (Rev. 6-16), provided in the Contractor Storm Water Pollution Prevention Plan (SWPPP). The Contractor must certify the inspection of erosion and sediment controls and of outfall points was performed; and whether or not all planned and designed erosion and sediment controls are installed and in working order. The certification must be executed by a person who meets the signatory requirements described in Section(s) 3.5.8.2(g) and 7.7.2 of the General NPDES Permit for Discharges of Stormwater Associated with Construction Activities also referred to as the construction general permit (CGP). Inspections must be performed at least 72 hours apart. Inspection documentation will be maintained on-site and made available upon request. Inspection reports must be submitted to the Tennessee Department of Environment and Conservation (TDEC) – Division of Water Resources within 10 days of a request.

The record of inspections must be submitted to the following address:

Tennessee Department of Environmental and Conservation
Division of Water Resources – Memphis Environmental Field Office
8383 Wolf Lake Drive
Bartlett, TN 38133

MATERIALS

102-2.1 Grass. Grass that will not compete with the sod or grasses sown later for permanent cover per Item T-901 shall be a quick-growing species (such as cereal grasses) suitable to the area providing a temporary cover. Selected grass species shall not create a wildlife attractant. Seed mix shall be as follows:

Seed	Quantity (% by Weight)
Kentucky 31 Fescue	25
Bermuda Grass	25
Westerwold Ryegrass	50

Application Rate: 1.5lbs per 1,000SF

Permanent seeding per Spec T-901 will still be required if temporary seeding is placed.

102-2.2 Mulches. Mulches shall be a cellulose-fiber or wood-pulp, commercially available spray applied suitable material reasonably clean and free of noxious weeds and deleterious materials. Mulches shall not create a wildlife attractant.

102-2.3 Fertilizer. Fertilizer shall be a standard commercial grade and shall conform to all federal and state regulations, to the standards of the Association of Official Agricultural Chemists, and the requirements of Item T-901 Seeding.

102-2.4 Slope drains. Slope drains may be constructed of pipe, fiber mats, rubble, concrete, asphalt, or other materials that will adequately control erosion.

102-2.5 Silt fence. Silt fence shall consist of polymeric filaments which are formed into a stable network such that filaments retain their relative positions. Synthetic filter fabric shall contain ultraviolet ray inhibitors and stabilizers to provide a minimum of six months of expected usable construction life. Silt fence shall meet the requirements of ASTM D6461.

102-2.6 Other. All other materials shall meet commercial grade standards and shall be approved by the Program Manager before being incorporated into the project.

CONSTRUCTION REQUIREMENTS

102-3.1 General. In the event of conflict between these requirements and pollution control laws, rules, or regulations of other federal, state, or local agencies, the more restrictive laws, rules, or regulations shall apply.

The Program Manager shall be responsible for assuring compliance to the extent that construction practices, construction operations, and construction work are involved.

102-3.2 Schedule. Prior to the start of construction, the Contractor shall submit schedules and the plans for accomplishment of temporary and permanent erosion control work for clearing and grubbing; grading; construction; paving; and structures at watercourses. The Contractor shall also submit a proposed method of erosion and dust control on haul roads and borrow pits and a plan for disposal of waste materials. Work shall not be started until the erosion control schedules and methods of operation for the applicable construction have been accepted by the Program Manager.

102-3.3 Construction details. The Contractor will be required to incorporate all permanent erosion control features into the project at the earliest practicable time as outlined in the plans. Except where future construction operations will damage slopes, the Contractor shall perform the permanent seeding and mulching and other specified slope protection work in stages, as soon as substantial areas of exposed slopes can be made available. Temporary erosion and pollution control measures will be used to correct conditions that develop during construction that were not foreseen during the design stage; that are needed prior to installation of permanent control features; or that are needed temporarily to control erosion that develops during normal construction practices but are not associated with permanent control features on the project.

Where erosion may be a problem, schedule and perform clearing and grubbing operations so that grading operations and permanent erosion control features can follow immediately if project conditions permit. Temporary erosion control measures are required if permanent measures cannot immediately follow grading operations. The Program Manager shall limit the area of clearing and grubbing, excavation, borrow, and embankment operations in progress, commensurate with the Contractor's capability and progress in keeping the finish grading, mulching, sodding, and other such permanent control measures current with the accepted schedule. If seasonal limitations make such coordination unrealistic, temporary erosion control measures shall be taken immediately to the extent feasible and justified as directed by the Program Manager.

The Contractor shall provide immediate permanent or temporary pollution control measures to minimize contamination of adjacent streams or other watercourses, lakes, ponds, or other areas of water impoundment as directed by the Program Manager. If temporary erosion and pollution control measures are required due to the Contractor's negligence, carelessness, or failure to install permanent controls as a part of the work as scheduled or directed by the Program Manager, the work shall be performed by the Contractor and the cost shall be incidental to this item.

The Program Manager may increase or decrease the area of erodible earth material that can be exposed at any time based on an analysis of project conditions.

The erosion control features installed by the Contractor shall be maintained by the Contractor during the construction period.

Provide temporary structures whenever construction equipment must cross watercourses at frequent intervals. Pollutants such as fuels, lubricants, bitumen, raw sewage, wash water from concrete mixing operations, and other harmful materials shall not be discharged into any waterways, impoundments or into natural or manmade channels.

102-3.4 Installation, maintenance and removal of silt fence. Silt fences shall extend a minimum of 26 inches and a maximum of 34 inches above the ground surface. Posts shall be set no more than 10 feet on center. Filter fabric shall be cut from a continuous roll to the length required minimizing joints where possible. When joints are necessary, the fabric shall be spliced at a support post with a minimum 12-inch overlap and securely sealed. A trench shall be excavated approximately 6 inches deep by 4 inches wide on the upslope side of the silt fence. The trench shall be backfilled and the soil compacted over the silt fence fabric. The Contractor shall remove and dispose of silt that accumulates during construction and prior to establishment of permanent erosion control. The fence shall be maintained in good working condition until permanent erosion control is established. Silt fence shall be removed upon approval of the Program Manager.

102-3.5 Fugitive Dust Control. The Contractor shall be responsible for providing temporary measures as needed to adequately control fugitive dust during construction. Dust, as discussed herein, may be from blowing soil, or other such materials.

Several methods of controlling dust and other air pollutants include:

- a. Exposing the minimum area of erodible earth.
- b. Applying temporary mulch with or without seeding.
- c. Using water sprinkler trucks.
- d. Using covered haul trucks
- e. Using dust palliatives or penetration asphalt on haul roads.
- f. Using Plastic sheet coverings.

Dust control at an operational airfield is of the utmost importance because excessive dust can restrict sight distance and damage aircraft engines. The Program Manager reserves the right to shut down or restrict

construction operations when excessive dust, as determined by the Program Manager, could impact air navigation or airfield operations. Such a restriction or shut-down may not be the basis for additional costs or contract time.

The cost of temporary measures to control dust shall be incidental to the contract and no separate payment will be made for these measures.

102-3.6 Temporary Seeding. Temporary seeding should be applied using hydroseeding application consisting of a slurry of seed, fertilizer, mulch, and a tackifier.

The Contractor shall protect seeded areas against traffic or other use by warning signs or barricades, as approved by the Program Manager. Surfaces gullied or otherwise damaged following seeding shall be repaired by regrading and reseeding as directed.

The Contractor shall mow to keep grass at maximum 10" tall and otherwise maintain seeded areas in a satisfactory condition until temporary stabilization is no longer needed. If seeded areas do not germinate within 14 days of seeding the Contractor will be required to correct as directed by the Program Manager.

During times of drought, water shall be applied at a rate not causing runoff and erosion. The soil shall be thoroughly wetted to a depth that will ensure germination of the seed. Subsequent applications should be made as needed. Newly seeded areas require more water than more mature plants.

A grass stand shall be considered adequate when bare spots are one square foot (0.01 sq m) or less, randomly dispersed, and do not exceed 10% of the area seeded. If adequate coverage is not maintained, reapplication or supplementing with other forms of temporary stabilization will be required at the direction of the Program Manager.

Temporary Seeding is incidental, and no separate pay item provided

METHOD OF MEASUREMENT

102-4.1 Temporary erosion and pollution control work required will be performed as scheduled or directed by the Program Manager.

102-4.2 Control work performed for protection of construction areas outside the construction limits, such as borrow and waste areas, haul roads, equipment and material storage sites, and temporary plant sites, will not be measured and paid for directly but shall be considered as a subsidiary obligation of the Contractor.

BASIS OF PAYMENT

102-5.1 Accepted quantities of temporary water pollution, soil erosion, and siltation control work ordered by the Program Manager and measured as provided in paragraph 102-4.1 will be paid for under:

Item C-102-5.1 (2000-01)	Silt Fence – per Linear Foot
Item C-102-5.2 (2000-02)	Mulch Socks – per Linear Foot
Item C-102-5.3 (2000-03)	High Visibility Fence – per Linear Foot
Item C-102-5.4 (2000-04)	Construction Exit – per Each
Item C-102-5.5 (2000-05)	Culvert Inlet Protection – per Each
Item C-102-5.6 (2000-06)	Check Dam – per Each

Item C-102-5.7 (2000-07) Sediment Trap – per Each

Temporary Seeding is incidental, and no separate pay item provided

Where other directed work falls within the specifications for a work item that has a contract price, the units of work shall be measured and paid for at the contract unit price bid for the various items.

Temporary control features not covered by contract items that are ordered by the Program Manager will be paid for in accordance with Section 90, paragraph 90-05 *Payment for Extra Work*.

REFERENCES

The publications listed below form a part of this specification to the extent referenced. The publications are referred to within the text by the basic designation only.

Advisory Circulars (AC)

AC 150/5200-33 *Hazardous Wildlife Attractants on or Near Airports*

AC 150/5370-2 *Operational Safety on Airports During Construction*

ASTM International (ASTM)

ASTM D6461 *Standard Specification for Silt Fence Materials*

United States Department of Agriculture (USDA)

FAA/USDA Wildlife Hazard Management at Airports, A Manual for Airport Personnel

END OF ITEM C-102

Page Intentionally Blank

Item C-105 Mobilization

105-1 Description. This item of work shall consist of, but is not limited to, work and operations necessary for the movement of personnel, equipment, material and supplies to and from the project site for work on the project except as provided in the contract as separate pay items.

105-2 Mobilization limit. Mobilization shall be limited to 10% of project cost.

105-3 Posted notices. Prior to commencement of construction activities, the Contractor must post the following documents in a prominent and accessible place where they may be easily viewed by all employees of the prime Contractor and by all employees of subcontractors engaged by the prime Contractor: Equal Employment Opportunity (EEO) Poster “Equal Employment Opportunity is the Law” in accordance with the Office of Federal Contract Compliance Programs Executive Order 11246, as amended; Davis Bacon Wage Poster (WH 1321) - DOL “Notice to All Employees” Poster; and Applicable Davis-Bacon Wage Rate Determination. These notices must remain posted until final acceptance of the work by the Owner.

105-4 Engineer/RPR field office. An Engineer/RPR field office is not required.

METHOD OF MEASUREMENT

105-5 Basis of measurement and payment. Based upon the contract lump sum price for “Mobilization” partial payments will be allowed as follows:

- a. With first pay request, 50%.
- b. When 25% or more of the original contract is earned, an additional 25%.
- c. When 50% or more of the original contract is earned, an additional 25%.

END OF ITEM C-105

Page Intentionally Blank

Item P-151 Clearing and Grubbing

DESCRIPTION

151-1.1 This item shall consist of clearing or clearing and grubbing, including the disposal of materials, for all areas within the limits designated on the plans or as required by the Resident Project Representative (RPR).

a. Clearing shall consist of the cutting and removal of all trees, stumps, brush, logs, hedges, the removal of fences and other loose or projecting material from the designated areas. The grubbing of stumps and roots will not be required.

b. Clearing and grubbing shall consist of clearing the surface of the ground of the designated areas of all trees, stumps, down timber, logs, snags, brush, undergrowth, hedges, heavy growth of grass or weeds, fences, structures, debris, and rubbish of any nature, natural obstructions or such material which in the opinion of the RPR is unsuitable for the foundation of strips, pavements, or other required structures, including the grubbing of stumps, roots, matted roots, foundations, and the disposal from the project of all spoil materials resulting from clearing and grubbing.

c. Tree Removal. Tree Removal shall consist of the cutting and removal of isolated single trees or isolated groups of trees, and the grubbing of stumps and roots. The removal of all the trees of this classification shall be in accordance with the requirements for the particular area being cleared.

CONSTRUCTION METHODS

151-2.1 General. The areas denoted on the plans to be cleared shall be staked on the ground by the Contractor as indicated on the plans.

The removal of existing structures and utilities required to permit orderly progress of work shall be accomplished by local agencies, unless otherwise shown on the plans. Whenever a telephone pole, pipeline, conduit, sewer, roadway, or other utility is encountered and must be removed or relocated, the Contractor shall advise the RPR who will notify the proper local authority or owner to secure prompt action.

151-2.1.1 Disposal. All materials vegetation removed by clearing or by clearing and grubbing shall be hauled offsite for disposal or mulched by the Contractor, except when otherwise directed by the RPR. Mulched material remaining onsite shall be used for erosion control mulching. No burning of material will be permitted onsite. As far as practicable, waste concrete and masonry shall be placed on slopes of embankments or channels. When embankments are constructed of such material, this material shall be placed in accordance with requirements for formation of embankments. Any broken concrete or masonry that cannot be used in construction and all other materials not considered suitable for use elsewhere, shall be disposed of by the Contractor. In no case, shall any discarded materials be left in windrows or piles adjacent to or within the airport limits. The manner and location of disposal of materials shall be subject

to the approval of the RPR and shall not create an unsightly or objectionable view. When the Contractor is required to locate a disposal area outside the airport property limits, the Contractor shall obtain and file with the RPR permission in writing from the property owner for the use of private property for this purpose.

151-2.1.2 Blasting. Blasting shall not be allowed.

151-2.2 Clearing. The Contractor shall clear the staked or indicated area of all materials as indicated on the plans. Trees unavoidably falling outside the specified clearing limits must be cut up, removed, and disposed of in a satisfactory manner. To minimize damage to trees that are to be left standing, trees shall be felled toward the center of the area being cleared. The Contractor shall preserve and protect from injury all trees not to be removed. The trees, stumps, and brush shall be cut flush with the original ground surface. The grubbing of stumps and roots will not be required.

Fences shall be removed and disposed of as directed by the RPR. Fence wire shall be neatly rolled and the wire and posts stored on the airport if they are to be used again, or stored at a location designated by the RPR if the fence is to remain the property of a local owner or authority.

151-2.3 Clearing and grubbing. In areas designated to be cleared and grubbed, all stumps, roots, buried logs, brush, grass, and other unsatisfactory materials as indicated on the plans, shall be removed, except where embankments exceeding 3-1/2 feet (105 cm) in depth will be constructed outside of paved areas. For embankments constructed outside of paved areas, all unsatisfactory materials shall be removed, but sound trees, stumps, and brush can be cut off flush with the original ground and allowed to remain. Tap roots and other projections over 1-1/2 inches (38 mm) in diameter shall be grubbed out to a depth of at least 18 inches (0.5 m) below the finished subgrade or slope elevation.

Any buildings and miscellaneous structures that are shown on the plans to be removed shall be demolished or removed, and all materials shall be disposed of by removal from the site. The cost of removal is incidental to this item. The remaining or existing foundations, wells, cesspools, and like structures shall be destroyed by breaking down the materials of which the foundations, wells, cesspools, etc., are built to a depth at least 2 feet (60 cm) below the existing surrounding ground. Any broken concrete, blocks, or other objectionable material that cannot be used in backfill shall be removed and disposed of at the Contractor's expense. The holes or openings shall be backfilled with acceptable material and properly compacted.

All holes in embankment areas remaining after the grubbing operation shall have the sides of the holes flattened to facilitate filling with acceptable material and compacting. The same procedure shall be applied to all holes remaining after grubbing in areas where the depth of holes exceeds the depth of the proposed excavation.

See sheet C-1 for information on Phase 1 clearing and grubbing.

151-2.4 Select Cutting/Topping. See sheet C-1 for information on Phase 2 select cutting/topping.

METHOD OF MEASUREMENT

151-3.1 The quantities of clearing as shown by the limits on the plans shall be the number of acres or fractions thereof of land specifically cleared.

151-3.2 The quantities of select cutting as shown by the limits on the plans shall be the number of acres or fractions thereof of land specifically cleared.

151-3.3 The quantity of tree removal as shown on the plans shall be the number of acres or fractions thereof of land specifically cleared

BASIS OF PAYMENT

151-4.1 Payment shall be made at the contract unit price per acre for clearing (Phase 1). This price shall be full compensation for furnishing all materials and for all labor, equipment, tools, and incidentals necessary to complete the item.

151-4.2 Payment shall be made at the contract unit price per acre for select cutting (Phase 2). This price shall be full compensation for furnishing all materials and for all labor, equipment, tools, and incidentals necessary to complete the item.

151-4.3 Payment shall be made at the contract unit price per acre for tree removal. This price shall be full compensation for furnishing all materials and for all labor, equipment, tools, and incidentals necessary to complete the item.

Payment will be made under:

- Item P151-4.1 (2000-09) Clearing (Phase 1) – per acre
- Item P-151-4.2 (2000-10) Select Cutting (Phase 2) – per acre
- Item P-151-4.3 (2000-14) Tree Removal from Site – per acre

END OF ITEM P-151

THIS PAGE LEFT BLANK INTENTIONALLY.

Item T-901 Seeding

901-1.1 This item shall consist of soil preparation, seeding, and fertilizing the areas shown on the plans or as directed by the RPR in accordance with these specifications.

MATERIALS

901-2.1 Seed. The species and application rates of grass, legume, and cover-crop seed furnished shall be those stipulated herein. Seed shall conform to the requirements of Federal Specification JJJ-S-181, Federal Specification, Seeds, Agricultural.

Seed shall be furnished separately or in mixtures in standard containers labeled in conformance with the Agricultural Marketing Service (AMS) Seed Act and applicable state seed laws with the seed name, lot number, net weight, percentages of purity and of germination and hard seed, and percentage of maximum weed seed content clearly marked for each kind of seed. The Contractor shall furnish the RPR duplicate signed copies of a statement by the vendor certifying that each lot of seed has been tested by a recognized laboratory for seed testing within six (6) months of date of delivery. This statement shall include: name and address of laboratory, date of test, lot number for each kind of seed, and the results of tests as to name, percentages of purity and of germination, and percentage of weed content for each kind of seed furnished, and, in case of a mixture, the proportions of each kind of seed. Wet, moldy, or otherwise damaged seed will be rejected.

Seeds shall be applied as follows:

Seed Properties and Rate of Application

Permanent Seed Mixture (October 1 – May 1)

Seed	Quantity (% by Weight)
Kentucky 31 Fescue	70
Westerwold Ryegrass	20
Bermudagrass (hulled)	10

Application Rate: 2lbs per 1,000SF

Permanent Seed Mixture (May 1 – October 1)

Seed	Quantity (% by Weight)
Bermudagrass (hulled)	70
Centipedegrass	10
Westerwold Ryegrass	20

Application Rate: 2lbs per 1,000SF

If October 1 to May 1 seed mixture is applied, the contractor shall oversee the area the following spring, with the following additional seed mixture,

Additional Seed Mixture

Seed	Quantity (% by Weight)
Bermudagrass (hulled)	100%

Application Rate: 1lbs per 1,000SF

901-2.2 Lime. Not required.

901-2.3 Fertilizer. Fertilizer shall be standard commercial fertilizers supplied separately or in mixtures containing the percentages of total nitrogen, available phosphoric acid, and water-soluble potash. They shall be applied at the rate and to the depth specified, and shall meet the requirements of applicable state laws. They shall be furnished in standard containers with name, weight, and guaranteed analysis of contents clearly marked thereon. No cyanamide compounds or hydrated lime shall be permitted in mixed fertilizers.

The fertilizers may be supplied in one of the following forms:

- a. A dry, free-flowing fertilizer suitable for application by a common fertilizer spreader;
- b. A finely-ground fertilizer soluble in water, suitable for application by power sprayers; or
- c. A granular or pellet form suitable for application by blower equipment.

Fertilizers shall be commercial fertilizer and shall be spread at the manufacturer's rate

901-2.4 Soil for repairs. The soil for fill and topsoiling of areas to be repaired shall be at least of equal quality to that which exists in areas adjacent to the area to be repaired. The soil shall be relatively free from large stones, roots, stumps, or other materials that will interfere with subsequent sowing of seed, compacting, and establishing turf, and shall be approved by the RPR before being placed.

CONSTRUCTION METHODS

901-3.1 Advance preparation and cleanup. After grading of areas has been completed and before applying fertilizer and ground limestone, areas to be seeded shall be raked or otherwise cleared of stones larger than 2 inches (50 mm) in any diameter, sticks, stumps, and other debris that might interfere with sowing of seed, growth of grasses, or subsequent maintenance of grass-covered areas. If any damage by erosion or other causes has occurred after the completion of grading and before beginning the application of fertilizer and ground limestone, the Contractor shall repair such damage include filling gullies, smoothing irregularities, and repairing other incidental damage.

An area to be seeded shall be considered a satisfactory seedbed without additional treatment if it has recently been thoroughly loosened and worked to a depth of not less than 5 inches (125 mm) as a result of grading operations and, if immediately prior to seeding, the top 3 inches (75 mm) of soil is loose, friable, reasonably free from large clods, rocks, large roots, or other undesirable matter, and if shaped to the required grade.

When the area to be seeded is sparsely sodded, weedy, barren and unworked, or packed and hard, any grass and weeds shall first be cut or otherwise satisfactorily disposed of, and the soil then scarified or otherwise loosened to a depth not less than 5 inches (125 mm). Clods shall be broken and the top 3 inches (75 mm) of soil shall be worked into a satisfactory seedbed by discing, or by use of cultipackers, rollers, drags, harrows, or other appropriate means.

901-3.2 Dry application method.

a. Liming. Not required.

b. Fertilizing. Following advance preparations and cleanup fertilizer shall be uniformly spread at the rate that will provide not less than the minimum quantity stated in paragraph 901-2.3.

c. Seeding. Grass seed shall be sown at the rate specified in paragraph 901-2.1 immediately after fertilizing. The fertilizer and seed shall be raked within the depth range stated in the special provisions. Seeds of legumes, either alone or in mixtures, shall be inoculated before mixing or sowing, in accordance with the instructions of the manufacturer of the inoculant. When seeding is required at other than the seasons shown on the plans or in the special provisions, a cover crop shall be sown by the same methods required for grass and legume seeding.

d. Rolling. After the seed has been properly covered, the seedbed shall be immediately compacted by means of an approved lawn roller, weighing 40 to 65 pounds per foot (60 to 97 kg per meter) of width for clay soil (or any soil having a tendency to pack), and weighing 150 to 200 pounds per foot (223 to 298 kg per meter) of width for sandy or light soils.

e. Mulching. Mulch shall be wood pulp/chips. Straw or hay will not be allowed due to chance for creating a wildlife attractant. Wood mulch shall be placed at a thickness that will not prevent seed germination and growth.

901-3.3 Wet application method.

a. General. The Contractor may elect to apply seed and fertilizer (and lime, if required) by spraying them on the previously prepared seedbed in the form of an aqueous mixture and by using the methods and equipment described herein. The rates of application shall be as specified in the special provisions.

b. Spraying equipment. The spraying equipment shall have a container or water tank equipped with a liquid level gauge calibrated to read in increments not larger than 50 gallons (190 liters) over the entire range of the tank capacity, mounted so as to be visible to the nozzle operator. The container or tank shall also be equipped with a mechanical power-driven agitator capable of keeping all the solids in the mixture in complete suspension at all times until used.

The unit shall also be equipped with a pressure pump capable of delivering 100 gallons (380 liters) per minute at a pressure of 100 lb / sq inches (690 kPa). The pump shall be mounted in a line that will recirculate the mixture through the tank whenever it is not being sprayed from the nozzle. All pump passages and pipe lines shall be capable of providing clearance for 5/8 inch (16 mm) solids. The power unit for the pump and agitator shall have controls mounted so as to be accessible to the nozzle operator. There shall be an indicating pressure gauge connected and mounted immediately at the back of the nozzle.

The nozzle pipe shall be mounted on an elevated supporting stand in such a manner that it can be rotated through 360 degrees horizontally and inclined vertically from at least 20 degrees below to at least 60 degrees above the horizontal. There shall be a quick-acting, three-way control valve connecting the recirculating line to the nozzle pipe and mounted so that the nozzle operator can control and regulate the amount of flow of mixture delivered to the nozzle. At least three different types of nozzles shall be supplied so that mixtures may be properly sprayed over distance varying from 20 to 100 feet (6 to 30 m). One shall be a close-range ribbon nozzle, one a medium-range ribbon nozzle, and one a long-range jet

nozzle. For case of removal and cleaning, all nozzles shall be connected to the nozzle pipe by means of quick-release couplings.

In order to reach areas inaccessible to the regular equipment, an extension hose at least 50 feet (15 m) in length shall be provided to which the nozzles may be connected.

c. Mixtures. Lime, if required, shall be applied separately, in the quantity specified, prior to the fertilizing and seeding operations. Not more than 220 pounds (100 kg) of lime shall be added to and mixed with each 100 gallons (380 liters) of water. Seed and fertilizer shall be mixed together in the relative proportions specified, but not more than a total of 220 pounds (100 kg) of these combined solids shall be added to and mixed with each 100 gallons (380 liters) of water.

All water used shall be obtained from fresh water sources and shall be free from injurious chemicals and other toxic substances harmful to plant life. The Contractor shall identify to the RPR all sources of water at least two (2) weeks prior to use. The RPR may take samples of the water at the source or from the tank at any time and have a laboratory test the samples for chemical and saline content. The Contractor shall not use any water from any source that is disapproved by the RPR following such tests.

All mixtures shall be constantly agitated from the time they are mixed until they are finally applied to the seedbed. All such mixtures shall be used within two (2) hours from the time they were mixed or they shall be wasted and disposed of at approved locations.

d. Spraying. Lime, if required, shall be sprayed only upon previously prepared seedbeds. After the applied lime mixture has dried, the lime shall be worked into the top 3 inches (75 mm), after which the seedbed shall again be properly graded and dressed to a smooth finish.

Mixtures of seed and fertilizer shall only be sprayed upon previously prepared seedbeds on which the lime, if required, shall already have been worked in. The mixtures shall be applied by means of a high-pressure spray that shall always be directed upward into the air so that the mixtures will fall to the ground like rain in a uniform spray. Nozzles or sprays shall never be directed toward the ground in such a manner as might produce erosion or runoff.

Particular care shall be exercised to ensure that the application is made uniformly and at the prescribed rate and to guard against misses and overlapped areas. Proper predetermined quantities of the mixture in accordance with specifications shall be used to cover specified sections of known area.

Checks on the rate and uniformity of application may be made by observing the degree of wetting of the ground or by distributing test sheets of paper or pans over the area at intervals and observing the quantity of material deposited thereon.

On surfaces that are to be mulched as indicated by the plans or designated by the RPR, seed and fertilizer applied by the spray method need not be raked into the soil or rolled. However, on surfaces on which mulch is not to be used, the raking and rolling operations will be required after the soil has dried.

e. Mulches. Mulches shall be a cellulose-fiber or wood-pulp, commercially available spray applied suitable material reasonably clean and free of noxious weeds and deleterious materials. Mulches shall not create a wildlife attractant.

901-3.4 Maintenance of seeded areas. The Contractor shall protect seeded areas against traffic or other use by warning signs or barricades, as approved by the RPR. Surfaces gullied or otherwise damaged following seeding shall be repaired by regrading and reseeding as directed. The Contractor shall mow, water as directed, and otherwise maintain seeded areas in a satisfactory condition until final inspection and acceptance of the work.

When either the dry or wet application method outlined above is used for work done out of season, it will be required that the Contractor establish a good stand of grass of uniform color and density to the

satisfaction of the RPR. A grass stand shall be considered adequate when bare spots are one square foot (0.01 sq m) or less, randomly dispersed, and do not exceed 3% of the area seeded.

If seeded areas do not germinate within 14 days of seeding the Contractor will be required to correct as directed by the Program Manager.

During times of drought, water shall be applied at a rate not causing runoff and erosion. The soil shall be thoroughly wetted to a depth that will ensure germination of the seed. Subsequent applications should be made as needed. Newly seeded areas require more water than more mature plants.

A grass stand shall be considered adequate when bare spots are one square foot (0.01 sq m) or less, randomly dispersed, and do not exceed 10% of the area seeded. If adequate coverage is not maintained, reapplication or supplementing with other forms of permanent stabilization will be required at the direction of the Program Manager.

The Contractor can determine seeding method (dry vs wet/hydroseeding). However, if the method chosen either creates a wildlife attractant or fails to establish adequate vegetation, the Program Manager can direct the Contractor to utilize a different seeding method.

METHOD OF MEASUREMENT

901-4.1 The quantity of seeding (including mulching) to be paid for shall be the number of units acre measured on the ground surface, completed and accepted.

BASIS OF PAYMENT

901-5.1 Payment shall be made at the contract unit price per acre or fraction thereof, which price and payment shall be full compensation for furnishing and placing all material and for all labor, equipment, tools, and incidentals necessary to complete the work prescribed in this item.

Payment will be made under:

Item 901-5.1 (2000-12) Seeding with mulch - per **acre**

REFERENCES

The publications listed below form a part of this specification to the extent referenced. The publications are referred to within the text by the basic designation only.

ASTM International (ASTM)

ASTM C602 Standard Specification for Agricultural Liming Materials

Federal Specifications (FED SPEC)

FED SPEC JJJ-S-181, Federal Specification, Seeds, Agricultural

Advisory Circulars (AC)

AC 150/5200-33 Hazardous Wildlife Attractants on or Near Airports

FAA/United States Department of Agriculture

Wildlife Hazard Management at Airports, A Manual for Airport Personnel

END OF ITEM T-901