

**DIVISION 0 – SECTION 00405**

**PROPOSAL**

Project Identification: **East Parking Lot Expansion - Phase 5 - Construction**

Contract Number: MSCAA Project No. **23-1469-03**

**For Overnight Courier  
or Hand Delivery Submit to:**

Memphis-Shelby County Airport Authority  
Memphis International Airport  
Procurement Department  
4150 Louis Carruthers Drive  
Memphis, Tennessee 38118

1. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an agreement with Owner in the form included in the Contract Documents to perform and furnish all Work as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid and in accordance with other terms and conditions of the Contract Documents.
2. Bidder accepts all of the terms and conditions of the Legal Notice to Bidders and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for seventy-five (75) days after the day of Bid opening. Bidder will sign and submit the Construction Contract with the Bonds and other documents required by the Bidding Requirements, within ten (10) days after the date of Owner's Notice of Award.
3. In submitting this Bid, Bidder represents, as more fully set forth in the Contract that:

- (a) Bidder has examined copies of all the Bidding Documents and of the following Addenda (receipt of all which is hereby acknowledged):

| Date  | Number |
|-------|--------|
| _____ | _____  |
| _____ | _____  |
| _____ | _____  |
| _____ | _____  |
| _____ | _____  |
| _____ | _____  |
| _____ | _____  |
| _____ | _____  |
| _____ | _____  |

- (b) Bidder has familiarized itself with the nature and extent of the Contract Documents, Work, site, locality, and all local conditions and Laws and Regulations that in any manner may affect cost, progress, performance or furnishing of the Work.

- (c) Bidder has studied carefully all reports and drawings of subsurface conditions and drawings of physical conditions which are identified in Division 0 and Division 1 Specifications, and accepts the determination set forth in General Provision Section 20 paragraph 20-06 of the extent of the technical data contained in such reports and drawings upon which Bidder is entitled to rely.
- (d) Bidder has obtained and carefully studied (or assumes responsibility for obtaining and carefully studying) all such examinations, investigations, explorations, tests and studies (in addition to or to supplement those referred to in (c) above) which pertain to the subsurface or physical conditions at the site or otherwise may affect the cost, progress, performance or furnishing of the Work at the Contract Price, within the Contract Time and in accordance with other terms and conditions of the Contract Documents, including specifically the provisions of General Provision Section 20 paragraph 20-06; and no additional examination, investigations, explorations, tests, reports or similar information or data are or will be required by Bidder for such purposes.
- (e) Bidder has reviewed and checked all information and data shown or indicated on the Contract Documents with respect to existing Underground Facilities at or contiguous to the site and assumes responsibility for the accurate location of said Underground Facilities. No additional examinations, investigations, explorations, tests, reports or similar information or data in respect of said Underground Facilities are or will be required by Bidder in order to perform and furnish the Work at the Contract Price, within the Contract Time and in accordance with the other terms and conditions of the Contract Documents.
- (f) Bidder has correlated the results of all such observations, examinations, investigations, explorations, tests, reports and studies with the terms and conditions of the Contract Documents.
- (g) Bidder has given Owner or Engineer written notice of all conflicts, errors or discrepancies that it has discovered in the Contract Documents and the written resolution thereof by Owner or Engineer is acceptable to Bidder.
- (h) This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; Bidder has not solicited or induced any person, firm or corporation to refrain from bidding; and Bidder has not sought by collusion to obtain for itself any advantage over any other Bidder or over Owner.

4. Bidder will complete Base Bid Work for the following price(s).

**UNIT PRICE SCHEDULE – BASE BID**

| SPECIFICATIONS |            |  |      |          |            |                  |
|----------------|------------|--|------|----------|------------|------------------|
| ITEM NO.       | ITEM CODE  | ITEM   | UNIT | EST. QTY | UNIT PRICE | TOTAL EST. PRICE |
| 1              | C-102-5.1  | CATCH BASIN PROTECTION TYPE D (TDOT EC-STR-19)   | EA   | 9        | \$         | \$               |
| 2              | C-105-5.1  | MOBILIZATION (10%)   | LS   | 1        | \$         | \$               |
| 3              | P-101-5.1  | DEMOLITION AND REMOVAL OF CURB & GUTTER (ALL SIZES)  | LF   | 203      | \$         | \$               |
| 4              | P-101-5.2  | DEMOLITION AND REMOVAL EXTRUDED CURB   | LF   | 905      | \$         | \$               |
| 5              | P-101-5.3  | REMOVAL OF EXISTING PAVEMENT MARKINGS  | LF   | 7,000    | \$         | \$               |
| 6              | P-101-5.4  | REMOVAL OF EXISTING PAVEMENT MARKING SYMBOLS   | EA   | 27       | \$         | \$               |
| 7              | P-101-5.5  | CHAIN LINK FENCE DEMOLITION - 10' TALL AOA FENCE   | LF   | 220      | \$         | \$               |
| 8              | P-101-5.6  | CHAIN LINK FENCE DEMOLITION - 6' CHAIN LINK FENCE  | LF   | 955      | \$         | \$               |
| 9              | P-101-5.7  | BITUMINOUS CONCRETE PAVEMENT DEMOLITION - 8" OR LESS   | SY   | 124      | \$         | \$               |
| 10             | P-101-5.8  | PORTLAND CEMENT CONCRETE PAVEMENT DEMOLITION - 8" THICK FULL DEPTH                                     | SY   | 350      | \$         | \$               |
| 11             | P-101-5.9  | DEMOLITION AND REMOVAL OF EXISTING CONCRETE WHEEL STOPS  | EA   | 65       | \$         | \$               |
| 12             | P-101-5.10 | REMOVE TEMPORARY CROSSWALK AND RESTORE MEDIANS   | EA   | 1        | \$         | \$               |
| 13             | P-101-5.11 | DEMOLITION AND REMOVAL OF EXISTING SIDEWALK  | SY   | 80       | \$         | \$               |
| 14             | P-101-5.12 | DEMOLITION AND REMOVAL OF EXISTING OVERHEAD CANOPY (ENTRANCE PLAZA)                                    | EA   | 1        | \$         | \$               |
| 15             | P-610-6.1  | INSTALLATION OF EXTRUDED CURB  | LF   | 2,250    | \$         | \$               |
| 16             | P-610-6.2  | INSTALLATION OF 6-18 CONCRETE CURB AND GUTTER  | LF   | 343      | \$         | \$               |
| 17             | P-610-6.3  | INSTALLATION OF 4" SIDEWALK  | SF   | 925      | \$         | \$               |
| 18             | P-610-6.4  | CONCRETE PEDESTRIAN RAMP AND LANDINGS  | EA   | 1        | \$         | \$               |
| 19             | P-610-6.5  | 8" CONCRETE DRIVEWAY PAVEMENT  | SY   | 135      | \$         | \$               |
| 20             | P-610-6.6  | 6" CONCRETE ISLAND FOR GATE EQUIPMENT  | SY   | 80       | \$         | \$               |
| 21             | F-162-5.1  | BOLLARDS, 8" DIA.  | EA   | 57       | \$         | \$               |
| 22             | F-162-5.2  | ADA COMPLIANT HANDRAILS  | LF   | 188      | \$         | \$               |
| 23             | F-162-5.3  | CHAIN LINK FENCE (PERMANENT AOA FENCE) (10' TALL W/DBL ARM, 6 STRAND BARB WIRE & RAZOR RIBBON          | LF   | 355      | \$         | \$               |
| 24             | F-162-5.4  | CHAIN LINK FENCE (TEMPORARY AOA FENCE) (6' TALL W/3-STRAND BARB WIRE) (MOUNTED ON CONCRETE BARRICADES) | LF   | 400      | \$         | \$               |

|    |            |   |    |       |    |    |
|----|------------|---|----|-------|----|----|
| 25 | F-162-5.5  | CHAIN LINK FENCE (NON-AOA FENCE) (6' TALL W/3-STRAND BARB WIRE) (MOUNTED ON GRADE)                  | LF | 72    | \$ | \$ |
| 26 | F-162-5.6  | ORNAMENTAL FENCE  | LF | 694   | \$ | \$ |
| 27 | F-162-5.7  | CHAIN LINK FENCE MANUAL DOUBLE SWING GATE (AOA) (10' TALL, 24' TOTAL WIDTH)                         | EA | 2     | \$ | \$ |
| 28 | F-162-5.8  | CHAIN LINK FENCE AUTOMATED SINGLE SLIDING GATE (AOA) (10' TALL, 24' TOTAL WIDTH)                    | EA | 1     | \$ | \$ |
| 29 | T-904-5.1  | SODDING   | SY | 1,550 | \$ | \$ |
| 30 | T-905-5.1  | TOPSOIL   | SY | 1,550 | \$ | \$ |
| 31 | A-101-3.1  | CRUSHED AGGREGATE BASE COURSE - 8" THICK  | SY | 135   | \$ | \$ |
| 32 | A-101-3.2  | INSTALLATION OF CONCRETE WHEEL STOPS  | EA | 74    | \$ | \$ |
| 33 | A-101-3.3  | PAVEMENT MARKINGS (YELLOW)  | SF | 855   | \$ | \$ |
| 34 | A-101-3.4  | PAVEMENT MARKINGS (WHITE)   | SF | 7,208 | \$ | \$ |
| 36 | A-101-3.5  | PAVEMENT MARKINGS (BLUE)  | SF | 3,800 | \$ | \$ |
| 37 | A-101-3.6  | INSTALL NEW STOP SIGN (R1-1)  | EA | 3     | \$ | \$ |
| 38 | A-101-3.7  | INSTALL "CROSS TRAFFIC DOES NOT STOP" SIGN (W4-4P)  | EA | 1     | \$ | \$ |
| 39 | A-101-3.8  | INSTALL ADA PARKING SIGNAGE (R7-8)  | EA | 41    | \$ | \$ |
| 40 | A-102-3.1  | CONSTRUCTION ACCESS, PROJECT SECURITY, AND STAGING AREA (5%)  | LS | 1     | \$ | \$ |
| 41 | A-102-3.2  | MAINTENANCE OF TRAFFIC (5%)   | LS | 1     | \$ | \$ |
| 42 | A-103-5.1a | INSTALL NEW CANOPY STRUCTURE INCLUDING FOUNDATIONS (50' x 25') (PANEL BUILT INC. OR APPROVED EQUAL) | LS | 1     | \$ | \$ |
| 43 | A-103-5.1b | INSTALL NEW CANOPY STRUCTURE INCLUDING FOUNDATIONS (30' x 25') (PANEL BUILT INC. OR APPROVED EQUAL) | LS | 1     | \$ | \$ |
| 44 | A-103-5.2a | INSTALL NEW PARKING GATE CONTROL ARMS   | EA | 6     | \$ | \$ |
| 45 | A-103-5.2b | RELOCATE EXISTING PARKING GATE CONTROL ARMS   | EA | 2     | \$ | \$ |
| 46 | A-103-5.3a | INSTALL NEW TICKETING EQUIPMENT   | EA | 6     | \$ | \$ |
| 47 | A-103-5.3b | RELOCATE EXISTING TICKETING EQUIPMENT   | EA | 2     | \$ | \$ |
| 48 | A-103-5.4  | INSTALL NEW PLATE BARRIER SYSTEM  | EA | 3     | \$ | \$ |
| 49 | A-103-5.5  | INSTALL NEW TIGER TEETH SYSTEM  | EA | 5     | \$ | \$ |
| 50 | A-103-5.6  | INSTALL NEW SURFACE MOUNTED BUS SHELTER (5' x 15')  | EA | 5     | \$ | \$ |
| 51 | A-103-5.7  | INSTALL ELECTRICAL CONDUIT AND CABLE IN EXISTING PAVEMENT OR TURF (ALL SIZES)                       | LF | 2,615 | \$ | \$ |
| 52 | A-103-5.8a | INSTALL HIGH MAST LIGHTING (INCL. FOUNDATIONS, POLES, FIXTURES, & CONNECTIONS)                      | EA | 14    | \$ | \$ |
| 53 | A-103-5.8b | INSTALL SURFACE MOUNTED LIGHTING (INCL. WIRING, MOUNTING, FIXTURES, & CONNECTIONS)                  | EA | 22    | \$ | \$ |
| 54 | A-103-5.9  | INSTALL FIBER OPTIC CONDUIT AND CABLE IN EXISTING PAVEMENT OR TURF (ALL SIZES)                      | LF | 1,251 | \$ | \$ |

|  |       |                                      |       |   |              |              |
|--|-------|--------------------------------------|-------|---|--------------|--------------|
| 55   | 01210 | POWER AND CONTROL FOR AUTOMATED GATE | ALLOW | 1 | \$ 30,000.00 | \$ 30,000.00 |
| <b>CONTRACT BASE BID TOTAL (TOTAL OF LINES 1-55)</b> |       |                                      |       |   |              | \$           |

**CONTRACT BASE BID TOTAL (TOTAL OF LINE ITEMS 1-55):**

\_\_\_\_\_ (use words) \_\_\_\_\_

(\$ \_\_\_\_\_)

5. The Owner reserves the right to reject any or all bids in whole or in part and to waive any informalities, technicalities, or omissions therein.

It is intention of the Owner to award a contract based upon the lowest responsive bid on the lump sum base bid. Bidder understands and agrees that, after a review of all the bids, the Owner will select the lump sum base bid that best suits the Owner's needs within the sole discretion of the Owner.

6. Bidder agrees that the Work: will be completed and ready for final payment within the calendar days (as described in Section 01100) after the date when the Contract Time commences to run. Bidder accepts the provisions of the Contract as to liquidated damages in the event of failure to complete the Work on time.

7. See Section 00200, INSTRUCTIONS TO BIDDERS, for a complete list of documents that are made a condition of this Bid.

8. Communications concerning this Bid shall be addressed to: \_\_\_\_\_ (Printed Name)

The address of Bidder indicated above, or

the following address: \_\_\_\_\_

email address: \_\_\_\_\_

9. The terms used in this Bid which are defined in General Provision Section 10 of the Specifications included as part of the Contract Documents have the meanings assigned to them in the Division 0 and Division 1 Specifications.

Submitted on \_\_\_\_\_, 20\_\_\_\_.

- 10. The undersigned Bidder confirms that (1) neither Bidder nor any of Bidder’s potential subcontractors or suppliers have pending claims or litigation, arbitration, or other dispute resolution proceedings where the Owner and Bidder or Bidder’s potential subcontractors or suppliers are parties; or (2) such claims or proceedings are pending and Bidder is disclosing same through its own writing and/or the writing of Bidder’s potential subcontractors or suppliers and submitting same to Owner with this proposal submittal.

If Bidder is:

An Individual

\_\_\_\_\_  
(Individual's Printed Name)

\_\_\_\_\_  
(Individual's Signature)

doing business as: \_\_\_\_\_

Business address: \_\_\_\_\_

\_\_\_\_\_

Phone No.: \_\_\_\_\_ FAX No. \_\_\_\_\_ E-Mail \_\_\_\_\_

A Partnership

\_\_\_\_\_  
(Firm Name)

By: \_\_\_\_\_  
(Signature of General Partner and Printed Name)

Business address: \_\_\_\_\_

\_\_\_\_\_

Phone No.: \_\_\_\_\_ FAX No. \_\_\_\_\_ E-Mail \_\_\_\_\_

A Corporation

\_\_\_\_\_  
(Corporation Name)

By: \_\_\_\_\_ Title: \_\_\_\_\_  
(Signature of person authorized to sign)

\_\_\_\_\_  
(Printed Name)

(Corporate Seal)

Attest: \_\_\_\_\_  
(Signature of Secretary) (Printed Name)

\_\_\_\_\_  
(State of Incorporation)

Business address: \_\_\_\_\_

\_\_\_\_\_

Phone No.: \_\_\_\_\_ FAX No. \_\_\_\_\_ E-Mail \_\_\_\_\_

A Joint Venture

\_\_\_\_\_  
(Joint Venture)

By: \_\_\_\_\_  
(Signature of Joint Venturer) (Printed Name)

\_\_\_\_\_  
(Address)

Phone No.: \_\_\_\_\_ FAX No. \_\_\_\_\_ E-Mail \_\_\_\_\_

By: \_\_\_\_\_  
(Signature of Joint Venturer) (Printed Name)

\_\_\_\_\_  
(Address)

Phone No.: \_\_\_\_\_ FAX No. \_\_\_\_\_ E-Mail \_\_\_\_\_

(Each joint venturer must sign. The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated above).

**END OF SECTION 00405**