

**CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

MSCAA PROJECT NO. 25-1486-01

THIS CONSTRUCTION CONTRACT (hereinafter referred to as "Contract") is made and entered into as of _____, 2026, between MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY, a body politic and corporate under the laws of Tennessee (hereinafter referred to as "**Owner**" or "**Sponsor**") doing business at 2491 Winchester Road, Suite 113, Memphis, Tennessee 38116-3856, and {insert **CONTRACTOR NAME**}, a {insert **LEGAL ENTITY TYPE and STATE**} doing business at {insert Contractor address}, (hereinafter referred to as "**Contractor**"). Owner and Contractor may sometimes be referred to herein individually as "Party" or collectively as "Parties."

RECITALS

WHEREAS, the Owner desires to have constructed certain work in Memphis, Tennessee, more particularly described as Runway 18R Precision Approach Path Indicator (PAPI) - Construction, MSCAA Project No. 25-1486-01 (herein referred to as "the Project"); and

WHEREAS, the Contractor desires to enter into this Contract as an independent contractor and is ready, willing and able to construct the Project in accordance with the terms and subject to the conditions of this Contract; and

WHEREAS, if applicable, the "Program Manager" is to act as the Owner's representative, and the Owner will advise the Contractor in writing of the name of the Program Manager; and

WHEREAS, if applicable, the "Engineer" is the Owner's representative with responsibility for design of the technical specifications, and the Owner will advise the Contractor in writing of the name of the Engineer; and

NOW, THEREFORE, in consideration of good and valuable consideration, received or to be received, the sufficiency of which the Parties acknowledge, the Parties agree as follows:

ARTICLE 1

SCOPE OF THE WORK AND TERM OF AGREEMENT

Section 1.01. Scope of the Work. The general scope of the work is more particularly described in Exhibit A, which is attached hereto and incorporated herein by reference. Contractor agrees that the Project shall be constructed in accordance with the terms of this Contract and the "Contract Documents" as defined in Article 2 of this Contract. The term "Work" includes, but is not limited to, all labor, materials, supplies, tools, equipment and services necessary to construct the Project as described in the Contract Documents, whether or not all materials and equipment are incorporated or will be incorporated in the Project; and all Work deemed necessary to fully close the Project including demobilization.

Section 1.02. Term of Contract and Completion. The term of this Contract shall commence upon Owner's issuance of the Notice to Proceed pursuant to Section 3.01 and shall continue until the Work is completed in accordance with the Contract Documents, unless earlier terminated by the provisions set forth in Section 23 of this Contract.

ARTICLE 2

CONTRACT DOCUMENTS

Section 2.01. Definition. The "Contract Documents" form the Contract for the Work. The Contract Documents comprise of:

- (a) This Construction Contract (and all Exhibits referred to herein or attached hereto)
- (b) Addenda (with those of later-date having precedence over those of earlier date)
- (c) Advertisement for Bids/Proposals
- (d) Instructions to Bidders
- (e) Specifications
- (f) Drawings/Plans/Exhibits/Sketches
- (g) General Contract Provisions
- (h) Contractor's Bid/Proposal
- (i) Cited standards for materials or testing
- (j) Other written requirements and other documents that may be required to describe and define the Work.

As used in this Contract, a "Modification" to Contract Documents after contract execution is either:

- (a) a written and signed Contract Amendment to this Contract; or
- (b) an accepted Request for Proposal ("RFP"); or
- (c) an Engineer's Supplemental Instruction ("ESI"); or
- (d) a Construction Change Directive (as defined in Section 9.02(c) of this Contract).

Section 2.02. Intent of Contract Documents. The intent of the Contract Documents is to include all items necessary for the proper execution and completion of the Work by the Contractor. The Contract Documents are to be considered as one document.

Section 2.03. Coordination of Contract Documents. The Contract Documents are complementary, and what is required by one shall be as binding as if required by all. In the event of conflicts or discrepancies among the Contract Documents, all terms of this Construction Contract shall supersede any conflicting terms stated within the Contract Documents.

Section 2.04. Errors in Contract Documents. Prior to commencing the Work, the Contractor shall review all of the Contract Documents for the purpose of identifying any error, inconsistency, omission, discrepancy or variance that may be contained therein. If the Contractor finds any error, inconsistency, omission, discrepancy or variance in the Contract Documents, it shall notify the Owner at least ten (10) days before beginning the affected portion of the Work. The Owner shall make any correction, interpretation or clarification promptly, basing its decision on the intent of the Contract Documents. Failure of the Contractor to timely notify the Owner of any such error, inconsistency, discrepancy or variance within the time provided by this paragraph shall bar the Contractor from making any claim for additional time or compensation caused by any such error, inconsistency, discrepancy or variance even if the error, inconsistency, discrepancy or variance caused the Contractor to incur additional expense or time of performance.

ARTICLE 3

PROGRESS OF THE WORK

Section 3.01. Contract Time, Notice to Proceed, and Completion.

(a) The Contractor shall commence the Work upon receipt of the written Notice to Proceed from the Owner. The Notice to Proceed will state the date on which the Contractor will begin the Work and which date the Work shall be substantially completed. Contractor shall be mobilized and on site ready for work on the date stated in the Notice to Proceed.

(b) The Contractor shall achieve Substantial Completion within **34 Calendar Days** of written Notice to Proceed. Time is of the essence, and the Substantial Completion date may be altered only as provided in this Contract.

(c) "Substantial Completion" shall occur when the Work is sufficiently complete in accordance with the Contract Documents, so the Owner can occupy or utilize the Work for its intended use, and when only minor punch list work remains to be done and a certificate of occupancy has been issued. The Owner will, upon written request of the Contractor, issue a certificate establishing the substantial completion date at any time after substantial completion has occurred. Use or Occupancy prior to all above conditions being met will not constitute substantial completion.

(d) "Final Completion" shall occur when the Work achieves Final Acceptance and is ready for Final Payment as defined in Section 4.08.

(e) The Contractor warrants that it will deliver the Project to the Owner free from any and all mechanics' liens or other encumbrances. Contractor further agrees to promptly (which is defined for purposes of this paragraph as no more than three (3) days from receipt of any lien or other notice) notify the Owner of the existence of any and all mechanics' liens filed by any subcontractors, materialmen, suppliers or sub-subcontractors. If any mechanics' liens are filed, Contractor shall, at its expense, bond off any such mechanics' liens within three (3) days from receipt of a written request of Owner to do so.

Section 3.02. The Progress Schedule. The Contractor is required to provide and maintain a Detailed Construction Project throughout the duration of the Work. The Contractor's Detailed Construction Schedule shall represent the Contractor's commitment and intended plan for completion of the Work in compliance with the Contract. The primary objective of the Detailed Construction Schedule is to insure adequate planning and execution of the Work by the Contractor and assist the Owner in evaluating the progress of the Work. See Exhibit G for additional schedule requirements. The Owner reserves the right to reschedule the Work, or the sequence of the activities of the Contractor, for no additional compensation should Owner deem such rescheduling to be in its best interest.

Section 3.03. Extension of Substantial or Final Completion Date.

(a) Except as otherwise expressly provided herein, the "Substantial Completion Date" or "Final Completion Date" shall be extended only for such number of calendar days that the Work is actually delayed by a casualty, a fire, or a Contract Amendment (hereinafter referred to as "Excusable Delays"). No extensions to the Substantial Completion Date shall be granted due to the negligence or fault of the Contractor or its subcontractors, non-availability of materials or non-availability of labor. No extension to the Substantial Completion Date shall be granted for the period of time during a delay in the performance of the Work which is caused in part by the Owner, the Program Manager, and in part by the Contractor or one for whom the Contractor is responsible ("Concurrent Delay"). A request for a time extension based upon inclement weather shall be governed by the provisions of 3.03(c).

(b) In order to obtain an extension of the Final Completion Date or the Substantial Completion Date due to an Excusable Delay, the Contractor in each instance shall give written notice to the Owner within seven (7) days after the occurrence of each Excusable Delay. If the Contractor fails to issue written notice to the Owner, its right to an extension, if any, will be deemed waived. The Contractor obligation shall demonstrate and document that delays are specific to the planned work activities or that such activities thus delayed were on Contractor's then-current Progress Schedule's critical path for the Project. The Owner shall render a written decision, which shall be made in good faith, granting or refusing the request of the Contractor for an extension within a reasonable time after receipt of the request for a time extension. If a Contract Amendment is agreed to by the Contractor and Owner, any extension of the Substantial Completion Date caused by the Contract Amendment work must be stated in the Contract Amendment and the Contractor will be barred

from later seeking an extension to the Substantial Completion Date or Final Completion Date because of the Contract Amendment work. No extension to the Substantial Completion Date or the Final Completion Date shall be granted due to the aggregate number of Contract Amendments.

(c) A Weather Delay Day may be requested if adverse weather prevents the contractor or subcontractor from working 6-hours (Working Day) for critical path construction activities included in the day's schedule. Weekend days or holidays may only be considered if the Contractor had previously scheduled critical path construction activities on that day. The existence of Weather Delay Days will not relieve the Contractor's obligation to demonstrate and document that delays caused by abnormal weather are specific to the planned work activities or that such activities thus delayed were on Contractor's then-current Progress Schedule's critical path for the Project.

Section 3.04. No Damage for Delay. Contractor agrees to perform the Work and to require the subcontractors to perform the Work in a timely and proper method so as to meet the required substantial completion date. In the event that the Contractor is delayed in the performance of the Work through no fault of the Contractor or its subcontractors, and for causes set forth in Section 3.03(a), and defined therein as Excusable Delay, then the Contractor may seek a time extension in accordance with the provisions of Section 3.03(b). Contractor agrees that such time extension is its sole and exclusive remedy for any damages regardless of the cause of such delays. Contractor also agrees that the Owner shall not be liable for any other monetary damages sustained by Contractor or its subcontractors for acceleration, disruption, inefficiencies, suspension or resequencing of the Work or any other damages related to the progress schedule regardless of the cause of such damages. The Owner shall not be liable for consequential damages of any nature for any reason at any time.

Section 3.05. Liquidated Damages. Time is of the essence on this Contract. The Owner and Contractor recognize that time is an essential element of this contract and that delay in completing this project will result in damages due to public inconvenience, obstruction to aviation and vehicular traffic, interference with businesses both on and off the airport, increased operational costs to airport users and increased costs to the Owner associated with engineering services, inspections, testing, and project administration. It is therefore agreed that in view of the difficulty of making a precise determination of such damages, the Contractor will pay the Owner, sums of money in the amounts herein stipulated, not as a penalty, but as Liquidated Damages for not meeting the schedule for specific critical Project Milestones.

If the Contractor fails to deliver equipment or materials, or perform any services within the times and dates specified in this Contract to achieve the established Phases/Milestones, or any extensions granted in writing, the Contractor shall pay to the Owner as Liquidated Damages, the sums specified below:

Phase 1 Substantial Completion:	\$500 per Day or any portion thereof
Phase 2 Substantial Completion:	\$750 per Day or any portion thereof
Phase 2 Runway Closure:	\$1,000 per Hour or any portion thereof the runway is not reopened at the required time
Final Completion	\$250 per Day or any portion thereof

ARTICLE 4

PAYMENT

Section 4.01. Contract Price. The Owner and Contractor agree that the Contractor shall be paid the amount of **Thousand and 00/100 Dollars (\$000.00)** ("Contract Price"), as set forth in the Contractor's Proposal, for completion of the Work in accordance with the Contract Documents. The Contract Price shall include all profit and overhead, including without limitation field overhead, general conditions and home office overhead of the Contractor. The Contract Price also includes all allowances specified in the Contract Documents.

Section 4.02. Payment Procedures. As Work proceeds under the Contract, payments ("Progress Payments") shall be made by the Owner to the Contractor in accordance with the following procedure:

(a) By the 1st day of each calendar month during the performance of the Work, the Contractor shall submit to the Owner an Application and Certificate for Payment, based on the Work completed during the previous month ("previous month" being defined for this Section only as the second calendar day of the prior month through the first calendar day

of the current month), using a form approved by the Owner. Contractor shall not be paid any amounts exceeding the Contract Price set forth in Section 4.01 of this Contract, unless modified by a properly executed written Contract Amendment in accordance with the provisions of Article 9 of this Contract. If not included in the Contract Documents, the Contractor and Owner will establish unit costs or schedule of values for basis of Progress Payments.

(b) Each Application and Certificate for Payment shall be accompanied by: (1) lien waivers of the Contractor conditioned upon payment by the Owner of the amount sought in the Application; (2) other documentation as may be requested by the Owner for the proper review of the Application and Certificate for Payment; (3) a list of current subcontractors, sub-subcontractors and material suppliers; (4) the Business Diversity Monthly Compliance Reports; and (5) all documents required by the Owner Controlled Insurance Program ("OCIP") Manual, as applicable..

(c) The Owner or Engineer shall promptly review each Application and Certificate for Payment and recommend for approval such amount as is properly due under the Contract Documents.

(d) Payments by the Owner shall be made within thirty (30) days from the date on which an Application and Certificate for Payment has been submitted and approved by the Owner or the next working day if the thirtieth day is a Saturday, Sunday or holiday.

(e) When at least 95% of the work has been completed, no further Progress Payments will be made until Final Payment. See Section 4.08 for Final Payment requirements.

Section 4.03. Mobilization. "Mobilization" shall be considered the work which is conducted in preparation for the construction activities, which includes but is not limited to, movement of personnel, equipment, stockpiles, and supplies to the project site. If not included as a bid item in the proposal form, a Mobilization pay item may be included at the discretion of the Owner at no more than 10% of the Contractor's Bid/Proposal amount. See Spec C-105 for mobilization requirements and payment.

Section 4.04. [Section Not Used].

Section 4.05. Payment for Material Stored On-Site.

(a) Payment for the actual unit cost of materials suitably stored on the site of the Work ("Work Site") and intended for incorporation in the Work will be made by the Owner to the Contractor subject to the following conditions:

- (1) The material has been stored or stockpiled in a manner acceptable to the Owner.
- (2) The Contractor has furnished the Owner with satisfactory evidence that the material and transportation costs have been paid.
- (3) The Contractor has furnished the Owner legal title (free of liens or encumbrances of any kind) to the material stored or stockpiled.
- (4) The Contractor has furnished the Owner evidence that the material stored or stockpiled is insured against loss by damage to or disappearance of such materials at any time prior to use in the work.
- (5) The materials shall not be stored on the work site for more than ninety (90) calendar days before they are installed without the written consent of the Owner.
- (6) The materials shall be stored on the work site in accordance with applicable recommendations of the manufacturer and the instructions of the Owner.
- (7) A representative of the Owner or Engineer may inspect and inventory any stored materials.

(b) Payment will not be made for materials stored away from the work site without the written consent of Owner. In the event that the Owner consents to payment for materials stored off-site, such payment shall be conditioned upon submission by the Contractor of bills of sale or such other documentation satisfactory to the Owner to establish the title

of the Owner to such materials or equipment, and the submission of satisfactory insurance certificates for the stored materials.

(c) Notwithstanding any provision herein to the contrary, if payments are to be made on account of materials or equipment not incorporated in the Work but delivered and suitably stored at the work site, such payments shall be conditioned upon submission by the Contractor of bills of sale or such other documentation satisfactory to the Owner to establish the title of the Owner to such materials or equipment, and the submission of satisfactory insurance certificates for the stored materials to protect the interest of the Owner.

(d) Regardless of ownership or insurance, the Contractor shall remain the guardian and protector of all materials and equipment stored or incorporated into the Work.

Section 4.06. Use of Payments. The Contractor shall use all sums paid to it pursuant to this Contract for the performance of the Work in accordance with the Contract Documents. Upon the request of the Owner, the Contractor shall furnish satisfactory proof of payment, including, but not limited to, partial release of liens and the Small Business Participation Monthly Compliance Report, as to the disposition of any monies paid to the Contractor by the Owner.

Section 4.07. Payment Not a Waiver. Neither the approval or making of any payment to the Contractor, nor the partial or entire use or occupancy of the Work by the Owner, shall be deemed an acceptance of any portion of the Work.

Section 4.08. Final Payment.

(a) "Final Payment," by the Owner shall constitute a waiver of all claims by the Owner for performance of the Work except for claims of the Owner arising from unsettled liens, incomplete or defective workmanship, defective materials, failure to perform in accordance with the progress schedule, or for the breach of any guarantees of warranties provided or to be provided by the Contractor under this Contract. Acceptance of the Final Payment by the Contractor shall constitute a waiver and release of any and all claims which the Contractor may then have or in the future have against the Owner or the Engineer arising from the Work or this Contract.

(b) Final Acceptance of the Work shall occur only after all Work (including punch list items) provided for in the Contract Documents has been finally completed and accepted in writing by the Owner, and only after the Contractor has provided the Owner with instructions and operating manuals, parts lists, "record" drawings and all other items required by the Contract Documents.

(c) Within thirty (30) days after "Final Acceptance" of the Work, the Final Payment of amounts found properly due under the Contract Documents shall be paid to the Contractor.

(d) Final Payment shall not become due until the Contractor submits to the Owner the following:

- (1) An affidavit that all payrolls, bills for materials and equipment, and other indebtedness connected with the Work for which the Owner or its property might in any way be responsible, have been paid or otherwise satisfied; and
- (2) A consent of surety to Final Payment; and
- (3) Other data establishing payment or satisfaction of all such obligations, such as receipts, releases and waivers of liens arising out of the Work, to the extent and in such form as may be designated by the Owner or Engineer; and
- (4) Any documents required by Article 6 of this Contract.

(f) The Owner shall issue a "Certificate of Final Completion" when, in its sole discretion, the Project has been completed and all conditions required by this Section 4.07 have been complied with by Contractor.

Section 4.09. The Right of Owner to Withhold Payment. The Owner may withhold or, on account of subsequent evidence, nullify, the whole or part of any Progress Payment, including the Final Payment, to such extent as may be necessary to reasonably protect itself from any of the following:

- (a) failure of the Contractor to perform the Work in accordance with the Contract Documents; or
- (b) third-party claims filed or reasonable evidence indicating probable filing of such claims; or
- (c) reasonable doubt that the Work will be substantially completed by the Substantial Completion Date; or
- (d) failure of the Contractor to make payments properly to subcontractors or for equipment, materials, services or labor; or
- (e) reasonable evidence of fraud, over-billing or overpayment; or
- (f) damage to the Owner, or to another contractor, subcontractor or sub-subcontractor caused by the Contractor; or
- (f) failure to provide certified payroll records (if applicable).

ARTICLE 5

EQUIPMENT AND MATERIALS

Section 5.01. Materials Provided by Contractor.

(a) Unless otherwise provided in the Contract Documents, the Contractor shall provide all equipment, materials, labor, services, water, and power to the Work Site, as well as all tools, equipment, lights, transportation, and other facilities necessary for the performance of the Work.

(b) All equipment, machinery, material, and articles incorporated in the Work shall be new and unused unless otherwise specified in the Contract Documents. When not specified in detail in the Contract Documents, the equipment, machinery, material, and articles incorporated in the Work shall be of the most suitable grade and quality for the purpose intended.

Section 5.02. Type of Equipment Used.

(a) When any equipment, machinery, material, or article is referred to by trade name, make, or catalog number followed by the words "or equal," the reference shall be regarded as establishing the minimum standard of quality and performance required and shall not be construed as limiting competition. The Contractor may, with the prior written approval of the Owner, use other equipment, machinery, materials, or articles which are at least equal in quality and performance to that named in the Contract Documents; provided, however, that in no event shall such approval be construed as a waiver of the right of the Owner to require equipment, machinery, materials, or articles which conform to the standard of quality and performance established by reference to the trade name, make, or catalog number of the equipment, machinery, materials, or articles for which the substitution has been approved. Any cost of redesign and additional expense resulting from the substitution shall be at the sole expense of the Contractor.

(b) The name of the manufacturer, model number, and other identifying information respecting the performance, capacity, nature, and rating of equipment, machinery, materials, and articles proposed in substitution of those specified in the Contract Documents shall be submitted to the Owner in sufficient time to avoid delays in the Work.

Section 5.03. Non-Conforming Materials.

(a) Equipment, machinery, materials or articles installed or used in the Work which do not comply with the requirements of the Contract Documents, and which have not been previously approved in writing by the Owner shall be installed or used at the risk of the Contractor of subsequent rejection by the Owner.

(b) The Contractor shall be fully and solely responsible for quality control for all equipment, machinery, materials or articles used in the performance of the Work.

Section 5.04. Owner Furnishing Equipment or Fixtures. The Owner may directly furnish any and all of the equipment or fixtures required for the Project. In the event the Owner elects to do so, the Contract Price shall be reduced by the amount which was to be charged by Contractor for such equipment or fixtures as set forth and included in the Contract Documents. A Contract Amendment reducing the Contract Price for that item of Work shall be executed by Owner and Contractor to reflect a reduction in the Contract Price for that item of Work and that the Owner is to furnish the equipment or fixtures. The Contractor shall assume responsibility for and be fully responsible for the care, custody, and control of all Owner furnished equipment or fixtures after said equipment or fixtures arrives on the Work Site.

ARTICLE 6

RECORD DRAWINGS AND DATA

Section 6.01. Record Drawings. A complete set of drawings shall be maintained by the Contractor at the Work Site for the purpose of accurately indicating all record conditions. The drawings shall be kept up-to-date and marked each day to show all changes and variations and each entry shall be dated and verified as made. At the completion of the Work and prior to Final Payment, a complete set of marked record drawings shall be furnished by the Contractor to the Owner.

Section 6.02. Operation and Maintenance Data.

(a) The Contractor shall furnish complete and necessary data for the operation, repair, and maintenance of each operating component of the Work (hereinafter referred to as "the Data"). The Data shall include prints of shop drawings, "as-installed" conditions, sources of equipment and principal materials, specified tests and performance data, repair and maintenance data, lubrication instructions and recommendations, parts lists, and other catalog data or information required to operate and maintain any part of the Work. Care shall be taken to include all pertinent data and to exclude inapplicable or duplicative information.

(b) Prior to Final Payment, a set of Data shall be furnished to the Owner in an electronic PDF format and paper hard copies, when requested.

(c) Installation information for all machinery and equipment also shall be kept on the site of the Work during construction, but used or marked prints or data sheets are not to be used in assembling the final maintenance and operating manuals described in paragraph (b) of this Section 6.02.

(d) Operations and maintenance demonstrations by the manufacturer of all machinery and equipment shall be complete in all respects and shall specify the appropriate and inappropriate uses of the machinery and equipment.

Section 6.03. Information from Suppliers. The Contractor shall make it a requirement or condition of purchase from its suppliers of equipment and/or materials: (1) to furnish complete and adequate operating and maintenance data pertaining to their equipment and/or materials; (2) to assign to the Owner any warranty, express or implied, furnished by the manufacturer of the equipment and/or materials; and, (3) to assign to the Owner any customary maintenance or repair service, spare parts supply service, or personnel support service furnished by the manufacturer of the equipment and/or materials. If the terms and conditions of any warranty, maintenance or repair service, spare parts supply service, or personnel support service furnished by manufacturer of the equipment and/or materials are negotiable, they shall be negotiated by the Owner and the manufacturer.

ARTICLE 7

SUBCONTRACTS

Section 7.01. Definition.

(a) As used in the Contract Documents, a “subcontractor” is a person or organization that has a contract with the Contractor to perform any portion of the Work or to furnish any equipment, labor or materials to the Project.

(b) As used in the Contract Documents, a “sub-subcontractor” is a person or organization that has a contract with a subcontractor to perform any portion of the Work or to furnish any equipment, labor or materials to the Project.

Section 7.02. No Contractual Relationship with Owner. Nothing contained in the Contract Documents or otherwise shall create any contractual relationship between the Owner and any subcontractor or sub-subcontractor, and no subcontract or sub-subcontract shall relieve the Contractor of its responsibilities and obligations should any subcontractor or sub-subcontractor fail to perform its work in a satisfactory manner. The Contractor agrees to be as fully responsible to the Owner for the acts and omissions of its subcontractors and their sub-subcontractors and of persons either directly or indirectly employed by them as it is for the acts and omissions of persons directly employed by Contractor.

Section 7.03. Award of Subcontracts.

(a) Unless the Owner gives its written approval to Contractor, the Contractor shall not enter into a subcontract or purchase order with any entity that is a party in any litigation, arbitration, or other dispute resolution proceeding with the Owner. The Contractor shall request written confirmation from any potential subcontractor or supplier prior to the execution of any subcontract or purchase order that there is no pending litigation, arbitration, or other dispute resolution proceeding where the Owner and the potential subcontractor or supplier are adverse parties. Such written confirmation shall be sent to the Owner within seven (7) days from the receipt of bids.

(b) If the Owner refuses to accept any subcontractor or material supplier (or sub-subcontractor) or person or organization because of such pending litigation, arbitration, or other dispute resolution proceeding, the Contractor shall submit an acceptable substitute at no additional cost to Owner.

Section 7.04. Change of Subcontractors. The Owner may require a change of any subcontractor. The Contract Price shall be adjusted accordingly due to the Owner's requiring a change of any subcontractor, sub-subcontractor, or material supplier previously approved in writing by the Owner, unless the change was required because the subcontractor, sub-subcontractor or material supplier was unable to timely or properly perform its work in accordance with the Contract Documents.

Section 7.05. No Substitution of Subcontractors. The Contractor shall not make any substitution for any subcontractor nor allow the substitution of any sub-subcontractor who has been accepted by the Owner, unless the substitution is required and previously approved by the Owner. Acceptable reasons for substitution (other than where required by the Owner) shall be limited to the following:

- (a) Inability of the subcontractor or sub-subcontractor to provide bonds, if required; or
- (b) Failure of the subcontractor or sub-subcontractor to perform according to approved schedules or other provisions of the Contract Documents; or
- (c) Other reasons which would reasonably render the subcontractor or sub-subcontractor unable to perform its work according to the Contract Documents as evidenced in writing by the Contractor.

Section 7.06. Subcontract Terms. All portions of the Work performed by a subcontractor or sub-subcontractor shall be pursuant to an appropriate agreement between the Contractor and the subcontractor (and where appropriate between subcontractors and sub-subcontractors) which shall contain provisions that:

- (a) Preserve and protect the rights of the Owner under the Contract Documents, including, but not limited to, the obligation to indemnify the Owner as set forth in Article 21 of this Contract with respect to the

portion of the Work to be performed under the subcontract (or sub-subcontract) so that the subcontracting will not prejudice such rights; and

- (b) Require that such Work be performed in accordance with the requirements of the Contract Documents; and
- (c) Require submission to the Contractor of applications for payment under each subcontract to which the Contractor is a party; and
- (d) Require that all requests for additional compensation, extensions of time or otherwise with respect to subcontracted portions of the Work be submitted to the Contractor (via any subcontractor or sub-subcontractor where appropriate) in sufficient time so that the Contractor may comply in the manner provided in the Contract Documents for like requests by the Contractor upon the Owner; and
- (e) Name the Owner as an additional insured under all applicable insurance policies; and
- (f) Require compliance with the Small Business Participation Program requirements, including, but not limited to, the non-discrimination and prompt pay provisions.

Section 7.07. Subcontractor Relations Requirements. By appropriate written agreement, the Contractor shall require each subcontractor, to the extent of the Work to be performed by the subcontractor, to be bound by the obligations, terms and conditions of this Contract and the Contract Documents, and to assume toward the Contractor all the obligations, terms, conditions and responsibilities which the Contractor, by this Contract and the Contract Documents, assumes toward the Owner and the Engineer. Each subcontract agreement shall preserve and protect the rights of the Owner and the Engineer under this Contract and the Contract Documents with respect to the Work to be performed by the subcontractor so that subcontracting thereof will not prejudice the rights of the Owner or the Engineer. The Contractor shall require each subcontractor to enter into similar agreement with sub-subcontractors. The Contractor shall make available to each proposed subcontractor, prior to the execution of the subcontract agreement, copies of this Contract and the Contract Documents to which the subcontractor will be bound. Subcontracts shall similarly make copies of this Contract and the Contract Documents available to their respective proposed sub-subcontractors.

ARTICLE 8

PAYMENT TO SUBCONTRACTORS

Section 8.01. Payments to Subcontractors from the Contractor. The Contractor shall pay each subcontractor an amount equal to the percentage of completion allowed to the Contractor on account of the work of each subcontractor. Contractor agrees to pay each subcontractor under this prime contract for satisfactory performance of its contract no later than fifteen (15) days from the receipt of each payment the Contractor receives from MSCAA. A subcontractor's work is satisfactorily completed when all the tasks called for in the subcontract have been accomplished and documented as required by the MSCAA. When MSCAA has made an incremental acceptance of a portion of a prime contract, the work of a subcontractor covered by that acceptance is deemed to be satisfactorily completed. Any delay or postponement of payment from the above referenced timeframe may occur only for good cause following written approval of the MSCAA. The Contractor shall also require each subcontractor to make similar payments to its sub-subcontractors as required by applicable law.

Section 8.02. Withholding of Payment by the Owner. If the Owner withholds monies for any cause which is the fault of the Contractor and/or the fault of a particular subcontractor, the Contractor shall pay all other subcontractors, in accordance with the terms of their applicable subcontract, if not in conflict with this Contract and applicable law, any time after the progress payment by the Owner should otherwise have been issued, for its Work to the extent completed. Notwithstanding this Section 8.02, Contractor may withhold funds from any subcontractor that is not performing its work in accordance with the Contract Documents.

Section 8.03. Independent Obligation to Pay. The obligation of the Contractor to pay its subcontractors (and their obligation to pay sub-subcontractors) is an independent obligation from the obligation of the Owner to make payment to the Contractor. The Owner shall have no obligation to pay or to see to the payment of any monies to any subcontractor or sub-subcontractor. The provisions of this Contract are solely intended for the benefit of the Owner and

Contractor and not for any other person. Nothing in this Contract is intended to create any third party rights against the Owner.

ARTICLE 9

CHANGES

Section 9.01. Changes in the Work.

(a) The Owner, without invalidating this Contract, may order extra work or make changes by altering, adding to or deducting from the Work by executing a Contract Amendment or a Construction Change Directive in a form provided by the Owner or Engineer. All Work performed pursuant to a valid Contract Amendment or a Construction Change Directive shall be performed under the conditions of this Contract and the Contract Documents.

(b) The Owner shall have authority to make changes in the Work not involving extra cost, not involving an extension to the Substantial Completion Date, and not inconsistent with the purposes of the Work, but otherwise, no extra Work or change in the Work shall be made unless pursuant to a Contract Amendment or a Construction Change Directive and no claim by Contractor for additional cost or fee or any extension of the Substantial Completion Date shall be valid unless so ordered in a written Contract Amendment or a Construction Change Directive.

(c) Engineer's Supplemental Instructions (ESI) are written instruments prepared by the Owner or Engineer to issue additional instructions or interpretations or to order changes in the Work not involving extra costs or fees, or any extension of the scheduled Substantial Completion Date. Contractor shall give prompt written notice to Owner if it believes that the contents of an ESI require the Contractor to incur extra costs or fees or affect the Substantial Completion Date.

Section 9.02. Construction Change Directive.

(a) A Construction Change Directive is a written order prepared by the Owner, Program Manager, or Engineer and signed by the Owner, Engineer or Program Manager directing a change in the Work and stating a proposed basis for adjustment, if any, in the Contract Price or the Substantial Completion Date, or both. The Owner may, by Construction Change Directive, without invalidating this Contract, order changes in the Work consisting of additions, deletions or other revisions.

(b) A Construction Change Directive shall be used in the absence of an agreement on the terms of a Contract Amendment.

(c) If the Construction Change Directive provides for an adjustment to the Lump Sum Price, the adjustment shall be based on one of the following methods:

- (1) Mutual acceptance of a lump sum properly itemized and supported by sufficient documentation to permit evaluation; or
- (2) Unit prices stated in the Contract Documents or subsequently agreed upon; or
- (3) Cost to be determined in a manner agreed upon by the Parties and a mutually acceptable fixed or percentage fee; or
- (4) As provided in paragraph (f) of this Section 9.02.

(d) Upon receipt of a Construction Change Directive, the Contractor shall promptly proceed with the change in the Work involved and advise the Owner of the Contractor's agreement or disagreement with the method, if any, provided in the Construction Change Directive for determining the proposed adjustment in the Contract Price or the Substantial Completion Date.

(e) A Construction Change Directive signed by the Contractor indicates the agreement of the Contractor therewith, including adjustment in the Contract Price, the Substantial Completion Date or the method of determining the adjustment. Such agreement shall be effective immediately and shall be recorded as a Contract Amendment.

(f) If the Contractor does not respond promptly or disagrees with the method for adjustment in the Contract Price, the method and the adjustment shall be determined by the Owner on the basis of reasonable expenditures and savings of those performing the Work attributable to the change, including, in case of an increase in the Contract Price, a reasonable allowance for overhead and profit. In such case, the Contractor shall keep and present, in such form as the Owner may prescribe, an itemized accounting together with appropriate supporting data. Unless otherwise provided in the Contract Documents, costs for the purpose of this paragraph shall be limited to the following:

- (1) The actual cost for labor, including social security and unemployment insurance, fringe benefits required by agreement, and workers' or workmen's compensation insurance; and/or
- (2) The actual cost of materials, supplies, machinery, and equipment, including cost of transportation, whether incorporated or consumed; and/or
- (3) The actual cost of subcontractors and sub-subcontractors; and/or
- (4) The actual cost of premiums for all bonds and insurance, permit fees and sales, use or similar taxes related to the Work; and/or
- (5) The actual additional costs of supervision and field office personnel, if any, directly attributable to the change.

(g) Pending final determination of cost to the Owner, amounts not in dispute may be included in Certificates and Applications for Payment. The amount of credit to be allowed by the Contractor to the Owner for a deletion or change which results in a net decrease in the Contract Price shall be actual net cost, as confirmed by the Owner. When both additions and credits covering related Work or substitutions are involved in a change, the allowance for overhead and profit shall be calculated on the basis of net increase, if any, with respect to that change.

Section 9.03. Contract Amendment Procedure. If the Owner desires extra Work or changes in the Work, the Owner shall submit a Request for Proposal ("RFP") to the Contractor. The Contractor shall furnish to the Owner a statement setting forth in detail the proposal of the Contractor for performing the extra Work or changes and the effect of the extra Work or changes, if any, in the Contract Price and the Substantial Completion Date attributable to the extra Work or changes set forth in the request of the Owner. If the Owner approves in writing the proposal of the Contractor, a Contract Amendment in the form provided by the Owner shall be executed by the Parties and the Contract Price and the Substantial Completion Date shall be adjusted accordingly. In preparing Lump Sum quotes in response to an RFP, the Contractor shall provide a cost breakdown to the Owner that provides sufficient detail for the Owner or Engineer to determine that the quoted costs are reasonable and allowable and to verify that markups are properly calculated according to the terms of this Contract.

Section 9.04. Changes in the Contract Price. Any increase or decrease in the Contract Price attributable to a Contract Amendment performed by the Contractor or any of its subcontractors will be paid for at the contract prices or agreed prices specified in the change order or supplemental agreement authorizing the extra work.

Section 9.05. Time and Materials.

(a) In the event that the Owner and the Contractor cannot agree on the amount or time extension, if any due, to the Contractor for a Contract Amendment, the Owner may, in writing, direct the Contractor to proceed with the performance of such Work. The Contractor agrees to comply with any such directive issued by the Owner.

(b) If any additional compensation is due to the Contractor as a result of a directive, it will be paid based on documented costs for labor, labor burden, insurance and taxes, materials, equipment, plus a set allowance for combined overhead and profit.

(c) The Contractor is responsible for preparing detailed daily reports documenting all labor, material, and equipment charges incurred and signed by both Contractor and Program Manager for all Time and Materials work.

(d) No payment will be made for work performed on a Time and Materials basis until the Contractor has furnished the Owner with itemized statements and all required backup documentation of the cost of such time and materials work.

(e) The total payment will be based on the total documented labor, material, and equipment cost plus the fixed percentages for combined overhead and profit specified above. This total payment shall constitute full compensation for all items of expense not specifically provided for the extra work or time and materials work.

Section 9.06. Unconditional Obligation to Proceed. Notwithstanding anything herein to the contrary, the Contractor will proceed with the Work so as to complete the Work on or before the Substantial Completion Date even if it has a dispute with the Owner concerning a Construction Contract Amendment, a Construction Change Directive or any extension of time which is or could be due to the Contractor pursuant to a Contract Amendment, a Construction Change Directive or otherwise.

Section 9.07. Request for Additional Compensation. If for any reason the Contractor believes that additional compensation is due for work not clearly provided for in the Contract Documents, the Contractor shall provide written notice to the Owner at least three (3) days before beginning the work which is not clearly provided for in the Contract Documents. If such notification is not given, then the Contractor hereby agrees to waive any claim for such additional compensation. Such notice by the Contractor shall not in any way be construed as proving or substantiating the validity of the request for additional compensation. When the work, which is the basis for the Contractor's request for additional compensation, has been completed, the Contractor shall, within ten (10) calendar days, submit evidence of costs incurred by the Contractor and a narrative which provides the basis for the request for additional compensation.

ARTICLE 10

THE UNDERSTANDING OF THE CONTRACTOR

Section 10.01. Examination of Work Site. The Contractor acknowledges that it has, by careful examination, satisfied itself as to the nature and location of the Work, the conformation of the ground conditions, the character, quality and quantity of the materials, equipment, supplies, machinery, and facilities needed preliminary to and during the performance of the Work, the general and local conditions, and all other matters which can in any way affect the Work.

Section 10.02. Sufficiency of Contract Documents and Representations of Contractor.

(a) The Contractor acknowledges that the Contract Documents are sufficient to enable it to determine the cost of all of the Work and that the Work can be completed in accordance with the Contract Documents for the Contract Price.

(b) The Contractor acknowledges that any observed errors, discrepancies, omissions, ambiguities, or conflicts in the Contract Documents will be brought to the attention of the Owner, as set forth in Section 2.04 of this Contract, and in a timely manner in order to ensure substantial completion of the Work by the Substantial Completion Date. The Contractor shall be responsible for using its best efforts to discover and observe errors, discrepancies, omissions, ambiguities, or conflicts in the Contract Documents. In addition, the Contractor acknowledges that the Owner has not made nor shall it be deemed to have made any warranties, guarantees, or representations of any kind whatsoever regarding the sufficiency of the Contract Documents or any conditions relating to the Work.

(c) Contractor represents that it has reviewed and checked all information and data shown or indicated on the Contract Documents with respect to existing underground use facilities at or contiguous to the Work Site and, subject to the provisions of Section 10.03 of this Contract, assumes responsibility for the accurate location of said underground use facilities. No additional examinations, investigations, explorations, tests, reports, studies or similar information or data in respect of said underground use facilities are or will be required by Contractor in order to perform and furnish the Work for the Contract Price and substantially complete the Work by the Substantial Completion Date. However, notwithstanding anything herein to the contrary, the Contractor may, at its sole expense after receiving written permission from the Owner, and subject to any limitations specified by the Owner or Engineer, conduct any additional testing it deems necessary.

Section 10.03. Differing Work Site Conditions. If conditions are encountered at the Work Site that are: (1) subsurface physical conditions, which differ materially from those indicated in the Contract Documents; or (2) unknown physical conditions of an unusual nature, which differ materially from those ordinarily found to exist and generally recognized as inherent in construction activities of the character provided for in the Contract Documents, then notice by the observing Party shall be given to the other Party promptly before conditions are disturbed and in no event later than seven (7) days after the first observance of the conditions. The Owner or Engineer will promptly investigate such conditions and, if they differ materially and cause an increase or decrease in the Contractor's cost, or time required, for performance of any part of the Work; will recommend an equitable adjustment in the Contract Price or the Substantial Completion Date, or both. However, any equitable adjustment in the Contract Price shall not include additional general conditions costs. If the Owner determines that the conditions at the Work Site are not materially different from those indicated in the Contract Documents and that no change in the terms of this Contract is justified, the Owner shall so notify the Contractor in writing, stating the reasons. Claims by the Contractor in opposition to such determination must be made within fourteen (14) days after the Owner has given notice of the decision.

Section 10.04. No Oral Modification. No oral agreement or conversation with any officer, agent or employee of the Owner or its representatives, including the Engineer, either before or after the execution of this Contract, shall affect or modify any of the terms or obligations contained in this Contract or the Contract Documents.

ARTICLE 11

SUPERVISION OF THE WORK; SAFETY AND SECURITY

Section 11.01. The Superintendent of the Contractor. The Contractor shall designate in writing to the Owner and keep on the Project during its progress a competent employee who has responsibility to oversee the Work ("Superintendent"). The Superintendent shall be satisfactory to the Owner. The Superintendent shall be changed upon written request of the Owner but shall not be changed by the Contractor except with the consent of the Owner, unless the Superintendent ceases to be in its employ. The Superintendent shall represent the Contractor, and all directions given to him by the Owner shall be as binding as if given to the Contractor directly. The Superintendent shall devote his full time to the Work and shall maintain an office on the Work Site. The Superintendent shall direct, coordinate and supervise all Work, inspect all materials delivered to the Work Site to ascertain whether or not they comply with the requirements of the Contract Documents, and reject all non-conforming materials or workmanship.

Section 11.02. Order and Discipline. The Contractor shall at all times be responsible for enforcing strict discipline and good order among its employees, and all employees of its subcontractors and sub-subcontractors. If any person on the Work Site shall appear to be incompetent, disorderly or intemperate, in any way disrupts or interferes with the Work, or is in any other manner not qualified for or unfaithful to the job entrusted to him, such person shall be discharged from the Project immediately and shall not again be employed on the Work Site without the prior written consent of the Owner.

Section 11.03. Cleaning Up.

(a) During the performance of the Work, the Contractor shall keep the Work Site clean and free of all rubbish, waste materials, debris and other materials in accordance with the instructions set forth in the Contract Documents. At the end of each working day, the Contractor shall remove all waste materials, rubbish, debris, and other materials from and about the Work Site as well as all surplus materials, and shall leave the Work Site clean in accordance with the Contract Documents.

(b) The Contractor shall establish an active ongoing program to eliminate any foreign objects from the Work Site that may cause damage to aircraft or cause personal injury to other persons.

(c) The Contractor shall pay particular attention to haul routes used to and from the Work Site to prevent any construction debris from being dropped or tracked that may present a hazard.

(d) The Contractor, upon written notice from the Owner, shall promptly cut the grass and clean debris around the Work Site. If the Contractor fails to clean up any debris which is deposited as a result of construction operations, the Owner will, after notice, immediately do so. The cost thereof will be charged to the Contractor at actual cost per hour, but not less than the minimum rate of Two Hundred Fifty Dollars (\$250.00) per hour. The Contractor shall assume full responsibility for failure to perform cleanup operations required by this Section 11.03.

(e) All materials delivered to the Work Site shall be stored and handled so as to preclude inclusion of any foreign substances, and to prevent any discoloration or damage which might reduce its effectiveness as part of the Work.

Section 11.04. Safety and Security.

(a) The Contractor shall be solely responsible for and oversee all safety orders, precautions and programs necessary for the safety of the Work. The Contractor shall take the precautions set forth in the Contract Documents in order to ensure the safety of all persons involved in the Work, all other persons whom the Work might affect, all equipment and materials incorporated in the Work, all property on the Work Site and adjacent to it, and the Owner's business operations which are functioning on the Work Site or in the vicinity of it.

(b) The Contractor shall keep an accurate record of all persons who are on the Work Site and shall provide a copy of such list to the Owner with each monthly Application and Certificate for Payment. The Contractor, its subcontractors, their sub-subcontractors and all employees of same, shall comply with all security rules made by the Owner and the Federal Aviation Administration. In addition, Contractor shall comply with the construction safety and health guidelines which are set forth in Exhibit D.

(c) The Contractor shall conform to Owner's airport rules and regulations.

(d) Prior to the commencement of the Work, the Contractor shall provide to the Owner a list of all of its employees who will perform any portion of the Work.

Section 11.05. Observation of the Work.

(a) The Engineer, the Owner and persons designated by the Owner, shall at all times have access to the Work Site whenever it is in preparation or progress and the Contractor shall provide proper facilities for such access and for observation. If the Owner or the Engineer discovers any defective Work in connection with any observation, it shall be reported to the Contractor in writing and the Contractor shall correct it.

(b) If the Contract Documents, the written instructions of the Owner, laws, ordinances, rules or regulations, or any public authority require any of the Work to be specifically tested or inspected, the Contractor shall give the Owner timely notice of its readiness for inspection and testing, and of the date set for such test or inspection. Inspections by the Owner or Engineer shall be promptly made. If any of the Work should be covered up without the approval or consent of the Owner, the Engineer or any public authority, it shall be uncovered for examination, if required by the Owner, the Engineer, or such other public authority, at the sole expense of the Contractor.

(c) Re-examination of questioned Work that has been previously tested or inspected by the Engineer or the Owner may be ordered by the Engineer or the Owner and, if so ordered, the questioned Work shall be uncovered by the Contractor. If such Work is found to be in compliance with the Contract Documents, the Owner shall pay the actual cost of the re-examination. If such Work is found not to be in compliance with the Contract Documents, the Contractor shall bear the costs of the re-examination.

(d) The Contractor shall not be required to provide professional services which constitute the practice of architecture or engineering unless such services are specifically required by the Contract Documents for a portion of the Work or unless the Contractor needs to provide such services in order to fulfill the Contractor's responsibilities for construction means, methods, techniques, sequences and procedures. The Contractor shall not be required to provide professional services in violation of applicable law. If professional design services or certifications by a design professional related to systems, materials or equipment are specifically required of the Contractor by the Contract Documents, then the Contractor shall promptly and at its expense secure such services. The Contractor shall cause such services or certifications to be provided by a properly licensed design professional, whose signature and seal shall appear on all drawings, calculations, specifications, certifications, shop drawings and other submittals prepared by such professional. Shop drawings and other submittals related to the Work designed or certified by such professional, if prepared by others, shall bear such professional's written approval when submitted to the Owner or Engineer. The Owner and the Engineer shall be entitled to rely upon the adequacy, accuracy and completeness of the services, certifications or approvals performed by such design professionals.

ARTICLE 12

PERMITS, LICENSES, LAWS AND REGULATIONS

Section 12.01. Contractor to Secure All Permits. The Contractor shall secure and pay for all construction related permits, including the building permit. The Contractor shall be responsible for all inspections required by governmental authorities in conjunction with the issuance of said permits. Contractor shall secure and pay for all governmental fees, licenses and other permits necessary for the lawful and proper execution and completion of the Work.

Section 12.02. Compliance with Laws. The Contractor shall give all notices and shall comply with all laws, ordinances, rules, regulations and orders of any public authority having jurisdiction over the Work, which have any bearing on the execution of the Work. If the Contractor observes that any of the Contract Documents are at variance in any respect with any such laws, ordinances, rules, regulations and orders, it shall promptly notify the Owner and the Engineer in writing and any necessary changes shall be made by the Contractor. If the Contractor fails to give such notice or executes any of the Work in a manner contrary to any such laws, ordinances, rules, regulations or orders, the Contractor shall bear all resulting costs to correct said Work to comply with such laws and regulations and be liable for any resulting fines, penalties, judgments or damages imposed on or incurred by the Owner.

ARTICLE 13

TAXES AND OTHER FEES AND COSTS

Section 13.01. Payment of Taxes by Contractor.

(a) Any and all taxes, excises, duties and assessments in any manner levied, assessed or imposed by any government or subdivision or agency having jurisdiction over the Work shall be the sole responsibility and liability of the Contractor.

(b) The Contractor shall promptly pay and discharge when due, unless the validity or application is being contested by the Contractor in good faith, any and all taxes, excises, duties and assessments, together with any interest and penalties, if any, the responsibility and liability for which the Contractor has assumed pursuant to the provisions of paragraph (a) of this Section 13.01, unless any such tax, excise, duty or assessment is levied, assessed or imposed upon the Owner, in which case the Owner shall promptly give the Contractor notice of such levy, assessment or imposition, whereupon the Contractor shall promptly pay and discharge the same. Upon the written request and at the sole expense of the Contractor, the Owner shall assist the Contractor in contesting the validity or application of any such levy, assessment or imposition, and in the event a refund of all or any part of any tax, excise, duty or assessment (including interest and penalties, if any), said refund shall be refunded to the Contractor (less the amount of expenses associated with such contest not previously reimbursed by the Contractor to the Owner).

(c) The Contractor shall pay all applicable fees, and for all damage to sidewalks, streets, Owner's property, and other public property or to any public utilities caused by the performance of this Contract.

Section 13.02. Damage to Owner Property. Contractor agrees to promptly notify Owner of any damage caused to Airport property arising from Contractor's activities at the Airport. Contractor also agrees to comply with any request made by the Owner for reimbursement of costs associated with any damage to Airport property arising from work performed at the Airport by Contractor or any of Contractor's representatives, managers, employees, agents, contractors, subcontractors, licensees or invitees or from the conduct of same. This provision shall survive the termination of this Contract.

ARTICLE 14

SHOP DRAWINGS AND SAMPLES; MATERIAL TESTING

Section 14.01. Definitions.

(a) As used in this Contract, "shop drawings" are drawings, diagrams, illustrations, schedules, performance charts, brochures and other data which are prepared by the Contractor, any subcontractor, sub-subcontractor, manufacturer, supplier or distributor, and which illustrates some portion of the Work.

(b) As used in this Contract, "samples" are physical examples furnished by the Contractor to illustrate materials, equipment or workmanship.

Section 14.02. Submissions.

(a) Contractor shall submit to Owner all shop drawings in electronic format or as hard copies in accordance with the Technical Specifications. Contractor shall review, stamp with its approval and submit, in orderly sequence so as to cause no delay in the Work or the work of any other contractor, all shop drawings and samples required by the Contract Documents or subsequently by the Owner or Engineer. Shop drawings and samples shall be properly identified as specified in the Contract Documents or as the Engineer or Owner may require. At the time of submission, the Contractor shall inform the Engineer and the Owner by separate written correspondence of any deviation in the shop drawings or samples from the requirements of the Contract Documents.

(b) By approving and submitting shop drawings and samples, the Contractor represents that it has determined and verified all field measurements, field construction criteria, materials, catalogue numbers and other data, and that it has checked and coordinated each shop drawing and sample with the requirements of the Work and the Contract Documents.

Section 14.03. Review of the Engineer.

(a) The Engineer will review and act upon shop drawings and samples with reasonable promptness so as to cause no unreasonable delay in the Work, but only for conformance with the design concept of the Work and with the information given in the Contract Documents. The review of the Engineer or its agents of a given item shall not indicate approval of an assembly in which the item functions.

(b) The approval of the Engineer of shop drawings or samples shall not relieve the Contractor of its responsibility for any deviation from the requirements of the Contract Documents unless the Contractor has informed the Engineer and the Owner by separate written letter of such deviation at the time of submission and the Owner or Engineer has given written approval of the specific deviation, nor shall the approval of the Engineer relieve the Contractor from responsibility for errors or omissions in the shop drawings or samples.

Section 14.04. Corrections Made by Contractor. The Contractor shall make any corrections required by the Owner or Engineer and shall submit the required number of corrected copies of shop drawing or new samples until approved by Owner. The Contractor shall direct specific attention in writing or on resubmitted shop drawings or samples to revisions other than the corrections requested by the Engineer or the Owner on previous submissions.

Section 14.05. Prior Approval Required. No portion of the Work requiring a shop drawing or sample submission shall be commenced until the submission has been approved by the Owner or Engineer. All such portions of the Work shall be performed in accordance with approved shop drawings and samples and the Contract Documents.

Section 14.06. Submittal Schedule. Within seven (7) days after execution of this Contract, the Contractor shall provide the Owner and the Engineer with a preliminary submittal schedule of the dates that each shop drawing or sample will be submitted for approval. Within thirty (30) days after execution of this Contract, the Contractor shall provide the Engineer and the Owner with a final schedule of the dates that each shop drawing or sample will be submitted for approval. The sequence of the submittals of the Contractor shall be scheduled so as to permit an orderly review by the Engineer. The schedule shall allow reasonable added time according to the number or complexity of shop drawings or samples in each submittal for the checking, correction and rechecking of corrections, as well as for return of approved

or rejected shop drawings and samples to the Contractor. The submittal schedules shall allow not less than fourteen (14) calendar days for the Engineer to review any shop drawing or sample.

Section 14.07. Material Testing.

(a) If the Contract Documents, laws, ordinances, rules, regulations or orders of any public authority having jurisdiction require any portion of the Work to be inspected, tested or approved, the Contractor shall give the Owner timely notice of its readiness so the Owner or Engineer may observe such inspection, testing or approval. The Contractor shall bear all costs of such inspections, tests or approvals required by public authorities. Unless otherwise provided, the Owner shall bear all costs of other inspection, tests or approvals.

(b) If the Owner or Engineer determines that any Work requires special inspection, testing or approval which paragraph (a) of this Section 14.07 does not include, the Owner or Engineer will instruct the Contractor to order such special inspection, testing or approval, and the Contractor shall give notice as provided in paragraph (a) of this Section 14.07. If such special inspection or testing reveals a failure of the Work to comply with the requirements of the Contract Documents, the Contractor shall bear all costs thereof, including compensation for the Owner's or Engineer's additional services made necessary by such failure; otherwise, the Owner shall bear such costs and an appropriate Contract Amendment shall be issued.

(c) Required certificates of inspection, testing or approval shall be secured by the Contractor and promptly delivered to the Owner.

(d) If the Owner or Engineer is to observe the inspections, tests or approvals required by the Contract Documents, they will do so promptly.

ARTICLE 15

THE RIGHT OF THE OWNER TO INSPECT AND AUDIT

Section 15.01. Right to Audit. The Contractor shall keep full and accurate records of all costs incurred and items billed in connection with any Work which records shall be open to audit by the Owner, or any authorized representative of the Owner, including but not limited to the Federal Aviation Administration and the Comptroller General of the United States during the course of the Project and until four (4) years after the final payment by the Owner to the Contractor. In addition, the Contractor shall make it a condition of all subcontracts and sub-subcontracts entered into in furtherance of the Work that any and all subcontractors and sub-subcontractors will keep accurate records of costs incurred and items billed in connection with the subcontract (or sub-subcontract) and that such records shall be open to audit by the Owner, or any authorized representative of the Owner, including but not limited to the Federal Aviation Administration and the Comptroller General of the United States during the course of the Work and until four (4) years after final payment by the Owner to the Contractor.

Section 15.02. Review of Subcontracts. Upon request of the Owner or Engineer, the Contractor shall provide the Owner with an executed copy of all subcontracts, sub-subcontracts and purchase orders entered into in furtherance of the Work.

ARTICLE 16

SEPARATE CONTRACTS

Section 16.01. The Right of the Owner to Award Separate Contracts. The Owner reserves the right to award other contracts in connection with work at or in the vicinity of the Work and the Contractor agrees to cooperate fully and not to unreasonably interfere with the work of such other contractors.

Section 16.02. Cooperation. The Contractor shall afford the other contractors of Owner the opportunity for the introduction and storage of their materials and equipment to their work sites and for the execution of their work. The Contractor shall properly connect and coordinate the Work with work of any other contractors of the Owner.

Section 16.03. Inspection of Work of Other Contractors. If any part of the Work depends, for proper execution or result upon, the work of another contractor of Owner, the Contractor shall inspect and promptly report to

the Engineer and the Owner any discrepancies or defects in such work that render it unsuitable for such proper execution or results. Failure of the Contractor to so inspect and report shall constitute an acceptance of the Work of the other contractor as fit and proper to receive the Work.

Section 16.04. Responsibility for Damage. Should the Contractor cause damage to the work or property of any other contractor of the Owner, including, but not limited to, delay, disruption, suspension of work and/or acceleration damages, the Contractor shall settle all claims with such other contractor if the other contractor will so settle. If such other contractor sues the Owner on account of any damage alleged to have been so sustained, the Owner shall notify the Contractor who shall defend such proceedings at the expense of the Contractor, or provide counsel of Owner's choice for Owner at the expense of Contractor, and if any judgment or award against the Owner results, the Contractor shall pay or satisfy it and shall reimburse the Owner for all attorney's fees and other litigation costs which the Owner has incurred.

ARTICLE 17

WARRANTIES OF THE CONTRACTOR

Section 17.01. Warranty of Title. The Contractor warrants and guarantees that title to all Work, materials and equipment covered by an Application and Certificate for Payment, whether incorporated in the Work or not, will pass to the Owner, free and clear of all liens, claims, security interests or encumbrances (hereinafter "Liens") and that none of the Work, materials or equipment covered by an Application and Certificate for Payment will have been acquired by the Contractor, or by any other person performing any part of the Work or furnishing materials and equipment for the Work, subject to an agreement under which a lien is retained by the seller or supplier.

Section 17.02. Special Warranties. When special guarantees or warranties are required by the Contract Documents for specific parts of the Work, the Contractor shall procure certified copies of such guarantees or warranties, countersign them and submit them to the Owner in triplicate. Delivery of such guarantees or warranties will not relieve the Contractor from any obligations assumed under any provision of this Contract or the Contract Documents.

Section 17.03. Assignment of Warranties. The Contractor hereby assigns to the Owner any and all existing assignable warranties, service life policies and patent indemnities of manufacturers of materials, equipment or items incorporated in the Work. Upon the request of the Owner or the Engineer, the Contractor shall give the Owner assistance in enforcing the rights of the Owner arising under such warranties, service life policies and patent indemnities. At the request of the Owner or the Engineer, the Contractor shall give notice (with copies to the Owner) to any such manufacturers of the assignment of such warranties, service life policies and patent indemnities.

Section 17.04. General Warranty and Correction of Work.

(a) In addition to any special guarantees or warranties contained in the Contract Documents, the Contractor warrants to the Owner that all materials and equipment furnished in performance of the Work will be new unless otherwise specified, and that all Work will be of good quality, free from faults and defects and in conformance with the Contract Documents. All work not so conforming to these standards shall be considered defective.

(b) The Contractor shall promptly correct all defective Work to comply with the Contract Documents whether observed before or after the substantial completion date and whether or not fabricated, installed or completed. The Contractor shall bear all costs of correcting defective Work.

(c) If, within one (1) year after the substantial completion date, or within such longer period of time as may be prescribed by law or by the terms of any applicable special guarantee or warranty required by the Contract Documents, any of the Work is found to be defective and not in accordance with the Contract Documents, the Contractor shall correct it promptly after receipt of a written notice from the Owner, or the Engineer, to do so.

(d) All defective or non-conforming Work shall be removed from the site of the Work if necessary, and the Work shall be corrected to comply with the Contract Documents without cost to the Owner. The Contractor also shall bear the cost of making good all work of other contractors destroyed or damaged by removal or correction of the defective Work of Contractor.

(e) If the Contractor fails to timely and properly correct defective Work, the Owner may correct it and hold the Contractor liable for all costs, expenses and damages, including attorney's fees and litigation costs incurred by Owner in correcting it.

(f) In addition to the foregoing warranty, a warranty period of one (1) year shall apply under the same terms and conditions as the original warranty, to any work, supplied in correction of defective work under warranty pursuant to the provisions of this Section 17.04 and the Contractor shall assign to the Owner any warranties, including extended warranties, which are available in connection with the performance of such correction of defective Work. The warranty period shall commence on the date the Owner accepts the corrective Work of the Contractor.

ARTICLE 18

RIGHT OF THE OWNER TO DO WORK

Section 18.01. Right of the Owner to do Work. If the Contractor should neglect to perform the Work properly or fails to do anything required by the Contract Documents, and the Contractor does not correct the untimely or improper performance within seven (7) days after written demand is made, the Owner may, without prejudice to any other remedy it may have under this Contract or at law or in equity, make good any deficiencies in the Work, including, but not limited to, supplementing the workforces of the Contractor and deduct all costs of doing so from the payment then due or thereafter due the Contractor. The Owner shall not be required to give multiple notices to the Contractor in order to exercise its rights under this paragraph.

Section 18.02. Deduction for Uncorrected Work. If the Owner deems it inexpedient to correct deficiencies in the Work pursuant to Section 18.01 of this Contract, the Owner may deduct the reasonable cost of correcting the deficiencies, including any attorney's fees and additional fees and expenses of the Engineer, from the payment then due or thereafter due to the Contractor, but the making of such a deduction shall in no way be deemed an election of remedies by the Owner.

Section 18.03. Correction of Work before Final Payment.

(a) The Contractor shall promptly remove from the Work Site all materials, equipment or other items rejected by the Engineer or the Owner as failing to conform to the Contract Documents, whether incorporated in the Work or not, and the Contractor shall promptly replace and re-execute its original work to comply with the Contract Documents without expense to the Owner. In addition, the Contractor shall bear the expense of making good all work of other contractors destroyed or damaged by such removal or replacement.

(b) If the Contractor does not remove rejected material, equipment or other items within a reasonable time (as fixed by written notice from the Owner, or the Engineer), the Engineer or the Owner may remove such items and store them at the expense of the Contractor, or dispose of such material, equipment or other items at the sole discretion of the Owner. If the Contractor does not pay the expense of such removal or storage within ten (10) days, the Owner may, upon ten (10) days written notice, sell such items at auction or at private sale and shall account for the net proceeds of such sale, after deducting all the costs and expenses of removal that should have been borne by the Contractor.

ARTICLE 19

INSURANCE

Section 19.01. Insurance Requirements. The Contractor shall fully comply with all requirements relating to insurance for the Project as set forth in this Article 19.

Section 19.02. Owner Controlled Insurance Program. The Owner has established an Owner Controlled Insurance Program (OCIP). To the extent required by the Owner, Contractor shall fully participate in and comply with all requirements of the OCIP. A copy of the OCIP Manual is attached hereto as Exhibit C and incorporated herein by reference. However, if the OCIP is not used, Contractor agrees to meet the requirements for Insurance coverage referenced in Section 19.03. A copy of the Construction Safety and Health Guidelines is attached hereto as Exhibit D and incorporated herein by reference.

Section 19.03. Contractor Provided Insurance Coverage. During the Term of this Contract, Contractor shall comply with the insurance requirements set forth in Exhibit C ("Insurance Requirements").

Section 19.04. Survival. The insurance provisions of this Article 19 shall survive any termination of this Contract.

ARTICLE 20

SURETY BONDS

Section 20.01. Surety Bonds Required. The Contractor shall furnish and keep in force throughout the performance of the Work a separate performance bond and separate labor and material payment bond, each in the amount of the total of the Contract Price (as the same may be modified from time to time) conditioned upon the faithful performance of the Work by the Contractor and payment of all obligations arising in connection with the Work by the Contractor. The bonds shall also guarantee to the Owner that the Work shall be free of all liens. The bonds shall name the Owner as obligee and shall be in such form and with such sureties as the Owner may approve prior to commencement of the Work.

ARTICLE 21

INDEMNIFICATION

Section 21.01. Indemnification of the Contractor.

(a) Without limiting any insurance required herein and to the fullest extent permitted by law, Contractor, on behalf of itself, its subcontractors, their agents, their employees or any entity or person for which the Contractor is or may be responsible (hereinafter collectively referred to as "Indemnitors"), shall fully defend, indemnify, save and hold the Owner, the Board of Commissioners of the Owner, the Program Manager, the Engineer, their agents, employees, officers, directors, partners and related entities (hereinafter collectively referred to as "Indemnitees") harmless from and against all liability, damages, loss, claims, demands, actions and expenses of any nature whatsoever, including, but not limited to reasonable attorney's fees which arise out of or are connected with: (1) any negligent act, error or omission by any Indemnitor, or (2) the failure of the Indemnitor to comply with any applicable laws, statutes, ordinances, rules or regulations of any governmental or quasi-governmental authority, or (3) the material breach of any term or condition of this Contract by any of the Indemnitors.

(b) Without limiting the generality of the foregoing, the indemnity set forth in this Article 21 shall include all liability, damages, loss, claims, demands and actions on account of personal injury, death or property loss to any third party, any Indemnitees, any of the Indemnitees' employees, agents, licensees or invitees relating to the Project and which results from the negligent act, error or omission of Contractor.

(c) When the Contractor is obligated to provide the Owner a defense hereunder, it shall do so with qualified counsel that is selected by the Contractor and approved by the Owner. Such approval shall not be unreasonably withheld. In light of the Owner and Contractor's continuing relationship, however, the potential for conflicts of interests exists if the same counsel represents both the Owner and Contractor when the Contractor accepts the Owner's tender of defense under the indemnity provision of this Contract. Therefore, the Owner retains the right to select its own counsel from a list of qualified attorneys provided by Contractor or Contractor's insurer. The selected counsel's fees and expenses shall be paid for by Contractor or its insurer, and the counsel shall be different from that selected by Contractor to represent it in the same matter.

(d) The indemnity set forth in this Article 21 shall survive any termination of this Contract.

Section 21.02. Labor Indemnity. The Contractor shall indemnify, defend and hold harmless the Owner, the Board of Commissioners of the Owner, the Program Manager, and the Engineer, their agents, employees, officers, directors, partners and related entities, from any and all administrative and judicial actions (including reasonable attorney's fees related to any such action), incurred by the Owner, the Program Manager, or the Engineer in connection with any labor related activity arising from the wrongful acts or omissions of the Contractor or its subcontractors in the performance of the Work of the Contractor. As used in this Contract, "labor related activity" includes, but is not limited

to, strikes, walk-outs, informational or organizational picketing, use of placards, or distribution of hand-outs or leaflets at or in the vicinity of any facility where the Owner conducts business. The Owner shall advise the Contractor if any labor related activity occurs and the Contractor shall arrange for the legal representation necessary to protect the Owner, the Program Manager, and the Engineer provided such representation is previously approved by Owner.

Section 21.03. Royalties and Patents. The Contractor shall pay all royalties and license fees in anyway relating to the Work, shall defend all suits or claims for infringement of any patent or copyrights, and shall indemnify and hold the Owner, the Board of Commissioners of the Owner, their agents, officers, directors, partners and related entities, harmless from loss on account of such suit or claim.

Section 21.04. Attorney's Fees. In the event it becomes necessary for Owner to employ an attorney to enforce any provision of this Contract or to defend against any claim or litigation initiated by the Contractor, then the Contractor shall be liable for all attorney's fees and litigation expenses of Owner.

ARTICLE 22

RIGHT TO OCCUPY BY OWNER

Section 22.01. Early Occupancy by Owner. The Owner has the right to occupy or use ahead of schedule, at no additional cost nor obligation to Owner, all or any substantially completed or partially completed portion of the Work when such occupancy and use are in its best interest, notwithstanding the time of completion for all of the Work. Maintenance of occupied portion will remain the Contractor's responsibility.

Section 22.02. Corrections after Occupancy. After the Owner has taken occupancy of all or any portion of the Work, the Contractor shall not disrupt the use and occupancy of the Owner to make corrections in the Work.

ARTICLE 23

DEFAULT: RIGHT TO TERMINATE BY OWNER

Section 23.01. Breach of Contract Terms. (Required by FAA) Any violation or breach of terms of this contract on the part of the contractor or its subcontractors may result in the suspension or termination of this contract or such other action that may be necessary to enforce the rights of the parties of this agreement.

Owner will provide Contractor written notice that describes the nature of the breach and corrective actions the Contractor must undertake in order to avoid termination of the contract. Owner reserves the right to withhold payments to Contractor until such time the Contractor corrects the breach or the Owner elects to terminate the contract. The Owner's notice will identify a specific date by which the Contractor must correct the breach. Owner may proceed with termination of the contract if the Contractor fails to correct the breach by deadline indicated in the Owner's notice.

The duties and obligations imposed by the Contract Documents and the rights and remedies available thereunder are in addition to, and not a limitation of, any duties, obligations, rights and remedies otherwise imposed or available by law.

Section 23.02. Default and Termination by Owner. (Required by FAA)

(a) The Contractor shall be considered in default of his or her Contract and such default will be considered as cause for the Owner to terminate the Contract for any of the following reasons if the Contractor:

- (1) Fails to begin the Work under the Contract within the time specified in the Notice to Proceed, or
- (2) Fails to perform the Work or fails to provide sufficient workers, equipment and/or materials to assure completion of Work in accordance with the terms of the Contract, or
- (3) Performs the Work unsuitably or neglects or refuses to remove materials or to perform anew such Work as may be rejected as unacceptable and unsuitable, or
- (4) Discontinues the execution of the Work, or

- (5) Fails to resume Work which has been discontinued within a reasonable time after notice to do so, or
- (6) Becomes insolvent or is declared bankrupt, or commits any act of bankruptcy or insolvency, or
- (7) Allows any final judgment to stand against the Contractor unsatisfied for a period of 10 days, or
- (8) Makes an assignment for the benefit of creditors, or
- (9) For any other cause whatsoever, fails to carry on the Work in an acceptable manner.

Should the Engineer consider the Contractor in default of the Contract for any reason above, the Engineer shall immediately give written notice to the Contractor and the Contractor's surety as to the reasons for considering the Contractor in default and the Owner's intentions to terminate the Contract..

(b) If the Contractor or surety, within a period of 10 days after such notice, does not proceed in accordance therewith, then the Owner will, upon written notification from the Engineer of the facts of such delay, neglect or default and the Contractor's failure to comply with such notice, have full power and authority without violating the Contract, to take the execution of the Work out of the hands of the Contractor. The Owner may appropriate or use any or all materials and equipment that have been mobilized for use in the Work and are acceptable and may enter into an agreement for the completion of said Contract according to the terms and provisions thereof, or use such other methods as in the opinion of the Engineer will be required for the completion of said Contract in an acceptable manner.

(c) All costs and charges incurred by the Owner, together with the cost of completing the Work under contract, will be deducted from any monies due or which may become due the Contractor. If such expense exceeds the sum which would have been payable under the Contract, then the Contractor and the surety shall be liable and shall pay to the Owner the amount of such excess.

Section 23.03. Termination for Convenience by Owner. (Required by FAA) The Owner may terminate this Contract without cause at any time by providing fifteen (15) days prior written notice to Contractor. Upon receipt of a written notice of termination, except as explicitly directed by the Owner, the Contractor shall immediately proceed with the following obligations regardless of any delay in determining or adjusting amounts due under this clause:

- (a) Contractor must immediately discontinue work as specified in the written notice;
- (b) Terminate all subcontracts to the extent they relate to the work terminated under the notice;
- (c) Discontinue orders for materials and services except as directed by the written notice;
- (d) Deliver to the Owner all fabricated and partially fabricated parts, completed and partially completed Work, supplies, equipment and materials acquired prior to termination of the Work and as directed in the written notice;
- (e) Complete performance of the Work not terminated by the notice; and
- (f) Take action as directed by the Owner to protect and preserve property and work related to this Contract that Owner will take possession.

Owner agrees to pay Contractor for:

- (1) Completed and acceptable Work executed in accordance with the Contract Documents prior to the effective date of termination;
- (2) Documented expenses sustained prior to the effective date of termination in performing Work and furnishing labor, materials, or equipment as required by the Contract Documents in connection with uncompleted Work;
- (3) Reasonable and substantiated claims, costs and damages incurred in settlement of terminated contracts with Subcontractors and Suppliers; and

- (4) Reasonable and substantiated expenses to the Contractor directly attributable to Owner's termination action.

Owner will not pay Contractor for loss of anticipated profits or revenue or other economic loss arising out of or resulting from the Owner's termination action.

The rights and remedies this clause provides are in addition to any other rights and remedies provided by law or under this Contract.

Section 23.04. Suspension by the Owner.

(a) The Owner may order the Contractor in writing to suspend, delay, or interrupt the Work in whole or in part for such period of time as the Owner may determine (hereinafter referred to as "Suspension").

(b) Provided the Suspension lasts for more than ninety (90) days, an adjustment to the Contract Price ("Adjustment") shall be made as set forth in paragraph (c) of this Section 23.02. The Substantial Completion Date shall be extended by written Contract Amendment to the extent that substantial completion is actually delayed by this Suspension. No Adjustment shall be made to the extent:

- (1) That performance is, was or would have been so suspended, delayed or interrupted by another cause for which the Contractor is in full or in part responsible; or
- (2) That an equitable adjustment is made or denied under another provision of this Contract.

(c) The amount of the Contractor's compensation for a Suspension pursuant to this Section 23.02 shall be limited to any properly documented costs of maintaining personnel and equipment in the field provided such costs are pre-approved by the Owner in writing. The Owner shall not be liable at any time for home office overhead or consequential damages. At the Owner's option, the Contractor may be ordered to demobilize its forces because the Project is suspended. In such event, the Owner will reimburse the Contractor for the reasonable cost of demobilization and remobilization.

Section 23.05. Assignment of Subcontracts. In the event of termination by the Owner pursuant to this Article 23 or Exhibit E to this Contract, the Owner may require the Contractor to promptly assign to it all or some of the subcontracts, materials, tools, and equipment to be installed under this Contract, or rental agreements, and any other commitments which the Owner, in its sole discretion, chooses to take by assignment. In such event, the Contractor shall promptly execute and deliver to the Owner written assignments of such commitments.

ARTICLE 24

HAZARDOUS MATERIALS

Section 24.01. Hazardous Materials Covenants.

(a) Contractor hereby represents and warrants to and for the benefit of Owner that the Project or Work Site will not be used or operated in any manner that will result in the storage, use, treatment, manufacture or disposal of any Hazardous Materials (hereinafter defined) upon the Project or Work Site or any portion thereof or which will result in Hazardous Materials Contamination (hereinafter defined). For purposes of this Article 24, the term "Hazardous Materials" shall mean and refer to: (1) any "hazardous waste" as defined by the Resource Conservation and Recovery Act of 1976 (42 U.S.C. § 6901 *et seq.*), as amended from time to time, and regulations promulgated thereunder; (2) any "hazardous substance" as defined by the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (42 U.S.C. § 9601 *et seq.*) ("CERCLA"), as amended from time to time, and regulations promulgated thereunder; (3) asbestos; (4) polychlorinated biphenyls; (5) urea formaldehyde; (6) any substance the presence of which on the premises is prohibited by any applicable environmental laws or regulations ("Laws") or by any other legal requirements affecting the Project or the Work Site; (7) petroleum based materials (with the exception of tires affixed to vehicles); and, (8) any other substance which is defined as hazardous, toxic, infectious or radioactive by any Laws or by any other legal requirements affecting the Project or Project site. For purposes of this Article 24, the term "Hazardous Materials Contamination" shall mean and refer to the contamination of the Project or Project site, soil, surface water, ground water,

air, or other elements on, or of, the buildings, facilities, soil, surface water, ground water, air, or other elements on or of any other property as a result of Hazardous Materials at any time emanating from the Project or Work Site.

(b) In addition to and without limiting the generality of any other provision of this Contract, Contractor shall and hereby does indemnify and hold Owner, the Board of Commissioners of the Owner, the Program Manager, the Engineer, their agents, employees, officers, directors, partners and related entities harmless from and against any and all losses, damages, expenses, fees, claims, demands, causes of action, judgments, costs and liabilities, including, but not limited to, attorney's fees and costs of litigation, and costs and expenses of response, remedial and corrective work and other cleanup activities, arising out of or in any manner connected with: (1) the "release" or "threatened release" (as those terms are defined in CERCLA and the rules and regulations promulgated thereunder, as from time to time amended) by Contractor or Contractor's employees, agents, delegees, invitees, licensees, concessionaires, subcontractors or representatives, of any Hazardous Materials; or (2) any occurrence of Hazardous Materials Contamination affecting the Project or Work Site caused by or resulting from, in whole or in part, the operations of the Contractor or Contractor's employees, agents, delegees, invitees, licensees, concessionaires, subcontractors or representatives. The provisions of this paragraph shall survive any payment or satisfaction of this Contract and such provisions shall remain in full force and effect.

(c) When use or storage of hazardous materials or equipment or unusual methods of construction are necessary, the Contractor shall obtain prior written approval from the Owner. The use of explosives is strictly prohibited provided, however, powder activated fasteners are permitted.

(d) If Contractor encounters on the Work Site any substance or material reasonably believed by Contractor to be hazardous, Contractor immediately shall (i) stop work in the area affected, (ii) take measures appropriate to the condition to keep people away from the suspected Hazardous Material and, (iii) report the condition to Owner in writing. If the Work is so stopped and Hazardous Material is found, the Work in the affected area shall not thereafter be resumed except by the issuance of a Construction Change Directive pursuant to Section 9.02 of this Contract. Any such Construction Change Directive shall be limited to, an adjustment to the Substantial Completion Date appropriate. If no Hazardous Material is found after the Work is stopped, no Construction Change Directive is required to resume the Work in the affected area.

ARTICLE 25

MISCELLANEOUS

Section 25.01. No Waiver. No consent or waiver, express or implied, by either party to this Contract or of any breach or default by the other in the performance of any of its obligations hereunder shall be deemed or construed to be a consent or waiver to or of any other breach or default by such party. Failure on the part of the Owner to complain of any act or failure to act of the Contractor or to declare the Contractor in default, irrespective of how long such failure continues, shall not constitute a waiver of the rights of Owner.

Section 25.02. Assignment. This Contract shall not be assigned, delegated or transferred in whole or in part by the Contractor nor shall the Contractor assign any monies due or to become due to it without the prior written consent of the Owner.

Section 25.03. Governing Law. This Contract is entered into in Tennessee and shall be governed by and construed according to the laws of Tennessee. Any and all disputes arising out of this Contract, and/or the Project shall be decided by a state or federal court of competent jurisdiction in Memphis, Shelby County, Tennessee.

Section 25.04. Execution of Contract. The parties hereby agree and express their intent to execute this Contract electronically if Owner has a designated information processing system. The parties also hereby agree that this Contract may be executed in counterparts, each of which shall be deemed to be an original, but all of which, taken together, shall constitute one and the same agreement.

Section 25.05. Article and Section Headings. Article and section headings contained in this Contract are for ease of reference only and shall not affect the interpretation or meaning of this Contract.

Section 25.06. Parties in Interest. This Contract shall inure to the benefit of and be binding upon the Parties and their respective successors, assigns and legal representatives. It is specifically agreed between the Owner and the Contractor that the Parties do not intend to create any third party beneficiary rights by the execution of this Contract.

Section 25.07. Severability. If any one or more of the provisions contained in this Contract shall for any reason be held invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect any other provision of this Contract, but it shall be construed as if such invalid, illegal or unenforceable provision had never been contained herein.

Section 25.08. Written Notices. Whenever by the terms of this Contract notice shall be given either to Owner or to Contractor, such notice shall be in writing and shall be sent by regular United States Postal Service, by hand-delivery, by registered or certified mail, by a nationally recognized overnight delivery service or by electronic mail with a delivery receipt. Notice intended for Owner shall be addressed to the Vice President of Operations as follows with a copy to Owner's General Counsel at the address for regular mail:

If to the Owner, address to:

Regular Mail or Hand Delivery
Vice President of Operations
Memphis-Shelby County Airport Authority
2491 Winchester Rd., Suite 113
Memphis, Tennessee 38116-3856

Certified Mail or Overnight Delivery
4150 Louis Carruthers Drive
Memphis, TN 38118
(901) 922-8000

If to the Contractor, address to:

Either Party, from time to time, may change its address by giving written notice to the other Party.

Section 25.09. Exhibits. All exhibits described in this Contract shall be deemed to be incorporated into and made a part of this Contract. If there is any inconsistency between this Contract and the provisions of any exhibits, the provisions of this Contract shall control to the extent of the inconsistency.

Section 25.10. Entire Contract. This Contract, together with the exhibits and the other Contract Documents, constitutes the entire agreement between the Owner and the Contractor and supersedes all prior written or oral agreements, understandings, representations, negotiations and correspondence between the Parties. This Contract shall not be supplemented, amended or modified by any course of dealing, course of performance or usage of trade and may only be amended or modified by a written instrument duly executed by officers of both Parties.

Section 25.11. Non-Federally Assisted Projects. Regardless of the funding source for the Project, Contractor hereby agrees to comply with all nondiscrimination provisions of this Contract.

Section 25.12. Small Business Participation Programs.

(a) The Project is subject to the requirements of Owner's Small Business Participation (SBP) Program. It is the responsibility of the Contractor to see that all requirements of the SBP Program are met. The SBP Program participation goal for the Project is **ZERO PERCENT (0%)**. The SBP Program goal shall apply to Change Orders. The Contractor must either meet the goal or make good faith efforts to do so. Good faith efforts are defined in Appendix A to 49 CFR Part 26. To qualify, a firm must be included on the Owner's list of certified SBE firms.

(b) In case of the Contractor's non-compliance with SBP Program requirements as applicable, including, but not limited to, documentation, cooperation, and truthfulness, the Authority shall impose such Contract sanctions as it may determine to be appropriate. This may include but is not limited to:

- (1) Withholding of payments to the Contractor under the Contract until the Contractor complies; and/or
- (2) Cancellation, termination, or suspension of the Contract, in whole or in part; and/or
- (3) Assessing sanctions; and/or
- (4) Payment by the Contractor to the Authority of an amount equal to the difference in the SBE dollar value contracted for and the dollar value achieved in documented SBE participation or any lesser amount or penalty as deemed appropriate by the Authority, which dollar value shall be considered liquidated damages for failure to perform the requirements of the Contract and for which Contractor and all of its subcontractors agree to be bound.

(c) Retainage will not be withheld on this project. No retainage will be withheld by MSCAA from progress payments due the Contractor. Retainage by the Contractor or subcontractors is prohibited, and no retainage will be held by the Contractor from progress payments due to subcontractors.

(d) Contractor must not terminate a SBE subcontractor listed in response to the solicitation (or an approved substitute SBE firm) without prior written consent of Authority. This includes, but is not limited to, instances in which Contractor seeks to perform work originally designated for a SBE subcontractor with its own forces or those of an affiliate, a non-SBE firm, or with another SBE firm.

Contractor shall utilize the specific SBEs listed to perform the work and supply the materials for which each is listed unless the Contractor obtains written consent from the Authority. Unless consent is provided by the Authority, Contractor shall not be entitled to any payment for work or material unless it is performed or supplied by the listed SBE.

The Authority may provide such written consent only if the Authority agrees, for reasons stated in the concurrence document, that Contractor has good cause to terminate the SBE firm. For purposes of this paragraph, good cause includes the circumstances listed in 49 CFR §26.53.

Before transmitting to the Authority its request to terminate and/or substitute a SBE subcontractor, Contractor must give notice in writing to the SBE subcontractor, with a copy to the Authority, of its intent to request to terminate and/or substitute, and the reason for the request.

Contractor must give the SBE five days to respond to the notice. In the response, the SBE must advise the Authority and Contractor of the reasons, if any, why it objects to the proposed termination of its subcontract and why Owner should not approve the Contractor's action. If required in a particular case as a matter of public necessity (e.g., safety), Owner may provide a response period shorter than five days.

Section 25.13. No Financial Benefit. Contractor understands and agrees that no Owner employee or member of the Board of Commissioners, Memphis City Council or Shelby County Commission shall receive any financial benefit arising out of this Contract, either directly or indirectly. Further, any fees paid to any person or entity by Contractor for assistance in obtaining this Contract with Owner must be fully disclosed to Owner. Notwithstanding any term, condition, obligation or provision in this Contract, any other writing, any other agreement, any oral understanding or agreement, or any conduct or failure to act by the Owner, Contractor stipulates and agrees conclusively that Contractor has against the Owner no right, entitlement or claim for any payment, compensation, cost or remuneration of any type other than pursuant to the terms of this Contract.

ARTICLE 26

FEDERAL AVIATION ADMINISTRATION (FAA) REQUIRED CONTRACT PROVISIONS

Section 26.01. FAA Required Provisions. Federal laws and regulations require that specific contract provisions be included in certain contracts and subcontracts. All such provisions are set forth in Exhibit E, which is attached hereto and incorporated herein by reference. Contractor hereby agrees to insert these provisions in each contract and subcontract (to the extent applicable) related to the performance of this Contract and to require each of its subcontractors to do the same. Contractor also hereby agrees to incorporate these provisions by reference for work done under any purchase order, rental agreement or other agreement for supplies or services related to the performance of this Contract. Contractor further agrees to be responsible for compliance with these provisions by any subcontractor, lower-tier subcontractor or service provider. Contractor acknowledges that the FAA prevents any modification to these

provisions that creates a conflict with federal laws and regulations or changes the intent of the required provision.

ARTICLE 27

STATE REQUIRED CONTRACT PROVISIONS

Section 27.01. State of Tennessee Laws and Regulations - Grant Contract Provisions. State laws and regulations require that specific contract provisions be included in certain contracts and subcontracts. All such provisions are set forth in Exhibit F, which is attached hereto and incorporated herein by reference.

*The remainder of this page intentionally left blank.
[Signature page to follow.]*

IN WITNESS WHEREOF, the Parties have made and executed this Contract as of the day and year first above written.

**MEMPHIS-SHELBY COUNTY
AIRPORT AUTHORITY**

CONTRACTOR

By: _____

By: _____

Title: President and CEO

Title: _____

Approved as to Content:

By: _____

Title: Vice President of Operations

Approved as to Form and Legality:

By: _____

Title: General Counsel

Reviewed and Approved:

By: _____

Title: Director of Development

By: _____

Title: Sr. Manager of Business Opportunity Development

**EXHIBIT A
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

SCOPE OF WORK

This project is to construct a new FAA Precision Approach Path Indicator (PAPI) on Runway 18R at MEM. Overall scope includes installation of FAA provided PAPI Equipment and associated utilities/infrastructure. The work includes PAPI equipment installation, underground electrical installation (conduit and cable), concrete pad, erosion control, and sodding. The general contractor must have experience with airfield electrical and Navigation Aid (NAVAID)/Visual Aid (VISAID) equipment.

**EXHIBIT B
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

NOT USED

**EXHIBIT C
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

INSURANCE REQUIREMENTS

C.1 Contractor Provided Coverages

All insurance obtained by the Contractor pursuant to this Agreement shall be written by insurance companies licensed to do business in Tennessee and acceptable to Owner. In no event shall the companies have an A. M. Best rating of less than A-, financial size VIII.

Prior to the commencement of any operations by or on behalf of the Contractor relating to the Project, and with respect to any and all such operations, the Contractor shall procure, maintain and provide to Owner and the Program Manager:

- 1) Evidence of Contractor's **Commercial Automobile Liability Insurance**. A certificate of insurance and copy of endorsement shall be provided as evidence of:
 - a) Coverage for Owner, their officers, directors and employees as additional insureds.
 - b) Coverage to apply to all liability arising out of the ownership or use of all vehicles owned by, hired by, borrowed by, or used on behalf of the Contractor.
 - c) Waiver of Subrogation to be provided in favor of the Owner, the Design Professional, the Program Manager and their officers, directors, and employees.
 - d) If hazardous materials or waste are to be transported, the policy will be endorsed with the MCS-90 endorsement in accordance with the applicable legal requirements.

This insurance shall be for an amount not less than \$1,000,000 combined single limit each accident

- 2) Evidence of Contractor's **Workers' Compensation and Employer's Liability Insurance**. A certificate of insurance or, at Owner's request, a certified policy copy shall be provided as evidence of:
 - a) Coverage for claims for damages arising out of bodily injury, occupational sickness or disease or death of Contractor's employees under any applicable workers' compensation statute or any other applicable employers' liability law. Certificate of insurance or policy must clearly identify that coverage applies in the state of Tennessee.
 - b) A waiver of subrogation by the insurer against the Owner the Design Professional, the Program Manager and their officers, directors and employees.
 - c) This insurance shall include employers' liability limits of not less than \$1,000,000 bodily injury each accident, \$1,000,000 bodily injury by disease each employee and \$1,000,000 bodily injury by disease in the aggregate.
- 3) Evidence of Contractor's **Commercial General Liability Insurance**. Certificate of insurance and copies of endorsements to Contractor's primary commercial general liability policy and shall be provided as evidence of:

- a) Coverage for Owner and the Design Professional, Program Manager, their officers, directors and employees as additional insureds as respects claims or liabilities arising from or connected with Contractor's work, operations and completed operations. The additional insured endorsements shall be at least as broad as the current editions of CG 2010 (1001) during the course of construction and CG2037 (1001) until the expiration of the statute of repose, or its insurance carrier equivalent.
- b) Coverage shall be primary and non-contributing with any coverage Owner maintains in its own name and on its own behalf.
- c) Coverage shall be written on an occurrence coverage form, with coverage at least as broad as that provided under the current edition of the ISO Commercial General Liability coverage form, CG 0001. Other than standard exclusions applicable to pollution, asbestos, mold, employment practices, ERISA and professional liability, there shall be no limitations or exclusions beyond those contained in the standard policy forms. In addition to procuring and maintaining this insurance during the duration of the contract, contractor agrees to continue to procure and maintain products and completed operations liability insurance coverage for a minimum of six (6) year(s) after the date the contract is completed or terminated or in accordance with the applicable statute of limitations under state law, whichever is longer.
- d) Waivers of subrogation by insurers against Owner, Design Professional, Program Manager and their officers, directors and employees.
- e) Contractual Liability Insurance applicable to the indemnification agreement contained in Section 21.01 of this Agreement.
- f) The required amounts of primary Commercial General Liability Coverage in the amount of:

\$1,000,000	Bodily Injury and Property Damage Limit for each occurrence
\$1,000,000	Personal & Advertising Injury
\$2,000,000	General Aggregate (Annual)
\$2,000,000	Products/Completed Operations Aggregate (annual)
The general aggregate limit shall apply separately to each project.	

- 4) Evidence of Contractor's **Excess or Umbrella Liability Insurance**. Certificate of insurance and copies of endorsements to Contractor's Excess or Umbrella liability policy and shall be provided as evidence of this excess liability or umbrella insurance with an annual an aggregate amount of not less than \$5,000,000 for the Contractor and \$1,000,000 limits required of subcontractors unless otherwise stated in the Contract Documents, and shall be excess and follow form over primary coverages included herein. Such coverage will be excess and follow form of the Commercial Auto Liability, Employers Liability and the Commercial General Liability policies and "drop down" for defense and indemnity in the event of exhaustion of the underlying insurance.

- 5) Evidence of **Professional Liability Insurance** (If Applicable):

Per Claim and in the Aggregate: \$0

All professional services firms must provide professional liability insurance appropriate for their profession. Architectural and engineering firms must provide coverage for liability arising out of design errors and omissions. The policies shall provide a three (3) year extended reporting period.

- 6) Evidence of **Contractors Pollution Liability Insurance**:

Each Occurrence Limit and in the Aggregate: \$1,000,000

Coverage applies to third-party bodily injury and property damage claims (including natural resource damage), and clean-up costs, caused by pollution conditions which result from covered operations performed by, or on behalf of,

contractors and subcontractors of all tiers at the Project Site. Coverage shall apply to claims for mold and fungus damage that result from the work as well as gradual and sudden and accidental pollution incidents arising from activities of the contractors working at the project site.

Coverage must be evidenced for on-site and off-site transportation which may result in a pollution incident/event and non-owned disposal site coverage (if applicable to the project).

The policy shall be endorsed to provide a Waiver of Subrogation in favor of the Owner, Design Professional and Program Manager. In addition, the Owner, their officers, directors and employees shall be included as Additional Insureds.

7) Evidence of **Contractor's Equipment Insurance**:

The Contractor is responsible for their tools and equipment including, but not limited to, construction trailers and their contents and temporary scaffolding at the project site, whether owned, leased, rented or borrowed. Contractor acknowledges and agrees that the Owner will not be responsible for any loss or damage to their tools and equipment. If insured, the Contractor's insurance policies covering tools and equipment will include a waiver of subrogation and any other rights of recovery in favor of the Owner. If uninsured, the Contractor will hold harmless the Owner, Program Manager and Design Professional for loss or damage to their tools and equipment.

8) Evidence of **Aircraft/Aviation Liability Insurance** (If Applicable):

Should any of the Contractors' work include using any owned, leased, chartered, or hired aircraft of any type, whether manned or unmanned, for the project, minimum limits minimum limits in the amount of:

Each Occurrence Limit and in the Aggregate (including passenger liability): \$0

The operator must maintain liability insurance covering bodily injury and property damage on a Combined Single Limit basis. If non-employee passengers are carried, there cannot be a per-passenger sublimit.

Prior to commencing operations, the operator must provide the Owner with a certificate of insurance naming the Owner, their officers, directors and employees as additional insureds on a primary and non-contributory basis. Operator and their insurer(s) must hold the Owner harmless and waive subrogation with respect to damage to the aircraft

If aircraft is to be used to perform lifts at the Project Site, a "slung cargo" endorsement must be included to cover the full replacement value of any equipment being lifted.

C.1.2. Contractor's Insurance Primary.

Any coverage applicable to Owner under Contractor's insurance policies shall be primary and non-contributing with any insurance maintained by Owner in its own name and on its own behalf. Copies of endorsements to Contractor's policies shall be provided to Owner.

C.1.3. Cancellation.

All such insurance shall be in form and substance satisfactory to the Owner and shall provide that not less than thirty (30) days' notice of cancellation or non-renewal, other than non-payment of premium which shall be ten (10) days' notice, be provided to Owner and all Additional Insureds and certificate holders. If unavailable, Contractor must provide Owner with thirty (30) days' advance written notice of cancellation, other than non-payment of premium, which shall be ten (10) days' notice. Contractor must notify Owner of any material change or reduction in coverage to the Contractor's insurance policies.

C.1.4. Certificates of Insurance - Contractor Provided Insurance

Coverage Requirements

As shown in Section C.1

Additional Insured Wording for Contractors shall read:

Memphis-Shelby County Airport Authority, Program Manager, Design Professional and their officers, commissioners, agents and employees as now or hereafter exist as respect to the services / work to be performed under this Agreement, for coverages as required by contract #24-0200-14.

Additional Insured Wording for Subcontractors shall read:

The Memphis-Shelby County Airport Authority, Program Manager, Design Professional and their officers, commissioners, representatives, agents and employees ATIMA and Awarding Contractor are additional insureds as respect to the services / work to be performed under this Agreement for coverages as required by contract.

Filing of Certificates

Certificates of insurance acceptable to the Owner shall be filed with the Owner prior to commencement of the Work. If any of the foregoing insurance coverages are required to remain in force after final payment and are reasonably available, an additional certificate evidencing continuation of such coverage shall be submitted with the final Application for Payment.

C.1.5. The Right of the Owner to Maintain Insurance.

In the event the Contractor fails to furnish and maintain the required insurance or to furnish certificates of insurance, the Owner shall have the right, at its option, to terminate this Agreement or to take out and maintain such insurance, and hold the Contractor liable for the cost. Compliance by the Contractor with the requirements of this Article shall in no way relieve the Contractor from liability under any provision of this Agreement or the Contract Documents.

C.1.6. Other Insurance

Any type of insurance or any increase of limits of liability not described in this section which the Contractor or any Subcontractor requires for their own protection or on account of any statute will be their own responsibility and their own expense. Any type of insurance or any increases of limits of liability not described herein that the Contractor or any Subcontractor requires for its own protection or on account of statute shall be its own responsibility and its own expense. If the Contractor or the Subcontractors maintain any insurance policies covering owned, leased or borrowed, equipment, such policies shall contain a waiver of subrogation against the Owner. Each item must be shown as a line item and approved by the Owner.

C.1.7. Deductibles

The Contractor shall be responsible for the payment of the deductible amounts for any insurance in force pursuant to this Agreement whether such insurance is furnished by the Owner or the Contractor.

C.1.8. Insurance for Project Property While outside the United States and Canada.

If any project property is in transit or is located outside the continental United States or Canada for any reason, Contractor shall arrange to insure such property for its full replacement value separate from the other insurance described herein.

C.1.9. Subcontractors Flow-Down Clause.

All Subcontractors are subject to the same insurance requirements as Contractor with the exception that Subcontractor Excess or Umbrella limits may be lower per paragraph C.2 4) should Owner so choose. Contractor shall cause each Subcontractor employed by Contractor to purchase and maintain such insurance and upon request, must promptly furnish Owner with copies of certificates of insurance evidencing coverage for each Subcontractor.

C.1.10. No Representation of Coverage Adequacy.

In specifying minimum Contractor insurance requirements, Owner does not represent that such insurance is adequate to protect Contractor for loss, damage or liability arising from its work. Contractor is solely responsible to inform itself of the types or amounts of insurance it may need beyond these requirements to protect itself. The insurance requirements set forth in minimum amounts shall not be construed to relieve Contractor for liability in excess of such coverage, nor shall it preclude Owner from taking such other actions as is available to it under any other provision of the contract.

C.1.11. Contractor Responsibilities

The Contractor will cooperate with and will require all eligible Subcontractors to cooperate with The Owner. The Contractor and eligible Subcontractors responsibilities will include, but not be limited to:

- 1) Compliance with applicable Construction Safety Program;
- 2) Provision of necessary contract, operations and insurance information, including verification of current Worker's Compensation Experience Modifier;

C.1.12. Approval of Forms and Companies

All insurance described in this Section will be written by an insurance company or companies satisfactory to the Owner and licensed to do business in Tennessee and will be in a form and content satisfactory to the Owner. No party subject to the provisions of this contract will violate or knowingly permit to be violated any of the provisions of the policies of insurance described herein.

C.1.13. Coverage to be provided by Contractor during Warranty Period

During the period following the final acceptance date and prior to expiration of the warranty period hereunder, Contractor will maintain in full force and effect all insurance as specified in paragraph C.2 covering all Work performed during such period.

C.1.14. Waiver of Subrogation and Waiver of Rights of Recovery

Contractor waives all rights of subrogation and recovery against the Owner, Design Professional and Program Manager. The Contractor and each Subcontractor will require all Subcontractors to similarly waive their rights of subrogation and recovery in each of their respective construction contracts with respect to their work.

C. 2. Project Safety Administration

It is the responsibility of the Contractor to maintain total control of safety to ensure that its employees and the general public will be provided an environment free of recognized hazards during construction activities. In carrying out this policy it is clear the only accepted level of performance is to be "Incident Free" on this project each and every day.

C.2.1. Project Safety Manual

The safety requirements of any Designated Project Safety Manual are a supplementary document to all Government rules, codes and regulations. It is understood that the ultimate responsibility for providing a safe place to work rests with each individual Contractor. All Contractors are responsible for full compliance with the requirements and standards referenced in the manual.

C.2.2. New Employee Orientation

Each new Contractor or Subcontractor employee will be required to attend an orientation program. This orientation is designed to communicate all project specific safety policies, procedures, and expectations of "the Safety Team" in regard to the construction of any Designated Project.

C.2.3. Contractor Safety Program Review

To proactively monitor the safety, health and environmental performance of Contractors and Subcontractors the Owner and/or his Representative, will be conducting a periodic review of Contractor or Subcontractor safety programs. This will be a formal process, which will be done with or without advanced notice. Upon completion of the Safety Program Review, a list of recommendations will be provided to the Contractor or Subcontractor. There will be a timeline developed and agreed upon for the purpose of abating any deficiencies in the Contractor or Subcontractor safety program.

C.3. No Release

The provision of any insurance by the Owner will in no way be interpreted as relieving the Contractor or any Subcontractor of any other responsibility or liability under this agreement or any applicable law, statute, regulation or order

EXHIBIT D
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION

BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)

CONSTRUCTION SAFETY AND HEALTH GUIDELINES

NON OCIP CONSTRUCTION SAFETY AND HEALTH GUIDELINES

Memphis-Shelby County Airport Authority

Construction Safety and Health Guidelines



Non-OCIP Safety Program

Revision	Revision Summary	Date
1	Amendments for clothing to include "reflective safety vests"	02/06/2017

Confirmation of these Project Safety & Health Guidelines

It is the responsibility of the Contractor to maintain total control of safety to ensure that employees and the general public are provided with an environment free of hazards during construction and renovation activities. This program does not relieve the Contractor of their responsibilities regarding the safety of their employees, the employees of their Subcontractors and sub-subcontractors, protection of the general public and the preservation of property.

Contractors shall develop their own written site-specific safety and health plans for the Memphis-Shelby County Airport Authority. At minimum, the safety and health plan shall meet the requirements of 29CFR1926 – Federal OSHA Construction regulations and the requirements established in the **Memphis-Shelby County Airport Authority** Construction guidelines. In short, as required by law, each Contractor is responsible for protecting the health and safety of its employees and the employees of each subcontractor and sub-subcontractor while ensuring they have a safe and healthful place to work. The site-specific safety and health program shall be submitted for approval within fifteen (15) days after the Notice to Proceed for review.

The Safety Requirements of these safety guidelines are a supplementary document to all Government rules, codes, and regulations. It does not negate, abrogate, alter, or otherwise change any provisions of these rules, codes and/or regulations, and is intended to supplement and enforce the individual program of each contractor and the overall safety effort. It is understood that the ultimate responsibility for providing a safe place to work rests with each individual Contractor.

In the event of a conflict between the provisions of these guidelines and applicable local, State or Federal safety and health laws, regulations and/or standards, contract documents or the Contractor's Safety Plan the more stringent shall apply.

By Signature, each individual confirms their understanding of the contents of this manual and shall conform to the standards of safety outlined in this manual.

Contractor – Project Manager

Contractor – Field Supervisor

Date

Date

POLICY STATEMENT	42
DEFINITIONS	43
PREFACE.....	43
INTRODUCTION.....	45
CONSTRUCTION SAFETY AND HEALTH GUIDELINES, PURPOSE AND SCOPE	45
RESPONSIBILITIES	45
GENERAL.....	45
CONTRACTORS	45
WORKPLACE SUBSTANCE ABUSE POLICY	47
INSTRUCTION AND TRAINING.....	47
SAFETY ORIENTATION PROGRAM	47
PROTECTION OF THE PUBLIC.....	47
GROUP TOURS AND SITE VISITORS.....	48
HARASSMENT-FREE WORK POLICY	48
EMPLOYEE HARASSMENT	48
SEXUAL HARASSMENT.....	48
REPORTING OF HARASSMENT	49
REPORTING, ACCIDENT INVESTIGATION, AND RECORDKEEPING.....	49
REPORTING.....	49
RECORD-KEEPING AND FILES.....	49
ACCIDENT INVESTIGATION.....	49
RETURN-TO-WORK	50
WORK PRACTICE CONTROL	50
OVERVIEW	50
HAZARD COMMUNICATION PROGRAM	50
RECORD-KEEPING AND FILES.....	51
JOB SAFETY ANALYSIS (JSA).....	52
SPECIFIC PROJECT SAFETY REQUIREMENTS.....	52
CONTROLS FOR POSSIBLE CONFLICTS BETWEEN CONSTRUCTION OPERATIONS AND AIRCRAFT	52
SCAFFOLDS, STAIR TOWERS AND WORK PLATFORMS	54
<i>Tagging</i>	54
WALKING AND WORKING SURFACES	54
<i>Barrier Identification Tape</i>	54
FALL PROTECTION	54
CONFINED SPACE ENTRY.....	55
EMPLOYEE GROUND TRANSPORTATION	56
HOUSEKEEPING - MUST BE A CONTINUING PROCESS	56
PROJECT ELECTRICAL REQUIREMENTS.....	57
CRANES AND HOISTING EQUIPMENT	57
RIGGING	58
EXCAVATION (ANY PROCESS WHICH DISTURBS SOIL)	59
EARTHMOVING EQUIPMENT AND TRUCKS	59
WELDING & CUTTING.....	60
PERSONAL PROTECTIVE EQUIPMENT	60
<i>Eye and Face Protection</i>	60
<i>Head Protection</i>	60
<i>Hearing Protection</i>	61
<i>Respiratory Protection</i>	61
<i>Foot Protection</i>	61
<i>Clothing</i>	61
APPENDIX A - SAFETY ORIENTATION.....	62
APPENDIX B – EMPLOYEE DISCIPLINARY GUIDELINE.....	64
APPENDIX C - CRITICAL LIFT CHECKLIST	65
APPENDIX D – SUBSTANCE ABUSE	66

APPENDIX E - SUPERVISOR'S REPORT OF BODILY INJURY	70
APPENDIX F - REPORT OF DAMAGE TO EQUIPMENT OR PROPERTY	71

POLICY STATEMENT

Memphis-Shelby County Airport Authority is committed to ensuring that all construction workers have the best possible working environment while working on this project. It shall be the responsibility of each Contractor/Subcontractor to abide by the Safety and Health Provisions listed in OSHA 29 CFR 1926.

In addition, each Contractor, Subcontractor and Sub-Subcontractor shall abide by the **Memphis-Shelby County Airport Authority** Construction Safety Guidelines, Federal Regulations, State laws and regulations, local and county laws and regulations which are applicable.

The primary goal established for the **Memphis-Shelby County Airport Authority** is to safely perform work with “**ZERO ACCIDENTS**,” totally free from lost time injuries for the mutual benefit of the worker, environment, and community.

The safety goals and objectives established for the Project can only be achieved when everyone commits to performing their tasks safely and efficiently. This commitment to achieve these goals will result in both increased productivity and the PREVENTION of job-related injuries and illnesses. This will be considered as safe construction.

Definitions

Construction Managers – Means the Management Group or General Contractor that has direct contract with the Owner **Memphis-Shelby County Airport Authority** to provide the overall control of the construction at the project.

General Contractor – Means the Contractor that has direct contract with the owner or Construction Managers as bid for the project. The General Contractor is also the controlling contractor on the construction site when a Construction Manager is not present.

Subcontractor – Means the contractor and or contractors that carry contracts with the General Contractor or Construction Managers. Subcontractors bid portions of the scope of work to be completed.

Sub-Subcontractors – Means any subcontractors of a subcontractor working or contracted to do work on the project.

Critical Lift – A lift that exceeds 75% of the rated capacity of the crane or requires the use of more than one crane. Also, relates to the installation of equipment and or materials that are critical to the completion of the project and damage to such equipment and/or material could result in delays to the project.

The General Public – Is defined as all persons not employed by or under contract, subcontract, or sub-subcontract to the **Memphis-Shelby County Airport Authority**.

PREFACE

From the inception of **Memphis-Shelby County Airport Authority** there has been a determination and commitment to provide a safe environment for all workers and for the public from hazards associated with the construction of the Project.

All Contractors shall implement measures that will create safety awareness, promote safe work practices at the job site and pursue the contract objectives in the safest possible manner. Each Contractor shall bear sole and exclusive responsibility for safety in all phases of their work. Nothing contained herein shall relieve such responsibility.

Each Contractor shall be responsible for all its subcontractor's and sub-subcontractor's compliance with the project safety requirements.

Contractors shall develop their own written site-specific safety and health plan for the MSCAA. At minimum, the safety and health plan shall conform to the requirements addressed in the Occupational Safety and Health Act of 1970 and all additions and revisions thereto, and the requirements established in the **Memphis-Shelby County Airport Authority** Construction Safety Guidelines. In short, as required by law, each Contractor is responsible for protecting the health and safety of its employees while ensuring they have a safe and healthful place to work.

Contractor developed plans/program(s).

Programs will be reviewed and approved by the MSCAA Engineer in charge of the Project. Example(s) of such OSHA mandated plans/programs are shown below.

Site Traffic Control Plan	Fall Protection Plan
Fire Protection Plan	Trench Safety Plan
Respiratory Protection Plan	Hazard Communication Program
Confined Space Entry	Scaffold Safety Program
Hearing Conservation Program	Ladder Safety Training
Dust Control Plan	

Emergency Procedures shall be made part of the Contractor's Safety Program. The following provisions shall be included in the emergency plan:

- a. Highest ranking supervisor automatically becomes responsible for the handling of any emergency that occurs during his working hours; they may call upon the assistance of any available worker. A responsible supervisor must be designated for each shift.

- b. On a regular basis, at both supervisory and “weekly tool-box meetings” instruct and update all employees in any course of action for emergencies.
- c. Establish teams to handle each of the various emergencies.
- d. Following an emergency, ranking personnel shall secure the area as expediently as possible and provide access and an account of the emergency to authorized representative(s) of MSCAA. Questions from the media should be referred to MSCAA.

Emergency procedures that may occur during any 24-hour period in the following categories must be established by each contractor:

- a. Fire
- b. Employee injury
- c. Pedestrian injury due to work activity of any kind
- d. Property damage and damage to above ground and buried utilities
- e. Public demonstrations
- f. Bomb threats

On a regular basis, the Contractor shall review and, when necessary, update Emergency Procedures for maximum effectiveness. The contractor should provide MSCAA, the Construction manager, and the designated MSCAA Representative a telephone list of key management personnel, for after-hours emergency contact.

Should a serious accident or emergency occur, the contractor shall contact the MSCAA Development Division's designated person immediately. If an emergency requires the presence of an ambulance or the Fire Department, including nights, weekends and holidays, the contractor shall call MSCAA emergency dispatch at (901)922-8333. Non injury accidents need to be reported to the airport police at (901)922-8298. **DO NOT USE 911**

Site Access

- 1. Use only designated haul routes/crossings.**
- 2. Stay in assigned work area as identified on plans and as defined by fences and barricades. Barricades/fences must not be crossed.**
- 3. Instructions from guards and escort personnel must be obeyed.**

Contractors, Subcontractors, and Sub-Subcontractors will be monitored for implementation and application of their respective safety programs at the work site. Members of the MSCAA staff shall have the authority to stop work when either site conditions and/or work practices present an imminent danger until those conditions and/or practices are corrected. Contractors will be notified of any non-compliance and any corrective action required. This notice, when delivered to the contractor or their representative at the site of the work, shall be deemed sufficient notice of non-compliance and corrective action is required. After receiving the notice, the contractor shall immediately take corrective action. If the contractor fails or refuses to take corrective action promptly, a stop work order may be issued. The cost to bring the work activity into compliance shall be incurred by the contractor, subcontractor, or sub-subcontractor. The Contractor, Subcontractor or Sub-Subcontractor shall not submit a request for extension of time or increased costs as a result of any such stop work order. Members of the MSCAA staff shall not be liable for any damages experienced by the Contractor due to the work stoppage. Progress payments may also cease until the Contractor and/or its Subcontractor and Sub-Subcontractors are in full compliance with all applicable safety and health rules, standards and regulations.

Each Contractor and their subcontractors and sub-subcontractors shall establish and enforce an effective disciplinary program (Appendix B). Contractors shall discipline and/or dismiss employees who violate established rules and regulations. This includes immediate termination for serious violations, repeated violations, or the refusal to follow safety and health rules.

MSCAA staff members shall have the authority to effectively remove from the site, any person (employees including supervisors and management of any contractor) who is regarded as a frequent violator of safe work practices, or who fails to ensure persons working under their supervision or in a workplace they control are not exposed to serious work hazards. Any Competent Person, as defined by OSHA, assigned to identify existing and predictable hazards, and authorized to eliminate them, which fails to perform this duty for any reason shall be replaced by the employer.

The Contractor shall not receive additional payment or reimbursement for safety items and procedures which have been identified as required by the Project Safety and Health Guidelines.

Failure to comply with the contract safety requirements will be considered as non-compliance with the contract and may result in remedial action including withholding of progress payments due the Contractor and/or termination of the Contractor from the site.

In the event the work or any portion thereof is shut down by either an outside agency or because of an unsafe condition as determined by the MSCAA staff, the responsible Contractor shall bear the total cost caused by that shutdown.

In no case shall the Contractor be relieved of overall responsibility for compliance with the requirements of federal, state, and local safety and health laws for all work to be performed under the contract.

For any construction equipment working near operating right of way and in aircraft safety areas that could encroach into MSCAA's operating right of way and aircraft safety areas shall submit to MSCAA (and obtain approval from the MSCAA) a plan describing the use of such equipment, and the necessary precautions to be taken to preclude any accidental encroachment into the right of way or aircraft safety area.

INTRODUCTION

Construction Safety and Health Guidelines, Purpose and Scope

These guidelines are established to aid in the prevention of job-related accidents and health problems during the construction of the **Memphis-Shelby County Airport Authority**. These guidelines set forth elements which all Contractors, subcontractors and sub-subcontractors shall include in their safety plan. This manual is not all-inclusive. Other elements may be added, or conveyed individually to Contractors to whom they expressly apply. There are other essentials which some Contractors, by nature of the specific type of work being performed, must integrate within their own safety plan.

These guidelines set forth basic rules and regulations for all personnel involved in the construction of the Project. The intent of these guidelines is to enhance and supplement the safety and health standards which are required by law, in contract documents, and are applicable to the construction projects for which it is applied. These guidelines do not cover the full spectrum of published safety and health standards mandated by law, and Contractors shall not assume that they are responsible only for those which are referenced in this manual, nor that they are current and quoted as published. It is the responsibility of the Contractor and its employees to ensure that they are in compliance and their safety plan is in compliance with all safety directives required by law.

In the event of a conflict between the provisions of these guidelines and applicable local, State or Federal safety and health laws, regulations and/or standards, contract documents or the Contractor's Safety Plan the more stringent shall apply.

RESPONSIBILITIES

General

Each participant involved in the construction of the Project is individually responsible for conducting their activities to ensure compliance with all applicable safety and health requirements. Construction activities of the Contractor and their Subcontractors and sub-subcontractors will be monitored for compliance with FAA, MSCAA, Federal, State, County, and local safety and health regulations and contract safety and health requirements.

Contractors

The Contractor shall be responsible for the safety and health of employees, subcontractors, sub-subcontractors, visitors, and vendors in accordance with State, Local and Federal regulations, and the Contract Documents. Each Contractor shall establish and submit for review a written Safety and Health Plan which includes details commensurate with the work to be performed. The Contractor's Safety and Health Plan shall clearly describe the contractor's commitments for meeting its obligations to provide a safe and healthful work environment for its employees and subcontractor employees, to protect vendors, visitors, and members of the general public. The Contractor's Safety and Health Plan shall reference Federal OSHA standards, and any other rules or regulations applicable to construction activities.

Each Contractor shall designate an on-site Safety Representative who is charged with the responsibility of on-site safety management. The Safety Representative's sole duty shall be safety management and shall not have other collateral duties. At minimum the safety representative shall meet the requirements of a "competent person" as defined by OSHA for all phases of construction and have a minimum of three (3) years construction safety experience. A resume shall be provided that outlines such items as: work experience, education, training completed and professional organizations, etc. The safety representative shall remain on the Project until contract acceptance (full-term of contract). Safety representative must be knowledgeable on SC-230, SC-240, and other safety requirements as outlined in the contract, the safety plan and site safety manual.

As a condition of this contract, a safety improvement team shall be established for this project. The following guidelines (Appendix H) shall be followed.

As a condition of their contract, all Contractors shall submit to the Project Safety Manager or designee:

- A site-specific safety plan within fifteen (15) days after receipt of Notice to proceed and prior to start of any construction activities.
- The name and qualifications (resume) of designated on-site safety person;
- An immediate copy of all citations and/or warning of safety violations received from any state or federal jurisdiction, agency, insurance company, or by any of its subtier contractor.

The Contractor shall:

- Ensure that all employees, subcontractors, and sub-subcontractors' employees are given a comprehensive Safety and Health orientation. This orientation shall include general Safety and Health procedures and policies as well as the project specific rules, regulations, and specific hazards. Employees shall be advised that disregard for these rules, or any other applicable Safety and Health regulations shall be subject to company disciplinary action and/or removal from the project. All workers shall complete an acknowledgment that indicates the worker has read, understood, and will abide by the rules and regulations. The following information shall be obtained from all employees: worker's name, date of orientation, Contractor's name, and project name (Appendix A).
- Investigate all accidents and incidents that result in personal injury or illness to workers, damage to buildings or equipment and any incident with the general public.
- Conduct daily job inspections, identify unsafe conditions or work practices and assure they are corrected, and maintain documentation.
- Conduct weekly, documented, safety meetings with Contractor supervisory personnel.
- Attend monthly Safety committee meetings and participate
- Assure that employees acting in a supervisory capacity understand and enforce all safe work practices. **Foreman and supervisors are required to have completed a 10-hour OSHA Outreach hazard recognition course within Two (2) years prior to directing work on the project.** Documentation must be made available for review
- Assure that employees acting in a supervisory capacity understand and enforce all safe work practices. **Foreman and supervisors are required to have completed a 10-hour OSHA Outreach hazard recognition course within Two (2) years prior to directing work on the project.** Documentation must be made available for review.
- Assure a Competent Person, as defined by OSHA, is provided at work locations where required by OSHA.
- Assure that all Personal Protective Equipment (PPE) is available and being used as required.
- Assure all construction equipment and motor vehicles certification, inspection, repair and controls are in compliance with the safety requirements of the project and OSHA. Annual crane certification shall be available for review for each to a crane on the project.
- Prior to making critical crane lift, detailed lift plan shall be submitted. (See Appendix C, "Critical Lift Checklist")
- Assure that all hand and power tools are in safe working order.
- Assure that all work areas are kept clear of debris and trash and that adequate trash barrels are placed throughout the work area and emptied frequently.
- Provide the appropriate number and types of sanitary facilities for employees.
- Assure that fall protection equipment is provided and used. Inspections of this equipment shall be documented and on file for review.

- Assure that all perimeter cables, barricades, or any other safety-related items are installed correctly and maintained. If another Contractor must remove a safety item, coordinate this activity with the Contractor who installed the device and other Contractors who may be exposed. **Safety devices shall be replaced by the Contractor removing them.** Warning signs, tags, or barricades shall be installed if other safety devices are removed.
- Assure that employees receive adequate training as required by the Project and OSHA. Additional training for foreman and safety representative may be required based on unique hazards involved in a task.

WORKPLACE SUBSTANCE ABUSE POLICY

The contractor shall submit as a part of their overall Safety and Health Plan a copy of their company Workplace Substance Abuse policy. This policy shall at minimum comply with Appendix D, "Substance Abuse".

The Contractor shall ensure that all subcontractors and sub-subcontractors are in compliance. The Contractor shall submit a monthly notarized letter stating they and their subcontractors are in compliance with the Project's Substance Abuse Policy.

Contractors should contact the State of Tennessee, at 1-800-332-2667, if there are questions concerning the Tennessee Drug Free Workplace Program. Contractors should also consult their own legal counsel.

INSTRUCTION AND TRAINING

Safety Orientation Program

Newly employed, promoted, and/or transferred personnel shall receive an orientation regarding the general safety and health rules and regulations as well as the site-specific policies and hazards prior to starting work on the construction site. The Contractor shall be responsible for the orientation of their employees, Subcontractors and sub-subcontractors, and visitors. Documentation of this orientation shall be maintained on file for review (Appendix A). Hard hat stickers are to be issued to an employee following their orientation, and then documented on training Log Sheet. It is the responsibility of the contractor to ensure that non-English speaking employees receive these same instructions in a language they understand. Safety orientation of all personnel shall include at a minimum the following topics Safety orientation of all personnel shall include at a minimum the following topics:

- Unique hazards of the project
- Employer/personnel responsibilities under OSHA Standards – location of required posters
- Personal protective equipment, including appropriate work attire
- Confined space entry
- 6-Foot fall rule - 100% continuous fall protection (*including steel erection and scaffolds*)
- 100% eye protection, 100% hard hat protection
- Appropriate guarding and other warning devices
- Housekeeping
- Fire protection
- Accident reporting procedures - First-aid facilities - Emergency procedures
- Crane and lifting hazards
- Scaffolding tagging requirements
- Hazard communication/ Right-to-Know, location of MSDS's
- Substance abuse policy
- Disciplinary procedures
- Trenching & excavation
- Electrical hazards

PROTECTION OF THE PUBLIC

All necessary precautions to prevent injury to the public or damage to the property of others shall be taken. The "Public" is defined as all persons not employed by or under contractor or subcontractor to **Memphis-Shelby County Airport**

Authority. Installation of temporary barriers and/or fencing designated to protect the Public shall be reviewed and approved by the Owner and/or their representative. Precautions shall include but not be limited to the following:

1. Work shall not be performed in any area occupied by the Public unless specifically permitted according to the terms of the contract or in writing.
2. When necessary to maintain public use of work areas involving vehicular roadways, etc., the contractor shall protect the Public in accordance with the applicable regulations.
3. Appropriate warnings, signs and instructional safety signs shall be conspicuously posted where necessary. In addition, a signal person shall control the moving of motorized equipment in areas where the public might be endangered. All signage warnings and traffic control shall comply with the particular agency that takes judicial precedence.
4. Each project work area shall be protected by a fence constructed and erected per MSCAA requirements.
5. Barricades for the general public or public roadways shall be secured against accidental displacement and in place at all times, except when temporary removal is required. As such times, a flag person shall be assigned to control the unprotected area. Barricades used on the airfield will be reconstructed, erected and maintained per MSCAA/FAA requirements.
6. Required signs and symbols shall be visible at all times when work is being performed and shall be removed or covered promptly when the hazards no longer exist.

Group Tours and Site Visitors

It is particularly important that a high degree of protection be afforded to all persons on the authorized tours of construction worksites. The following instructions shall be complied with, as applicable, by the Contractor and those responsible for arranging such tours. The following procedures shall be followed:

- a) Group tours shall be cleared through the **Memphis-Shelby County Airport Authority** office, allowing maximum advance notice.
- b) If visitors to the site will be on foot or out of the vehicle/bus, the individual or organization requesting the tour shall ensure that:
 - In all cases, the Construction Manager, MSCAA and the contractor shall be advised of any tour in a timely manner prior to the tour taking place.
 - Release and Hold Harmless Agreement – Each visitor shall be required to sign a release and hold harmless agreement prior to the commencement of the tour.
 -
 - MSCAA will coordinate the tour arrangements and ensure notification to the Construction Manager
 - Tour groups are limited to no more than (25) twenty-five persons.
 - Visitors are required to wear appropriate clothing and shoes.
 - Children less than 18 years of age are not permitted on the Project tours.
 - All visitors shall comply with Contractor safety requirements.
 - Site **Memphis-Shelby County Airport Authority** or designee personnel will escort Tours.

HARASSMENT-FREE WORK POLICY

Employee Harassment

It is the policy of **Memphis-Shelby County Airport Authority** to provide a workplace free from employee harassment on the basis of race, color, religion, sex, national origin, age, handicap, disability, etc. Improper interference with the ability of an employee to perform their work activities will not be tolerated. Harassment can appear in many forms, including derogatory comments, jokes, slurs, unwanted physical contact, derogatory drawings, or threats.

Sexual Harassment

Unwanted sexual advances, requests for sexual favors and other verbal physical conduct of a sexual nature will not be tolerated. Sexual harassing conduct includes, but is not limited to:

- ☐ Unwelcome sexual flirtation, touching, advances or propositions

- ☐ Verbal abuse of a sexual nature, including graphic or suggestive comments about an individual's dress or degrading words used to describe and individual
- ☐ The display in the workplace of sexually suggestive objects or pictures, including nude photographs
- ☐ Other verbal or physical conduct of a sexual nature can affect an employee's work performance

Reporting of Harassment

It is the policy of **Memphis-Shelby County Airport Authority** to actively investigate any alleged incidence of harassment. Anyone who believes they have been harassed should contact the project manager. Any allegation or complaint will be held in the strictest confidence.

Any employee who commits a wrongful act of harassment shall be subject to disciplinary action, up to and including termination.

REPORTING, ACCIDENT INVESTIGATION, AND RECORDKEEPING

Contractors shall provide an American Red Cross and CPR Certified First Aid representative and designate an appropriate area for the first aid and medical care to treat injured employees at the job site.

Reporting

All accidents resulting in employee injury, property damage, or involving the general public shall be reported immediately to the designated project representative and the Project Safety Manager.

The Contractor and their subcontractors and sub-subcontractors shall complete a Supervisor's Incident Report Form (See Appendix E) for all job-related accidents involving any of the following:

1. Any employee injury of the contractor, any subcontractor or sub-subcontractor.
2. Any injury and/or incident with the general public (including any alleged injuries reported by a member of the general public).
3. Equipment
4. Property

A formal accident investigation report and "First Report of Injury" shall be submitted within 24 hours. Pertinent facts that are not available within the above time shall be submitted as soon as available in a supplemental report.

A drug and alcohol test shall be administered to employee(s) injured and/or any employees in a work crew involved in an accident involving bodily injury.

Record-Keeping and Files

The Contractor and all Subcontractors and sub-subcontractors shall maintain a master or central file for safety and health related documentation on the jobsite. Files shall be maintained in such a manner that distinguishes each contractor and their subcontractors from other subcontractors and sub-subcontractors.

Accident Investigation

All accident/incidents shall be investigated by the contractor's safety supervisor and/or their safety designee.

The accident investigation should generate appropriate recommendations for corrective actions to prevent recurrence of similar accidents. Depending upon severity of the accident, the foreman of the injured worker may be requested to appear at the job safety and coordination meeting to:

1. Describe the cause of accident.
2. Report as to what corrective action has been initiated to avoid future accidents.

The Contractor and all Subcontractors shall maintain a current OSHA 300 log.

The Contractor and all Subcontractors and Sub-Subcontractors shall submit on a monthly basis a monthly summary of accident/incidents for the project.

Under the direction of MSCAA AD HOC Committee may be appointed for investigation of serious accidents that result in loss of life, injury to several workers on pedestrians or major property loss. The committee will submit a report to MSCAA at the conclusion of the investigation.

RETURN-TO-WORK

Every effort shall be made to **return employees to work as soon as possible** after an accident and under the direction of the physician.

A return-to-work program shall be developed and implemented by each Contractor to assist workers who are temporarily disabled due to an injury or illness. The Contractor and all subcontractors shall participate in the return-to-work program.

The Contractor, Subcontractor or Sub-subcontractor shall agree that their injured employees shall be treated by an authorized medical treating facility. The medical facility shall be utilized for initial treatment and evaluation of all injured employees. Follow-up care will be provided in accordance with applicable Workers' Compensation statutes.

When employees report a work-related illness or injury, they shall be taken to the approved medical facility for examination and/or treatment. If the doctor determines that the employee qualifies for "Return to Work" ("light-duty"), the doctor will complete appropriate forms indicating the restrictions and conditions for transitional work.

The Contractor, Subcontractor or Sub-subcontractor shall provide modified work until the employee is able to resume regular duties. All modified work is temporary in nature and is designed to facilitate a return to regular duties as soon as possible. Modified duty positions may be offered at any location of the project or on any shift.

WORK PRACTICE CONTROL

Overview

The primary focus of these Safety and Health Guidelines is to provide guidance for Contractors. Each Contractor shall have on site and available for employee review a written safety and health plan. This plan shall cover work exposures the contractors work operations. It is a project requirement that each and every employee conduct their operations in accordance with OSHA and all other applicable standards for all project operations

Memphis-Shelby County Airport Authority prohibits the use, possession, concealment, transportation, promotion, or sale of the following controlled items:

- a. Firearms, weapons, and ammunition – except when authorized for security reasons.
- b. Switchblades.
- c. Unauthorized explosives, including fireworks.
- d. Stolen or contraband.

Hazard Communication Program

The Contractor shall develop a written Hazard Communication Program that contains at minimum the following elements:

- The name of the program coordinator.
- A list of hazardous substances present within the Contractor's workplace.
- A written system that ensures MSDS's are obtained and made readily accessible to all employees, including lower tier subcontractor personnel, on each shift. In the event of an emergency, MSDS's shall be made available on an immediate basis.

- A labeling program that ensures that containers of hazardous substances in the workplace are properly labeled with the name of the substance and any applicable hazard warnings.
- A training program regarding hazards of substances that are used in the workplace and the protective measures that must be taken by the employee or any other persons potentially exposed to the hazardous substances.

The Contractor shall ensure that each employee, prior to working with, or being potentially exposed to hazardous substances, receives initial training on the Hazard Communication Program and the safe use of the hazardous substances. Additional training shall be provided to employees whenever new substances are introduced to the workplace.

Permanent records shall be maintained by the Contractor, describing all Hazard Communication Program training.

Record-Keeping and Files

The Contractor and all Subcontractors and sub-subcontractors shall maintain a master or central file for safety and health related documentation on the jobsite. Files shall be maintained in such a manner that distinguishes each contractor and their subcontractors from other subcontractors and sub-subcontractors.

Contractors shall submit and/or have available on site:

REPORT NAME	Annual	Immediately	24 Hr.	Weekly ¹	Monthly ²	Per Occurrence	Per Request
Annual Crane Inspection	X						X
Chemical Inventory					X		X
Contractor Weekly Inspection				X			X
Critical Lift Checklist						X	X
First Report of Injury		X				X	
Incident Investigation		X				X	
MSDS's					X		X
OSHA 300 Log					X		X
OSHA Citations		X				X	
Safety Observation				X			
Safety Plan of Action or JSA ³				X		X	X
Safety Statistics					X		X
Safety Training					X		X
Substance Abuse Policy compliance notarized letter					X		X
Toolbox Safety Meetings				X			X
Daily equipment / Vehicle Inspections							X

Daily -- Daily inspections are required on all equipment / vehicles.

¹ Weekly -- Weekly reports are due the following Tuesday morning

² Monthly -- Monthly reports are due by the 6th of the following month.

³ Safety Action Plan or JSA -- As required by contract or specification

The Owner and its Representatives shall have the right to review all documentation at any time upon request. The Contractor shall give full cooperation during these reviews.

The following documentation shall be in the safety files:

- A written project site specific Safety & Health Plan
- Hazard Communication Program, including current MSDS's. A project specific MSDS file shall be maintained on-site for employee review
- Site emergency plans
- All required safety & health permits
- Weekly safety meeting reports - including meeting topic(s) and employee attendance sheets
- Specific job hazard worker training
- Daily jobsite safety inspection reports - including documentation of corrective measures

- Equipment inspection reports
- Crane inspection reports - daily and monthly (annual certification reports required prior to equipment operation)
- Employee orientation training records
- Accident investigation reports, including near-misses
- Job hazard analysis
- Competent person qualifications
- Written safety violations
- Noise and air quality monitoring

Job Safety Analysis (JSA)

In order to provide Contractor employees with a safe workplace through pre-planning hazardous work, a Job Safety Analysis (JSA) shall be prepared. JSA's shall be required when thorough pre-job planning, it is determined that the process, equipment or procedure indicates potential for serious injury and/or property damage. JSA's will be done daily. JSA's should be kept in the work area, possibly at the toolbox and/or where they are readily available to the workers. JSA's will also be on file with the contractor.

The JSA shall be used by Contractors to analyze the jobs they perform, to identify the existing and potential hazards associated with each job step and establish controls for them. These JSA's shall be used as a task specific training tool to instruct employees, inspectors, and visitors of potential hazards and required safety precautions. Each employee working on the project shall sign a training log indicating that they understand the hazards of the project as indicated on the JSA.

Examples of activities that may require a JSA:

- Potential for collapse, (work-in trenching, tunneling. This may include demolition, etc).
- Potential release of stored energy, (electrical, pressure, explosive, etc).
- Crane supported work plate form use.
- Critical crane lifts (two cranes used to lift one load).
- Unusual crane operation.
- Potential exposure to uncontrolled hazardous materials or wastes.
- Blasting operations
- Abrasive /Sandblasting, Hydro blasting, etc.
- Potential injury from burns, both chemical and thermal.
- Respirator use.
- Potential oxygen-deficient environments.
- Entry into confined space.
- Potential of entanglement in, on, or between objects.
- Work in public streets and highways.
- Lockout/Tagout.
- Operations involving fall exposure.
- Structural Steel Erection.
- Use of new or Hazardous Materials, procedures, equipment.
- Material Storage & Handling.
- Powder actuated tool use.
- Suspended scaffolds.
- Scaffold erection.
- Scaffold dismantlement
- Rock drilling.
- Work on live electrical systems.

SPECIFIC PROJECT SAFETY REQUIREMENTS

Controls for possible conflicts between construction operations and aircraft

1. Contractor must request that a notice to Airmen (NOTAM) be issued prior to start of any construction that might affect navigable airspace or surface movement.

2. Barricades and temporary lighting must be installed and maintained per specs.
3. Operators of equipment/vehicles must be instructed on routes and haul procedures.
4. All personnel must stay in defined work areas. Fences/barricades are not to be crossed.
5. No access to active taxiways/runways will be allowed without prior authorization and direction/escort by MSCAA personnel.

Scaffolds, Stair Towers and Work Platforms

MSCAA requires **100% continuous fall protection** during the erection and dismantling of scaffolds where employees may be exposed to a fall greater than (6) six feet. A competent person must be present during erection, dismantling or moving of scaffold. The Contractor/Subcontractor shall develop and use a scaffold tagging system similar to the following:

Tagging

The tagging procedure, at minimum, shall consist of three (3) tags. The appropriate tag will be placed on a scaffold approved by the competent person. Each tag must have at least the following information and be visible by all employees:

- Date tag was placed - date of the last inspection.
- Name of person inspecting. All tags must be weather resistant.

A **GREEN** tag means the scaffold complies with federal OSHA regulations and can be used by any person.

A **YELLOW** tag indicates the scaffold is complete but does not meet all federal OSHA specifications. This tag will be used only in special circumstances. Special precautions, such as wearing a safety harness may be required because any accessory, such as a handrail, could not be installed due to the location of the scaffold.

A **RED** tag shall be placed on a scaffold that is being erected, dismantled, damaged and/or defective. No employees except members of the erection/dismantling crew shall work from a red tagged scaffold.

Employees will be instructed to read tags before using scaffolds. If a tag is not attached to the scaffold, **DO NOT USE** the scaffold.

Exceptions: Single buck or Baker scaffolds need not be tagged.

Walking and Working Surfaces

Barrier Identification Tape

Barrier identification tape is strictly prohibited from being used for any form of personnel fall protection. Barricade tape around excavations can be used for short term (24-hours), after this period physical barriers are required.

- **YELLOW** barricade tape shall be used for **CAUTION/WARNING**
- **RED** barricade tape shall be used for **DANGER DO NOT ENTER**

Note: Once the area barricaded is free of the hazard(s) for which it was erected the tape will be removed and properly discarded.

Fall Protection

Employees shall not be exposed to fall hazards. When an employee observes a fall hazard, they will notify their supervisor of the hazard. The responsible Contractor will immediately correct the hazard. **100% continuous fall protection, for fall hazards greater than six (6') feet, shall be implemented on this Project - including steel erection and scaffold use, erection and dismantling.**

Each Contractor shall be responsible for meeting fall protection requirements in their overall safety and health program.

Each Contractor shall evaluate ALL fall exposure conditions or tasks and must develop a Fall Protection Plan which outlines what methods, procedures and/or devices will be used in their program.

Each Contractor shall be responsible for implementing the requirements to achieve fall protection in accordance with all Federal, State, local rules, regulations, and the MSCAA Safety and Health Guideline.

All fall protection systems used on this project shall comply with OSHA regulations and the project safety guidelines. Fall protection shall provide a positive means of protection. **Controlled Access Zones and Safety Monitoring Systems are**

not considered positive means of fall protection and shall not be permitted. Any employee exposed to a fall greater than six (6) feet shall use approved fall protection equipment or devices. Fall protection systems shall be designed and installed under the direction of a Registered Professional Engineer or Qualified Person. Fall protection is required, as a minimum, under the following examples:

- Formwork and reinforcing steel. Each employee on the face of formwork or reinforcing steel shall be protected from falling 6 feet or more to lower levels by Personal Fall Arrest Systems, safety net systems, or positioning device systems.
- When working from a telescoping, articulating, or rotating type lifts and scissors lifts, personnel shall wear a safety harness with shock absorbing lanyard, secured to an approved anchorage point.
- When working on a ladder higher than six (6) feet from a solid surface, if the employee's torso extends past the side rails or if a vertical ladder extended a total of 20' or greater.
- When working on a platform or other support not equipped with an adequate guardrail, which is higher than six (6) feet from a solid surface.
- When working from a crane-suspended work platform, a safety harness with shock absorbing lanyard is mandatory.
- When an employee may have to be lowered into or raised from a confined space, a personal fall arrest system will be worn. The employee will be supported by an approved platform or a boatswain's chair, with certified hoisting device and fall arrest device.
- When working adjacent to an unguarded floor opening or sloped roof, a lifeline system is desirable for mobility. A positive means of fall protection must be provided unless it can be proven infeasible.
- When working adjacent to a deep excavation, pit or trench. Employees will be instructed on the proper wearing and use of personal Fall Protection Arresting Device Systems.
- **Barricade tape is not adequate fall protection.**

The Fall Protection Plan shall detail in writing when fall protection is required and exactly how this protection is to be provided. This written plan is required for any Contractor exposing workers to falls six (6) feet or greater.

The Contractor shall prepare a written training program to ensure that each employee who might be exposed to fall hazards is knowledgeable of the Fall Protection Plan requirements. The program shall enable each employee the ability to recognize the hazards of falling and shall train each employee in the procedures to be followed in order to eliminate or minimize these hazards.

The Contractor shall assure that each employee has been trained.

Personnel, who have been trained, then re-trained and continue to violate the established fall protection plan/regulations shall be removed from the project IMMEDIATELY.

Confined Space Entry

All employees required to enter a confined space shall be knowledgeable of the hazards involved with confined space entry. Prior to the start of such an entry the Contractor involved in the work will develop a Confined Space Entry Procedure. The Contractor shall train all personnel who will enter the confined space. No one shall enter a confined space area until properly instructed. Contractors shall identify all confined spaces within their work area with a sign identifying the area as a confined space.

A Confined Space Entry procedure shall be used to:

- Prevent inadvertent operation of equipment and/or work process while people are working in the confined space.
- Eliminate unexpected exposure to hazardous materials, oxygen deficient or inert/toxic gaseous atmosphere while working in confined spaces.
- Plan for a timely and effective response to an emergency during a confined space entry.

Confined Spaces are considered to be areas with limited entry and exit, or poor natural ventilation, and not intended for human occupancy. Examples of a confined space include: tanks, covered basins, vaults, columns, mixers, manholes, pipelines, sumps, ditches or excavations. All spaces shall be considered permit-required confined spaces until the pre-entry procedures demonstrate otherwise.

Safety considerations include but are not limited to: atmosphere testing for gaseous conditions/lack of oxygen, appropriate personal protective and emergency equipment, and additional personnel as needed to assure communications and assist the individual conducting the entry.

A Permit Required Confined Space means confined space that has one or more of the following:

- May or may not potentially contain a hazardous atmosphere;
- Contains a material that has potential for engulfing entrant;
- Has internal configuration that could trap the entrant;
- Contains any other recognized serious health or safety hazard;

Contractors shall provide their own permit.

A Non-Permit Required Confined Space is a confined space that does not contain or with respect to atmospheric hazards, the potential of causing death or serious physical harm.

Employee Ground Transportation

The purpose of this section is to establish minimum acceptable guidelines for the safe transportation of all personnel traveling within the Project confines. Eliminate personal accidents and injuries resulting from improper equipment use.

Contractors are responsible for assuring that all personnel follow the requirements of this section and prohibit improper transportation of employees and visitors. Transporting employees in cargo beds of pick-ups, vans, etc. is prohibited, unless approved seats and seat belts are provided and used.

- Operators must be qualified. Vehicle operators must have valid state operator's license
- All equipment/vehicles must be identified (company logo) per specifications.
- Safe speed must be maintained and adjusted to site conditions.
- Use flashers/headlamps as directed.
- Mobile cranes, forklifts, winch trucks, front-end loaders, tractors, and other materials handling equipment are not permitted to transport passengers.
- Trucks
 - A maximum of three passengers are permitted to ride inside of the truck cab unless the cab is specifically designed to accommodate additional passengers.
 - Passengers shall ride with all portions of their bodies inside the truck body or frame.
 - Passengers shall be in the seated position, with the seat belts secured and adjusted properly, before the vehicle is set in motion.
 - Riding on a vehicle's bumper or tailgate is prohibited.
 - Tailgates will be closed and latched before the vehicle is operated.
 - Passengers are not permitted to ride in the body of a dump truck, in the bed of a pickup truck or in trailers.
 - Passengers are not permitted to ride on top of the load or to hold materials from shifting.
 - Vehicles must be designed to accommodate passenger transportation, or the vehicle shall not be used for that purpose.
 - Drivers transporting passengers shall follow the posted speed limit and Project traffic rules.
 - The Contractor shall establish a designated employee parking area. Employee vehicles shall not be allowed on the construction project.

Housekeeping - MUST BE A CONTINUING PROCESS

The purpose of this section is to incorporate into the day-to-day work activity a good housekeeping action plan that will be followed by all Contractors working on the project.

- Contractors, through inspection and example, are responsible for assuring that trash and debris remain out of the work areas. Contractors are responsible for all their work areas and the work areas of their subcontractors and sub-subcontractors. If poor housekeeping practices are observed, corrective action will be discussed with the appropriate Contractor to remind them that cluttered work areas will not be tolerated and that their work area(s) pose a hazard to his employees and other personnel.
- Should the Contractor fail to address and correct their poor housekeeping upon 24 hour written notification, the "owner" may at its option, cause the same to be removed and charge the expense of such removal to the appropriate Contractor.
- Specific attention is needed for operations to the Aircraft Operation Area (AOA).
- Contractors shall monitor their work areas daily or more frequently if needed to assure that all debris is removed to minimize hazards.
- Immediately available vacuum sweeper for cleaning taxiway/runway crossings.
- Personnel immediately available for taxiway and runway cleanup. (Provide brooms to supplement cleanup by sweeper.)
- Access to taxiway/runway crossings for cleanup only at the direction of MSCAA guard.
- Loading of haulage vehicles to minimize spillage.
- Maintenance of vehicles/equipment so that no fluids will leak.
- Provide waste containers at the direction of the Construction Manager.

Project Electrical Requirements

- The Contractor shall implement an electrical safety program. This safety program element shall include safe installation, work practices, maintenance, and special equipment considerations. All electrical installations, either temporary or permanent, shall be in conformance with the National Electrical Safety Code, NFPA-70, ANSI-C1, and low and high voltage electrical safety orders OSHA code requirements. Only qualified employees shall install electrical tools and equipment, defective and/or improperly installed equipment shall be repaired immediately.
- Only qualified electricians familiar with code requirements shall be allowed to perform electrical work.
- Extension cords used with portable electrical tools and appliances shall be heavy duty (minimum 12 AWG) and of the three-wire type. Cords shall be covered, elevated, or otherwise protected from damage that would create a hazard to construction site personnel.
- Electrical cords and equipment shall be visually inspected before each shift for external defects. All damaged and defective cords shall be removed from service immediately (this includes cords with the ground prong missing). Cords shall be repaired with approved heat-shrink methods, electrical tape is not permitted.
- All temporary electrical tools, cords and equipment shall be properly protected by ground fault circuit interrupters (GFCI). All portable generators shall have properly functioning GFCI outlets. GFCI receptacles shall be tested monthly with a multi-range GFCI tester (the tests shall be documented) to insure the GFCI is properly functioning and protecting the worker.
- A "task-specific" lockout/tagout safety plan shall be established to ensure power sources to equipment and/or machinery are isolated and de-energized. This plan shall establish minimum steps necessary to disable equipment and machinery to prevent the unexpected release of potentially hazardous energy. Lockout/Tagout shall be performed in accordance with 29 CFR 1910.147.

Cranes and Hoisting Equipment

- Cranes and hoists shall not be used without a current annual certificate of examination and testing issued by an accredited crane examiner. **Annual inspection certificates shall be available when cranes arrive on-site. Operators' manual shall be in the cab of each crane prior to crane operation.**
- Only qualified and designated personnel shall operate cranes or hoisting equipment. Crane operators must have current (Certified Crane Operator) CCO certification and/or local or state certification.

- Rated load capacities and recommended operating speeds, special hazard warnings, or instructions, shall be conspicuously posted on all equipment; they shall be visible to the operator from his/her control station, and an accessible fire extinguisher of 10:ABC rating, shall be available at all operator stations or cabs of equipment. Crane operations position shall be kept clear of loose tools or material.
- Outtrigger cribbing shall be used for all crane operations. The size of the cribbing shall be determined by taking the cranes capacity and dividing by 5 (example: 40 to crane divided by 5 = 8 sq. ft. per outtrigger).
- All cranes working over shafts or lifting personnel platforms shall have anti-two block devices installed and operating properly.
- Radio or other positive means of communication shall be used to direct the operator when the point of operation is not in direct view of the operator.
- The operator shall respond to signals from only one person. The operator shall not follow any signal which is not understood, but shall always obey a stop signal.
- The operator shall be responsible for the operations and load under their control at all times. Whenever there are doubts about the safety of movement, the operator shall stop operations until safety is assured.
- A warning signal, such as a horn, shall be sounded to alert personnel to proximity of moving loads. Loads should not be passed over personnel, and personnel should not be permitted to work in the area directly under a suspended load.
- Concrete buckets - Employees shall not be permitted to work under concrete buckets while the buckets are elevated.
- **Employees shall keep out from under suspended loads at all times.**
- Employees shall not ride on loads, slings, hooks, buckets or other load handling attachments.
- All repairs, adjustments, modifications, rigging assembly or dismantling shall be conducted only by qualified and authorized personnel.
- The swing radius shall be barricaded or other positive means shall be taken to prevent personnel from entering the area between the counter weight/swing radius and any stationary and/or outside obstructions.
- A critical lift checklist will be completed and submitted anytime:
 - 2 cranes are used to make a lift
 - when a lift exceeds 75% of the load chart
 - or any unusual conditions are encountered
 (See Appendix C, "Critical Lift Checklist")
- Crane suspended work platforms shall only be used if there is no other safe means to reach the work area. The Contractor shall complete a JSA prior to the lift.
- Any overhead wire shall be considered to be energized unless and until the person owning such line or operating officials of the electrical utility supplying the line assures that it is NOT ENERGIZED and it has been visibly grounded at the work site.
- Taglines shall be used to control all loads
- Daily inspection of all cranes shall be completed and documented prior to crane use

Rigging

- Major rigging operations shall be planned and supervised by Competent Personnel to ensure that the best methods and most suitable equipment and tackle are employed. This should be the superintendent or foreman in charge.
- Job site management shall ensure that:
 - Proper rigging equipment is available.
 - All rigging is inspected before use. Documented inspections are required.
 - Correct load ratings are available for the material and equipment used for rigging.
 - Rigging material and equipment are maintained in proper working condition.
- The supervisor of the hoisting operation shall be responsible for:
 - Proper rigging of the load.
 - Supervision of the rigging crew.

- Ensuring that the rigging material and equipment have the necessary capacity for the job and are in safe condition.
- Ensuring correct assembly of rigging material or equipment as required during the operation, such as the correct installation of lifting bolts.
- Safety of the rigging crew and other personnel as they are affected by the rigging operation.

Excavation (Any process which disturbs soil)

- A. Contact MSCAA/FAA thru the Project Engineer at least 72 hours prior to proposed work for location of underground hazards (cables, ducts, fuel lines, etc.). A request form will be provided to the contractor.
- B. The contractor must contact Tennessee one call at least 72 hours prior to proposed excavation for location of utilities. Contractor must make arrangements to have personnel at the site when utilities are located. Documentation of the control number must be maintained on site.
- C. **Utilities must be located/marked prior to any process that disturbs the soil.**

Earthmoving Equipment and Trucks

- All earthmoving equipment shall be maintained in safe working condition and shall be appropriate and adequate for the intended use.
- Only authorized personnel shall operate equipment. Operators of equipment, machinery or vehicles shall be qualified and properly licensed for the operation involved.
- Equipment maintenance shall be performed only by qualified mechanics.
- Equipment operators and truck drivers shall make a documented pre-shift safety inspection of their equipment. Any conditions that affect safe operation will be corrected before use.
- Equipment shall not be operated unless all required safety devices are in place and functioning properly.
- Careless, reckless, or otherwise unsafe operation or use of equipment shall result in discipline and may constitute grounds for dismissal.
- Before performing any service or repair work, all equipment shall be stopped and positively secured against movement or operation, locked, and tagged out of service, unless it is designed to be serviced while running, following the manufacturer's instructions.
- When equipment is serviced or repaired, the operator shall dismount until the service or repair is completed and then make a complete walk-around safety check before remounting.
- All heavy equipment including cranes, forklifts, dozers, end-loaders, skid-steers, etc., shall have a reverse signal/back-up alarm audible above surrounding background noise.
- All off-highway earthmoving equipment and trucks such as loaders, dozers, scrapers, motor graders, rock trucks, tractors, rollers and compactors shall be equipped with roll-over protective structures (ROPS) and seat belts.
- Seat belts shall be used and adjusted properly by operators of all heavy equipment.
- Mobile equipment shall not be left unattended unless parked securely to prevent movement, with all ground engaging tools lowered to the ground, brakes set and the engine off.
- Equipment parked at night shall be lighted, barricaded or otherwise clearly marked when exposed to traffic. Keys shall not be left in equipment overnight.
- Personnel shall not be transported or ride on equipment or vehicles that are not equipped with seats for passengers.
- When fueling equipment or vehicles with gasoline or liquefied petroleum gas (LPG) the engine shall be shut down.
- All equipment and vehicles shall be equipped with appropriate fire extinguisher or fire suppression system.
- Haul roads shall be designed, constructed, and maintained for safe operation consistent with the type of haulage equipment in use. Standard traffic control signs shall be used where necessary.
- Elevated roadways shall have axle high beams or guards maintained on their outer banks.

- Equipment, tools, and materials hauled on pickups and flat bed trucks must be secured to prevent them from falling onto the road.

Welding & Cutting

- Welding leads and cutting hoses shall be kept clear of walkways and stairways.
- Flash arrestors shall be installed provided in both oxygen and acetylene hoses at the regulator connection.
- Welders shall wear approved eye and head protection when welding. Personnel assisting the welder shall also wear approved eye protection.
- Prior to welding or cutting a "20-ABC" rated fire extinguisher shall be within easy reach of the worker. A fire watch shall be stationed at all locations where sparks and/or flames may fall to a lower floor/work area or to another side of a wall.
- A suitable cylinder truck, with chain shall be used to keep cylinders from being knocked over while in use.
- Spent welding rods shall be picked up and disposed of daily.
- When practical all welding and cutting operations shall be shielded by non-combustible or flame-proof screens.
- Oxygen and acetylene cylinders shall not be stored inside buildings.
- Rubber boot protectors shall be provided on all welding leads where they make connections at the welding machine

Personal Protective Equipment

Eye and Face Protection

All employees shall wear safety glasses 100% of the time while on the construction site. Minimum eye protection shall include approved safety glasses **with side shields** which meet the standards specified in ANSI Z-87.1-1989 (this shall also include prescription eye wear).

Additional eye and face protection in combination shall be worn when:

- Welding, burning or cutting with torches
- Using abrasive wheels, portable grinders or files
- Chipping concrete, stone or metal
- Working with any materials subject to scaling, flaking or chipping
- Drilling or working under dusty conditions
- Using explosive actuated fastening or nailing tools
- Working with compressed air or other gases

Only clear safety glasses shall be worn inside any building(s).

Head Protection

All construction workers shall wear hard hats which meet ANSI Z 89.1-1986, 100% of the time while on the construction site. Hard hats shall display the company decal where the employee works.

All delivery personnel, vendors and visitors shall wear approved hard hats while on the project.

Hearing Protection

Work areas shall be monitored to identify areas of high noise exposure (85 dBA and higher). All work areas identified as high noise exposure shall be properly posted to warn employees of the exposure.

Appropriate hearing protection shall be worn in work areas where noise levels are 85 dBA or greater.

Respiratory Protection

Contractors whose work activities warrant that employees wear respiratory protection, shall establish and implement a respiratory protection program. The program shall meet the requirements set forth in 29 CFR 1926.134.

Foot Protection

All personnel on the construction site shall wear leather hard-soled work boots. No one is permitted to wear sneakers (including ANSI approved), tennis shoes or athletic shoes of any type, sandals, high heels or thongs on the construction site.

Clothing

Suitable clothing for construction shall be worn on the construction site. Shirts with sleeves (at least t-shirt (4 inches) in length), full length pants and reflective safety vests shall be required. Shorts, sweatpants, or tank-tops are not allowed.

Appendix A - Safety Orientation

Check each box when completed - To be completed by all employees on the jobsite. To be completed by site supervision and employee prior to beginning work.

- ☐ Alcohol and/or drug use, fighting or horseplay are prohibited and will result in immediate termination
- ☐ 100 % eye protection, hard hats and reflective safety vests are required when on the construction project
- ☐ Review potential hazards on the project and the precautions to be taken to prevent injury
- ☐ Disciplinary Policy:

Non-serious violation

First violation - Verbal warning

Second violation - Verbal & written warning

Third violation - Verbal & written warning and three day suspension without pay

Fourth violation - Employee discharge from company

Serious violation - (see disciplinary policy)

First violation - Verbal & written warning

Second violation - Employee discharge from company

- ☐ Hazard Communication Program - location of MSDS's and written program on the project
- ☐ All accidents, injuries and unsafe conditions shall be reported to supervisor immediately
- ☐ Medical treatment protocols for injuries requiring off-site medical treatment with a doctor
- ☐ Safety meetings are held on a weekly basis (attendance is mandatory)
- ☐ All employees shall dress properly while working. Minimum attire is long pants, shirt with at least 4-inch sleeves and sturdy above the ankle work boots
- ☐ Ground fault circuit interrupters (GFCI) are required on all tools. All extension cords and power tools shall be properly grounded. Notify supervision immediately if defective equipment exists.
- ☐ All employees exposed to a fall exposure of six or greater, shall be protected by the means of fall protection. Specific training is required for fall protection.
- ☐ Employees are not allowed to work in excavations 4 feet or more in depth, unless they are properly sloped or protected by shielding or shoring
- ☐ Lockout/tagout is required when working on equipment or tools where unexpected start-up may occur or the release of energy may result in injury
- ☐ Before any employee is allowed to wear a respirator (including paper masks) they must be medically approved by a doctor and fit-tested
- ☐ Scaffolds shall be inspected and tagged prior to use by any personnel. Red tag means DO NOT USE; Yellow Tag means section of scaffold does not meet OSHA standards and Green Tag means SAFE FOR USE.
- ☐ Other hazards discussed related to the construction project:

Equipment Issued

- ☐ Hardhat
- ☐ Safety Glasses
- ☐ Reflective Safety Vest
- ☐ Fall Protection Harness & Lanyard
- ☐ Respirator
- ☐ Other _____

To be completed by supervisor in the field with the employee

- ☐ Show employee around the project and discuss potential hazards
- ☐ Introduce employee to crew members
- ☐ Assign new employee to experienced work crew
- ☐ Specify work duties
- ☐ Where to eat lunch

This is to acknowledge that I have completed new employee orientation and understand that failure to comply with the Safety Program may be grounds for dismissal.

Employee Print Name: _____ Date: _____

Emergency Contact: _____

Employee Signature: _____

Supervision Signature: _____ Date: _____

Appendix B – Employee Disciplinary Guideline

The discipline policy is intended to encourage compliance with the requirements of the Federal Occupational Safety and Health Act of 1970 (OSHA) and all additions and revisions thereto, as well as other applicable federal, state and local requirements and this Safety and Health Guideline. Workers performing work in an unsafe manner that would endanger the employee, other workers or the public shall be subject to discipline or termination.

The Project Representative in conjunction with the Project Manager and Project Foreman will determine the course of action best suited to the circumstances. The steps to be taken shall be progressive, except in the most egregious circumstances and shall include:

- a) **Non-Serious** – Initial, isolated, or rare instances of violation, that do not result in danger to the employee, property, or others, should be corrected through non disciplinary discussion and instruction. Safety violations of a less serious nature will be handled as follows:

First Offense	Verbal Warning
Second Offense	Written Warning
Third Offense	Employee given three-day suspension without pay
Fourth Offense	Employee Discharge

- b) **Serious** – One which could result in serious injury or loss of life or serious loss of property, shall be subject to:

First Offense	Employee given three-day suspension without pay
Second Offense	Employee Discharge

- c) **Supervisor Accountability** – If two or more employees working for the same supervisor are found in serious violation as described above, that subcontractor supervisor is also subject to disciplinary action up to and including immediate discharge.

Documentation - Notice of safety violation (written) shall be given to the employee, and a copy kept by the Contractors Project Safety Representative.

Appendix C - Critical Lift Checklist

Project: _____

Date: _____

Description of Lift: _____

Name of supervisor in charge of lift: _____

Name of crane operator(s): _____

Name of signal person(s): _____

Crane Data:

Make and Model: _____

Boom Length: _____

Counterweight: _____

Capacity: _____

Load Data:

Gross Load Weight: _____

Rigging Weight: _____

Load block & line Weight: _____

Max. Load Radius: _____

Min. Load Angle: _____

Max. Boom Angle: _____

Min. Boom Angle: _____

Net Load Weight: _____

Pre-Lift Requirements:

- _____ Load is within chart limits.
- _____ Has the Center of Gravity of the Load been established and marked?
- _____ Is rigging adequate and in good condition?
- _____ Load chart utilized is for exact crane model; boom type, length, tip; counterweight.
- _____ Competent person in charge of lift: Name
- _____ Competent signal person identified: Name
- _____ Pre-pick meeting held with crew
- _____ Written crane inspection completed within 1 day of critical pick
- _____ Swing path not over personnel
- _____ Footing is sound and level (soil conditions/compaction, underground tunnel or utilities).
- _____ Pre-planning for radio or hand signal communications.
- _____ Minimum clearances from power lines can and will be maintained.
- _____ The load radius has been measured with tape measure.
- _____ Weather conditions have been checked, including wind speed.
- _____ Load will not touch boom at any time.
- _____ For dual crane lift – diagrams have been prepared.
- _____ Pad blocking is adequate and substantial.
- _____ Outriggers are fully extended.

Signed: _____

Supervisor in Charge

Appendix D – Substance Abuse

Policy Statement

The Owner **Memphis-Shelby County Airport Authority** is committed to providing project employees with a drug-free and alcohol-free workplace. It is our goal to protect the health and safety of these employees and visitors to our job site, promote a productive workplace, and protect the reputation of our project.

Consistent with those goals, the use, possession, distribution, or sale at project sites of drugs, drug paraphernalia or alcohol is prohibited. A program of drug and alcohol testing will be instituted to monitor compliance with this policy.

Contractors / Subcontractors refusing to comply with this Drug and Alcohol Policy will not be permitted to work on this MSCAA project and will be noted as being in violation of their contract with the (Project Name) / or other contractors & subcontractors working on this project.

This Policy Statement does not represent a contract between the Owner **Memphis-Shelby County Airport Authority**, Design and Development, Owners of project, Construction Managers, General Contractors, Subcontractors, employees, or perspective employees of the project.

Policy Administration

It is our combined goal to protect the health and safety of personnel, craft workers, and visitors to our job site; to promote a productive workplace and protect the reputation of MSCAA.

Prohibited Substances

1. Drugs or Drug is defined as any substance which may impair mental or motor function including but not limited to illegal drugs, controlled substances, designer drugs, synthetic drugs, look alike drugs, and under circumstances described in this policy -prescription drugs.
2. Alcohol is defined as any beverage or substance containing alcohol, ethyl alcohol or ethanol. "Alcohol Testing or Alcohol test means testing by certified breath-alcohol technician using a DOT approved initial screening device or urine alcohol testing conducted by a certified laboratory and confirmed by gas chromatography/mass spectroscopy (GC/MS)". Test levels must not meet or exceed .04 grams per 210 liter of breath.

Pre-Project Testing

Prior to beginning work on this Project, employers will be required to ensure that all employees have met the requirements of this policy with a negative (passing) test result. Employers and employees not meeting the requirements will not be allowed to work on this job site.

Additional Testing of Employees

1. **Post-Accident:** It is agreed that drug and alcohol testing of employees shall be required after each and every work-related incident. This testing shall take place at the medical facility providing treatment for the injury. A work-related accident is defined as an accident resulting in an injury requiring treatment by a physician to the employee or other employees injured and / or resulting in damage to property or equipment.
2. **Reasonable Suspicion:** Is defined as supervision having a reason to suspect employee drug or alcohol use. The employer will bear the cost of this test.

Points of Understanding Regarding Substance Abuse Testing

The employer, the medical facility and the testing laboratory agree that the results of the described tests are to be held in strictest **CONFIDENCE** between the employer and the medical facility (MRO). This is an issue of employee – employer relationship (employment) and falls under the requirements within the employer's program.

Testing Procedures

1. At a minimum pre-project and post-accident testing is required.
2. Testing shall include the following drugs at a minimum:
Marijuana, Cocaine, Opiates, Amphetamines, Phencyclidine, Barbiturates, Benzodiazepines, Methadone, Propoxyphene
3. For reasons of safety, any employee subject to a reasonable suspicion test shall be suspended until test results are available.

Prescription Drugs

The use of current valid prescription Drugs that may impair an employee's ability to safely perform his or her duties must be reported to the safety director, supervisor and management personnel.

Alcoholic Beverages

Under no circumstances are alcoholic beverages allowed on the MSCAA project site.

Disciplinary Action

1. A positive pre-project or post-accident test will result in worker dismissal from this MSCAA project site
2. Employees found using, selling, possessing, or manufacturing drugs shall be removed from this project and may be reported to local law enforcement.

Confidentiality

All actions taken under this policy will be in conformance with the Local Drug Testing Act

Subcontractors and Vendors

Subcontractors, sub-tiered contractors, vendors, and their employees shall cooperate with this policy in achieving a drug-free and alcohol-free workplace.

Amendments to Policy

Amendments to this policy may be issued to comply with project owner requirements, state or local laws, or federal contract requirements.

Company Name _____

**DRUG AND ALCOHOL POLICY
ACKNOWLEDGMENT AND ACCEPTANCE STATEMENT**

I certify that I have read and understand the statement and policy. I further understand that prior to employment and during employment, I am subject to drug and alcohol screening tests. I agree to provide the specimen appropriate to such drug or alcohol test(s) as may be required. I further understand that my property and I may be subject to search under the terms of this policy while I am on the Owner's premises. Failure to provide the appropriate specimen, or to permit a search, will subject me to removal from this site.

I also understand that I will not be allowed to go to work prior to the reporting of my pre-employment drug test results.

If I am an employee of a subcontractor company, an employee of an affiliate company assigned to the job site, or a contract staff, I understand that I am subject to pre-employment drug testing and all testing conditions of this Policy. Failure to provide the appropriate specimen or to permit a search or a positive test result will result in my immediate removal from this job site.

Signature

Date

Print Name and Title

Witness

Guidelines for Reasonable Suspicion

Observation Checklist

- | | | | | |
|--|---|---|--------------------------------------|--|
| 1. Walking | ☐ Stumbling | ☐ Staggering | ☐ Falling | ☐ Unable to Walk |
| | ☐ Swaying | ☐ Unsteady | ☐ Holding On | ☐ Normal |
| 2. Standing | ☐ Swaying | ☐ Rigid | | ☐ Unable to Stand |
| | ☐ Staggering | ☐ Sagging at Knees | | ☐ Feet Wide Apart |
| 3. Speech | ☐ Shouting | ☐ Silent | ☐ Whispering | ☐ Slow |
| | ☐ Rambling | ☐ Mute | ☐ Slurred | ☐ Slobbering |
| | ☐ Incoherent | ☐ Confused | ☐ Normal | |
| 4. Demeanor | ☐ Cooperative | ☐ Polite | ☐ Calm | ☐ Sleepy |
| | ☐ Silent | ☐ Talkative | ☐ Crying | ☐ Excited |
| | ☐ Sarcastic | ☐ Fighting | | |
| 5. Actions | ☐ Resisting | ☐ Fighting | ☐ Threatening | ☐ Erratic |
| | ☐ Communications | | | |
| | ☐ Drowsy | ☐ Profanity | ☐ Hyperactive | ☐ Hostile |
| | ☐ Calm | | | |
| 6. Eyes | ☐ Bloodshot | ☐ Watery | ☐ Dilated | ☐ Glassy |
| | ☐ Droopy | ☐ Closed | ☐ Normal | |
| 7. Face | ☐ Flushed | ☐ Pale | ☐ Sweaty | ☐ Normal |
| 8. Appearance/
Clothing | ☐ Unruly | ☐ Messy | ☐ Dirty | ☐ Partially Dressed |
| | ☐ Body | ☐ Stains | ☐ Neat | ☐ Normal |
| | ☐ Excrement | | | |
| 9. Breath | ☐ Alcoholic | ☐ Faint Alcohol | ☐ No Odor | |
| | ☐ Odor | ☐ Odor | | |
| 10. Movement | ☐ Fumbling | ☐ Jerky | ☐ Slow | ☐ Hyperactive |
| | ☐ Nervous | ☐ Normal | | |
| 11. Eating/
Chewing | ☐ Gum | ☐ Candy | ☐ Mints | ☐ Other – identify |
| 12. Other observations: (Visible drug use, possession, sale, etc.: attendance; poor work performance or accident; tampering with drug test; credible reports, etc.) | | | | |

Observed by: _____ Observed by: _____

Date: _____ Time: _____ Location: _____

Appendix E - Supervisor's Report of Bodily Injury

Date of Accident _____ Date Returned to Work: _____

Location of Accident _____ Time of Accident _____ am/pm

Contractor/Subcontractor Involved _____

First Aid: _____ Recordable _____ Lost Time _____ Fatality _____

Damage*: _____ Fire _____ Property _____

Equipment _____

Injured Person: _____ SSN: _____

Address: _____ Occupation: _____

_____ Home Phone: _____

Male _____ Female _____ Age _____

Nature of Injury: _____

First Aid Administered By: _____

Hospital _____ Physician _____

Witnesses: _____

Equipment and/or Materials Involved: _____

Cause Of Accident: _____

Superintendent's Corrective Action: _____

Employee's Signature: _____ Supt. Signature _____

Date of report: _____

*Attach a list of damaged property and/or equipment excluding motor vehicles. Indicate owner's names and addresses. Complete "Report of Damage to Equipment or Property" (Appendix F).

Appendix F - Report of Damage to Equipment or Property

Date _____

Contractor/Subcontractor _____

Location of Accident _____

Equipment Involved _____

Personal injuries Yes _____ No _____

Damage Estimate \$ _____

Witness to Accident

Statement Obtained

Statement Attached

Yes No

Yes No

Yes No

Yes No

Yes No

Yes No

Yes No

Yes No

Remarks _____

Time of Accident _____ AM _____ PM _____ Date _____

Weather Conditions _____ Temperature _____

Roadway or surface type _____ Wet _____ Dry _____ Other _____ *

*If other, explain _____

If more space is required, use back of this sheet for additional information and sketches.

Signed _____

Title _____

Employee Name _____

Appendix G – Safety Improvement Team Guidelines

The Owner recognizes that a cooperative effort is required to insure a safe construction project. Therefore, the Contractor shall establish a Safety Improvement Team to facilitate the proper cooperative attitude.

The Safety Improvement Team shall be composed of an equal number of employees and management representatives. The management personnel (4) will consist of one Owner representative, one person from the Contractor, one from the workers' compensation/general liability insurance carrier and a representative of subcontractor supervision. The employee members (4) shall be selected from the various subcontractor trades on a voluntary basis or by nomination to serve a minimum of one year each.

The Contractor's Safety Manager shall serve as the Safety Improvement Team advisor and is responsible for providing meeting agendas and minutes, giving assignments to the committee, and publicizing committee accomplishments. Safety Improvement Team meeting minutes and attendance roster shall be maintained.

The Contractor's Safety Manager is responsible for assuring that Committee members are adequately trained to perform their duties and responsibilities.

The Contractor's Safety Manager is responsible for assuring that subcontractors with 25 or more employees establish their own Safety Improvement Team commensurate with the NRS requirements.

The primary purpose of the Safety Improvement Team is to evaluate safety and health program effectiveness, suggestions, hazard reports, hotline reports, etc., and to provide suggestions and recommendations to improve workplace safety.

Additional duties include advising and educating employees in safe working practices, investigating accidents and their causes, recommending preventative measures, inspecting work areas, and other duties as assigned.

Meetings shall be held at least monthly; discussion items shall include:

- Inspection Reports
- Accident Reports
- The safety of construction methods and practices
- Review and make recommendations on employee hazard reports, hotlines, etc.

The Safety Improvement Team members will receive their regular rates of pay while performing Safety Improvement Team duties. Time spent performing Safety Improvement Team duties shall be documented using normal time reporting procedures

**EXHIBIT E
TO
UNIT PRICE CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

FAA REQUIRED CONTRACT PROVISIONS

EXHIBIT E

FAA REQUIRED CONTRACT PROVISIONS – ALL CONTRACTS

Federal laws and regulations require that recipients of federal assistance (Sponsors) include contract provisions in certain contracts, requests for proposals, or invitations to bid. The provisions are as follows:

1. Title VI Clauses for Compliance with Nondiscrimination Requirements (FAA Provision A6.4.1). (Reference: 49 USC § 47123)

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the “contractor”) agrees as follows:

Compliance with Regulations: The contractor (hereinafter includes consultants) will comply with the Title VI List of Pertinent Nondiscrimination Acts And Authorities, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.

Non-discrimination: The contractor, with regard to the work performed by it during the contract, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor will not participate directly or indirectly in the discrimination prohibited by the Nondiscrimination Acts and Authorities, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR part 21.

Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the contractor of the contractor's obligations under this contract and the Nondiscrimination Acts And Authorities on the grounds of race, color, or national origin.

Information and Reports: The contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the sponsor or the Federal Aviation Administration to be pertinent to ascertain compliance with such Nondiscrimination Acts And Authorities and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor will so certify to the sponsor or the Federal Aviation Administration, as appropriate, and will set forth what efforts it has made to obtain the information.

Sanctions for Noncompliance: In the event of a contractor's noncompliance with the Non-discrimination provisions of this contract, the sponsor will impose such contract sanctions as it or the Federal Aviation Administration may determine to be appropriate, including, but not limited to:

- a. Withholding payments to the contractor under the contract until the contractor complies; and/or
- b. Cancelling, terminating, or suspending a contract, in whole or in part.

Incorporation of Provisions: The contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor will take action with respect to any subcontract or procurement as the sponsor or the Federal Aviation

Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the sponsor to enter into any litigation to protect the interests of the sponsor. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.

2. Title VI List of Pertinent Nondiscrimination Acts and Authorities (FAA Provision A6.4.5).

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the “contractor”) agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d *et seq.*, 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin);

49 CFR part 21 (Non-discrimination In Federally-Assisted Programs of The Department of Transportation—Effectuation of Title VI of The Civil Rights Act of 1964);

The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);

Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 *et seq.*), as amended, (prohibits discrimination on the basis of disability); and 49 CFR part 27;

The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 *et seq.*), (prohibits discrimination on the basis of age);

Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);

The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms “programs or activities” to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);

Titles II and III of the Americans with Disabilities Act of 1990, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131 – 12189) as implemented by Department of Transportation regulations at 49 CFR parts 37 and 38;

The Federal Aviation Administration’s Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);

Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;

Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);

Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 *et seq.*).

3. Federal Fair Labor Standards Act (FAA Provision A17). (Reference: 29 U.S.C. § 201, *et seq.*)

All contracts and subcontracts that result from this solicitation incorporate by reference the provisions of 29 CFR part 201, the Federal Fair Labor Standards Act (FLSA), with the same force and effect as if given in full text. The FLSA sets minimum wage, overtime pay, recordkeeping, and child labor standards for full and part time workers.

The Contractor has full responsibility to monitor compliance to the referenced statute or regulation. The Contractor must address any claims or disputes that arise from this requirement directly with the U.S. Department of Labor – Wage and Hour Division.

4. Occupational Safety and Health Act of 1970 (FAA Provision A20). (Reference: 29 CFR part 1910)

All contracts and subcontracts that result from this solicitation incorporate by reference the requirements of 29 CFR Part 1910 with the same force and effect as if given in full text. Contractor must provide a work environment that is free from recognized hazards that may cause death or serious physical harm to the employee. The Contractor retains full responsibility to monitor its compliance and their subcontractor's compliance with the applicable requirements of the Occupational Safety and Health Act of 1970 (20 CFR Part 1910). Contractor must address any claims or disputes that pertain to a referenced requirement directly with the U.S. Department of Labor – Occupational Safety and Health Administration.

5. General Civil Rights Provisions (FAA Provision A5). (Reference: 49 U.S.C. § 47123)

The Contractor agrees to comply with pertinent statutes, Executive Orders and such rules as are promulgated to ensure that no person shall, on the grounds of race, creed, color, national origin, sex, age, or disability be excluded from participating in any activity conducted with or benefiting from Federal assistance.

This provision binds the contractor and subcontractors from the bid solicitation period through the completion of the contract. This provision is in addition to that required of Title VI of the Civil Rights Act of 1964. If the Contractor transfers its obligation to another, the transferee is obligated in the same manner as the Contractor. The above provision obligates the Contractor for the period during which the property is owned, used or possessed by the Contractor and the airport remains obligated to the Federal Aviation Administration.

**EXHIBIT F
TO
CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

STATE REQUIRED CONTRACT PROVISIONS

STANDARD TERMS AND CONDITIONS:

Grantees shall not assign an Aeronautics Grant Contract or enter into a subcontract for any of the services performed under an Aeronautics Grant Contract without obtaining the prior written approval of the State. If such subcontracts are approved by the State, each shall contain, at a minimum, sections of the Aeronautics Grant Contract pertaining to "Conflicts of Interest," "Lobbying," "Nondiscrimination," "Public Accountability," "Public Notice," and "Records" (as identified by the section headings). Notwithstanding any use of approved subcontractors, the Grantee shall remain responsible for all work performed.

CONTRACT CLAUSES:

- F.1. Conflicts of Interest. Contractor warrants that no part of the total contract amount shall be paid directly or indirectly to an employee or official of the State of Tennessee as wages, compensation, or gifts in exchange for acting as an officer, agent, employee, subcontractor, or consultant to MSCAA in connection with any work contemplated or performed relative to this Contract.
- F.2. Lobbying. The Contractor certifies, to the best of its knowledge and belief, that:
- a. No federally appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any federal contract, the making of any federal grant, the making of any federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any federal contract, grant, loan, or cooperative agreement.
 - b. If any funds other than federally appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this contract, grant, loan, or cooperative agreement, the Promisor shall complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities," in accordance with its instructions.
 - c. The Contractor shall require that the language of this certification be included in the award documents for all sub-awards at all tiers (including subcontracts, sub-grants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.
- This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into and is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. § 1352.
- F.3. Nondiscrimination. Contractor hereby agrees, warrants, and assures that no person shall be excluded from participation in, be denied benefits of, or be otherwise subjected to discrimination in the performance of this Grant Contract or in the employment practices of the Contractor on the grounds of handicap or disability, age, race, color, religion, sex, national origin, or any other classification protected by federal, Tennessee state constitutional, or statutory law. The Contractor shall, upon request, show proof of nondiscrimination and shall post in conspicuous places, available to all employees and applicants, notices of nondiscrimination.

- F.4. Public Accountability. If the Contractor is subject to Tenn. Code Ann. § 8-4-401 *et seq.*, or if this Contract involves the provision of services to citizens by Contractor on behalf of the State, Contractor agrees to establish a system through which recipients of services may present grievances about the operation of the service program. The Contractor shall also display in a prominent place, located near the passageway through which the public enters in order to receive Grant supported services, a sign at least eleven inches (11") in height and seventeen inches (17") in width stating:

NOTICE: THIS AGENCY IS A RECIPIENT OF TAXPAYER FUNDING. IF YOU OBSERVE AN AGENCY DIRECTOR OR EMPLOYEE ENGAGING IN ANY ACTIVITY WHICH YOU CONSIDER TO BE ILLEGAL, IMPROPER, OR WASTEFUL, PLEASE CALL THE STATE COMPTROLLER'S TOLL-FREE HOTLINE: 1-800-232-5454.

The sign shall be on the form prescribed by the Comptroller of the Treasury. MSCAA shall obtain copies of the sign from the Tennessee Department of Transportation, Aeronautics Division, and upon request from the Contractor, provide Contractor with any necessary signs.

- F.5. Public Notice. All notices, informational pamphlets, press releases, research reports, signs, and similar public notices prepared and released by the Contractor in relation to this Contract shall include the statement, "This project is funded under a grant contract with the State of Tennessee." All notices by the Contractor in relation to this Contract shall be approved by the State.
- F.6. Records. The Contractor and any approved subcontractor shall maintain documentation for all charges under this Contract. The books, records, and documents of the Contractor and any approved subcontractor, insofar as they relate to work performed or money received under this Grant Contract, shall be maintained in accordance with applicable Tennessee law. In no case shall the records be maintained for a period of less than five (5) full years from the date of the final payment. The Contractor's records shall be subject to audit at any reasonable time and upon reasonable notice by the Tennessee Department of Transportation, the Comptroller of the Treasury, or their duly appointed representatives.

The records shall be maintained in accordance with Governmental Accounting Standards Board (GASB) Accounting Standards or the Financial Accounting Standards Board (FASB) Accounting Standards Codification, as applicable, and any related AICPA Industry Audit and Accounting guides.

In addition, documentation of grant applications, budgets, reports, awards, and expenditures will be maintained in accordance with U.S. Office of Management and Budget's *Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards*.

Contract expenditures shall be made in accordance with local government purchasing policies and procedures and purchasing procedures for local governments authorized under state law.

The Contractor shall also comply with any recordkeeping and reporting requirements prescribed by the Tennessee Comptroller of the Treasury.

The Contractor shall establish a system of internal controls that utilize the COSO Internal Control - Integrated Framework model as the basic foundation for the internal control system. The Contractor shall incorporate any additional Comptroller of the Treasury directives into its internal control system.

Any other required records or reports which are not contemplated in the above standards shall follow the format designated by the head of the Tennessee Department of Transportation, the Central Procurement Office, or the Commissioner of Finance and Administration of the State of Tennessee.

- F.7. No Boycott of Israel. Pursuant to T.C.A. § 12-4-119, Contractor certifies that it is not currently engaged in, and will not for the duration of services herein engage in, a boycott of Israel.

**EXHIBIT G
TO
CONSTRUCTION CONTRACT
FOR
RUNWAY 18R PRECISION APPROACH PATH INDICATOR (PAPI) - CONSTRUCTION**

**BY AND BETWEEN
THE MEMPHIS-SHELBY COUNTY AIRPORT AUTHORITY
AND
(CONTRACTOR NAME)**

PROJECT SCHEDULE REQUIREMENTS

Submit a detailed schedule for design, construction, and completion:

1. Gantt chart
2. Milestone dates clearly identified
3. Task start and completion dates
4. Phasing for each section
5. Contractor recommendations that will benefit the overall project schedule
6. Milestones/Tasks to include, but not limited to:
 - Notice to Proceed (NTP)
 - Mobilization
 - Material Procurement/Lead Times (if applicable)
 - Design (if applicable)
 - Permitting (if applicable)
 - Substantial Completion for Each Phase
 - Demobilization
 - Closeout
 - Provide items in Section 4.08